

www.raschemtech.com

GOING GREEN?



GO ORANGE! RAS Offers Over 1000 Environmentally Friendly Products.



Contractor Response Gloves, Boots, Eyewear, PPE, Liners, Poly Sheeting	4 - 6
Sorbent Technologies Oil Only, Universal, Bonded, Fine Fiber, Pads, Rolls, Booms, Socks	7 - 15
Spill Kits Oil Only, Haz Mat, General Purpose, Mobile Carts, First Aid	16 - 27
Granular Absorbents Cheetah Sorb, Peat Moss, Kenaf, Volcanic Ash, Floor Dry, Vermiculite	28 - 31
Secondary Containment Poly Overpacks, Polly Dollys, Spill Pallets, Huts, IBCs, Berms	32 - 69
Stormwater Drain Guards, Grate Guards, Drain Seals, Drain Plugs	70 - 76
Safety Cans & Safety Cabinets Dispensing, Storage, Specialty Use, Hazardous, Flammable, Butt Cans	77 - 84
Drums & Accessories Steel Drums, Steel Overpacks, Fiber Drums, Poly Drums, Drum Accessories	85 - 91
Environmental Safety Clean Rooms, Cleaners & Degreasers, Packaging	92 - 97
Facility Safety Safety Rails, Dock Plates, Post Protectors	98 - 103
Construction Safety Floor Mats, Tarps, Fencing, Tape, Safety Goggles, Gloves	104 - 108
Marine Spill Control Containment Booms, Reels, Skimmers, Pumps, Accessories	109 - 111
Emergency Response Equipment Decon, Compactors, Trailers, Tanks, Bulk Totes	112 - 121
How to Order	123



GLOVES

Product Code	Description	
CEP-GLOVENIT	Glove Nitrile, Green, 15 mil, 13"	
CEP-GLOVEPVC	Glove PVC, Black, Smooth, 12"	
CEP-GLOVENEO14	Glove Neoprene, Black, 14"	
CEP-GLOVENIT-813	Glove Nitrile Powder Free, Disposal	100/Box
CEP-CEP-GLOVES-SS	Glove Silver Shield, 4H	





BOOTS

Product Code	Description
CEP-BOOTCVRXL	Yellow Latex Over the Shoe Boot, 12", Rough Sole, Haxmat, XL
CEP-BOOTPVC -SIZE	

BOOTPVC also available in White, specify color.



SAFETY EYEWEAR

Product Code	Description
CEP-GOGGLES	Chemical Goggles
CEP-FACESHIELD	Clear Visor Headgear with Ratchet Adjustment





ROLL OFF BOX LINERS

Product Code Description

CEP-BOXLINER-6 22.6'L X 5.5'H X8'W 6 mil Black

Form fitted liner for roll off box sizes 20-30 yards.

Other sizes available upon request.





DRUM LINERS AND POLY SHEETING



Product Code	Description		MONEY
CEP-DLIN55-4	Drum Liner	38"X63", Clear:	Industrial Std., 4 mil, 50/rl
CEP-DLIN55-6	Drum Liner	38"X63", Clear	Industrial Std., 6 mil, 50/rl
CEP-DLIN55-4TRUE	Drum Liner	38"X63", Clear	4 mil, 50/rl
CEP-DLIN55-6TRUE	Drum Liner	38"X63", Clear	6 mil, 50/rl
CEP-DLIN55-6-YEL	Hazmat Drum Li	ner	38"X63", Yellow Printed6 mil, 50/rl
CEP-DLIN55ASBESTOS	Asbestos Drum I	Liner	38"X63", Clear Printed4 mil, 50/rl
CEP-POLSHT100-4	Poly Sheeting	20'X100', Clear	4 mil
CEP-POLSHT100-6	Poly Sheeting	20'X100', Clear	6 mil
CEP-POLSHT100-4BLK	Poly Sheeting	20'X100', Black	4 mil
CEP-POLSHT100-6BLK	Poly Sheeting	20'X100', Black	6 mil

RAS's line of poly bags and sheeting range from 4 mil. to 10 mil. RAS also offers a wide range of asbestos abatement bags and sheeting.







GENERAL PURPOSE PROTECTIVE CLOTHING

Product	Code	Description

CEP-MMNSEWA White Coverall, Elastic Wrist & Ankles 25/cs. **CEP-MMNSEWAHB** White Coverall, Elastic Wrist, Ankles, 25/cs. Hood, And Booties

CFP-MMNSCVR White Standard Coverall 25/cs.

- · Excellent abrasive resistance.
- · Light splash and dry particulate protection.
- · Scrim re-enforced for superior strength.
- · Serged seams.





LOWEST PRICED

PPE IN THE INDUSTRY

Chem Max® PROTECTIVE GARMENTS LEVEL 1, 2 AND 3

Entry level Chemical Protection garment, yellow garment, bound seams, set in sleeve 25 /cs

CEP-CMX1CVR-(SIZE) Coverall, Open Wrist and Ankles Coverall, Elastic Wrist, Ankles CEP-CMX1EWA-(SIZE)

CEP-CMX1EWAH-(SIZE) Coverall, Elastic Wrist, Ankles and Hood CEP-CMX1EWHB-(SIZE) Coverall, Elastic Wrist, Hood and Booties

ChemMax2 Second level of barrier protection with proven protection of Dow Saranex® 23P barrier film. White garment, bound seams, set in sleeve, 12/cs

Coverall, Open Wrist and Ankles CEP-CMX2CVR-(SIZE) Coverall, Elastic Wrist, Ankles CEP-CMX2EWA-(SIZE)

Coverall, Elastic Wrist, Ankles and Hood CEP-CMX2EWAH-(SIZE) CEP-CMX2EWHB-(SIZE) Coverall, Elastic Wrist, Hood and Booties

ChemMax3 The highest level of ChemMax protection available. Provides a barrier against a broad spectrum of toxic industrial chemicals, dual use chemicals, chemical warfare agents and other harmful contaminates. Gray garments, sealed seam and storm flap over zipper, 6/cs

CEP-CMX3CVR-(SIZE) Coverall, Open Wrist and Ankles CEP-CMX3EWA-(SIZE) Coverall, Elastic Wrist, Ankles

CEP-CMX3EWAH-(SIZE) Coverall, Elastic Wrist, Ankles and Hood Coverall, Elastic Wrist, Hood and Booties CEP-CMX3EWHB-(SIZE)

ALL SUITS ARE AVILABLE IN SIZES SMALL - 5XL OTHER CONFIGURATIONS AVAILABLE UPON REQUEST

> WE OFFER FULL LINE OF LAKELAND PRODUCTS....CALL FOR QUOTE

FIRE RESISTANT COVERALLS

Product Code Description

CEP-PP2WA Blue Fire Resistant Coverall, Elastic Wrist & Ankles 25/cs

- · Exceeds NFPA 701 for flame resistance.
- · Meets ANSI/ISEA 101-1996 standards.

Available in 7 sizes! Please indicate size by adding one of these codes to the product code:

SM Small 2X Large MD Medium 3X Large LG 4X Large Large

Extra Large





ACCESSORIES

Product Code Description

CEP-TYVEKBOOTIES Tyvek Booties

Yellow Latex Boot Covers, XL CEP-BOOTCVRXL **CEP-APRON-CHEMRESIS** Chemical Resistant Apron



.....................



ORANGE POWER PAD

Product Code

Description

CEP-OPP15

Universal Absorption Pads with Citrus Fragrance

15" x 15"

85/cs





Completely Safe! Orange Power™ is non-toxic, non-hazardous, and non-flammable. Real anti-static protection that leaves no residue and is low linting. These easily rinsed and reusable towels perform like cloth.

Tackles isopropyl alcohol, MEK and other tough solvents without falling apart due to its powerful solvent resistance.

Superior wet and dry cleaning performance.

High intrinsic surface per unit mass of fiber providing excellent dirt pickup.



Orange Power™ high capacity absorption pads effectively remove general dirt and grime, greases, some inks, tar, asphalt, oils, lubricants, water-based paints, industrial carbon and other heavy-duty soils.

The formula leaves your hands smelling clean and fresh.

This disposable, soft, high strength pad is ideal for cleaning hard, non-porous surfaces and can be used anywhere including, but not limited to, industrial manufacturing facilities, auto shops, aviation facilities, medical offices, bitals, hotels, schools, day care centers, restaurants

hospitals, hotels, schools, day care centers, restaurants, nursing homes, correctional facilities, etc.







PADS & ROLLS



Oil Only Pads 15"x 17" 100/cs.

 Hvy Wt
 Med Wt
 Lt Wt
 Sgl Wt

 CEP-P100
 CEP-EP100
 CEP-L100
 CEP-P200 (200/cs)

 Oil Only Pads 30"x 34" 50/cs

 Hvy Wt
 Med Wt

 CEP-P50
 CEP-EP50

Oil Only Rolls 15" x 150' 2/cs

Hvy Wt Med Wt

CEP-SR144 CEP-ESR144

Oil Only Rolls 30" x 150' 1/cs Hvy Wt Med Wt $\frac{\text{Oil Only Rolls 30" x 300' 1/cs}}{\underline{\text{Lt Wt}}}$

CEP-R288

- RAS pure meltblown polypropylene fibers are the most cost-effective adsorption technology today.
- Fast-wicking fibers absorb up to 25 times their weight in hydrocarbon.
- · Product sold by net weight. Pad counts are approximate.

CEP-ER144

· 38" widths available.

CEP-R144



BOOMS, PILLOWS & SOCKS



Pı	roduct Code	Description	QUALI	
1	CEP-B810	White Sorbent Booms, With Sock	8" x 10′	4/cs
2	CEP-B510	White Sorbent Booms, With Sock	5" x 10'	4/cs
3	CEP-B820	White Sorbent Booms, With Sock	8" x 20'	2/cs
	CEP-B520	White Sorbent Booms, With Sock	5" x 20'	2/cs
4	CEP-DB510	White Double Sorbent Booms	5" x 10'	8/cs
5	CEP-PS12	White Poly Socks	3" x 46"	12/cs
6	CEP-PS10	White Poly Socks	3" x 10'	4/cs
7	CEP-PIL10	White Sorbent Pillows	3" x 18" x 24"	10/cs
8	CEP-SAKPIL10	White Sack Pillows	14" x 25"	10/cs
9	CEP-BPIL10	White Boom Pillows	8" x 18"	10/cs
	CEP-PS20	White Bilge Socks	3" x 20"	20/cs
	CEP-PS40	White Poly Socks	3" x 46"	40/cs

- Provides containment & adsorption while repelling water; comprised of anti-shed or non-lint netting; overlapping clips for deployment in any length.
- · Pillows & socks are ideal for catch basins & sumps.



OIL ONLY ACCESSORIES



Pı	roduct Code	Description	QUALITY	
1	CEP-SW100	White Sorbent Sweep, Rolled	19" x 100'	1/cs
2	CEP-PART25	White Particulate	25 lbs. bag	
3	CEP-ODTP25	White Drum Top Pads, W/Bung	22" dia.	25/cs
4	ODP12-CEP	Drip Pans	3" x 11" x 13"	12/cs
	ODP24-CEP	Drip Pans	3" x 11" x 13"	24/cs
5	CEP-P100ASTAT	White Static Resistant Pads, Hvy Wt	15" x 17"	100/cs
	CEP-P25ASTAT	White Static Resistant Pads, Hvy Wt	15" x 17"	25/cs
	CEP-R144ASTAT	White Static Resistant Roll, Hvv Wt	30" x 150'	1/cs

RAS has a variety of oil only sorbents for all industrial maintenance needs.

 Drip Pans for continuous leaks, Drum Top Pads for lubricant sprays, and Static Resistant Sorbents for highly flammable liquids.

RAS Sorbent Sweeps are ideal for marine spill fine sheen removal.



RAY

Sorbent Technologies

POLYPROPYLENE OIL-ONLY SORBENT BOOM






Product CodeDescriptionCEP-B510Oil Only Sorbent Boom5" x 10'4/csCEP-B810Oil Only Sorbent Boom8" x 10'4/cs

This unique product, available in both 5" and 8" diameters, absorbs considerably more petroleum-based liquids than other poly boom. It has identical usage applications and each section is made with a durable sock and netting.

We can offer this special sorbent boom to you at a better price than the pure poly alternative. More absorption at a lower price? YES!

Features/Specifications:

- · Oil only (for petroleum-based liquid)
- Non-toxic
- Non-shedding
- · Durable sock and netting
- · Absorbs more liquid than pure poly boom
- · Rope and snap clips for easy deployment



RAPID RESPONSE CONTAINMENT BOOM





- Revolutionary containment boom stored in a convenient drum
- MYCELX infused products instantly attach to fuel, sheen & oil
- Virtually zero water dragout
- Easy storage and deployment connect multiple drums together for extendability
- Storage container minimizes space and doubles as a disposal drum
- Prevents weathering and separation of pollutants on contact
- Each 10 ft. section capable of absorbing 28 pounds of oil or fuel

150' of extendable containment boom quickly dispenses from its storage container to encircle spills





BONDED SORBENT PADS & ROLLS



Product Code	Description		
CEP-BP100	White Bonded Pads, Hvy Wt	15" x 17"	100/cs
CEP-BEP100	White Bonded Pads, Med Wt	15" x 17"	100/cs
CEP-BP200	White Bonded Pads, Lt Wt	15" x 17"	200/cs
CEP-BP50	White Bonded Pads, Hvy Wt	30" x 34"	50/cs
CEP-BR144	White Bonded Roll, Hvy Wt	30" x 150'	1/cs
CEP-BER144	White Bonded Roll, Med Wt	30" x 150′	1/cs

- RAS's Oil Only Bonded Pads are ideal for wiping applications where increased tensile strength is necessary.
- The sonic bonding process creates a stronger more durable fiber, without affecting adsorption.
- Product sold by net weight. Pad counts are approximate.
- 38" widths available.






UNIVERSAL AGGRESSIVE PADS & ROLLS



Product Code		Description	GUALITI	
-	CEP-UP100 CEP-UP200	Green Universal Pads, Hvy Wt	15" x 17" 15" x 17"	100/cs 200/cs
_	CEP-UP200 CEP-UR150	Green Universal Pads, Lt Wt Green Universal Roll, Hvy Wt	30" x 150′	1/cs
4	CEP-UR13 CEP-USR150	Green Universal Roll, Hvy Wt Green Universal Split Rolls, Hvy Wt	13" x 100′ 15" x 150′	1/cs 2/cs
•	CEP-UP50 CEP-UR24	Green Universal Pads, Hvy Wt Green Universal Roll, Hvy Wt	30" x 34" 24" x 150'	50/cs 1/cs

- These pads and rolls will absorb all liquids from water based fluids to aggressive acids.
- · An absolute necessity for any haz mat spill or spill contingency planning.
- Bonded for tensile strength and absorb up to 25 times their weight in all liquids.
- · Product sold by net weight. Pad counts are approximate.
- 38" widths available.



UNIVERSAL AGGRESSIVE BOOMS, PILLOWS & SOCKS




4/cs
4/cs
12/cs
4/cs
10/cs
17/cs

- RAS's Universal Haz Mat line of booms, socks and pillows are ideal for containing and absorbing spills of any liquid.
- All products are color coded in haz mat orange and absorb up to 25 times their weight in fluid.
- · Socks and booms come in a variety of sizes.





Product Code		Description	QUALI	IY
1	CEP-GS4	General Socks	3" x 4'	40/cs
	CEP-GS6	General Socks	3" x 6'	25/cs
	CEP-GS8	General Socks	3" x 8'	20/cs
	CEP-GS10	General Socks	3" x 10'	15/cs
	CEP-GS20	General Socks	3" x 20"	20/cs
	CEP-GS55	General Socks	3" x 20"	55/cs
3	CEP-GPIL16	General Pillows	2" x 11" x 13"	16/cs
2	CEP-COBSOC40	Corn Cob Socks	3" x 46"	40/cs
	CEP-COBSOC10	Corn Cob Socks	3" x 10'	14/cs
4	CEP-GPILPAN	Pillow in Pan	16 pillow/4pans	



GENERAL PURPOSE SOCKS

& PILLOWS

Perfect moldable application for continuous maintenance leaks.
The recycled fiber fillers are BTU rich for multiple disposal options.



INDUSTRIAL RUGS & UNIVERSAL ACCESSORIES



P	roduct Code	Description	GUALIT	
1	CEP-IR300	Industrial Rug	36" x 300'	1/cs
	CEP-SIR300	Split Industrial Rugs	18" x 300′	2/cs
	CEP-IR100	Industrial Rug	36" x 100'	1/cs
	CEP-IR150	Industrial Rug	36" x 150'	1/cs
	CEP-PBIR150	Poly Backed Industrial Rug	36" x 150'	1/cs
	CEP-PBIR50	Poly Backed Industrial Rug	36" x 50'	1/cs
	CEP-PBIR100	Poly Backed Industrial Rug	36" x 100'	1/cs
	CEP-PBIR300	Poly Backed Industrial Rug	36" x 300'	1/cs
2	CEP-RAGRUG150	Cellulose Rag Rug	36" x 150'	1/cs
	CEP-SRAGRUG150	Cellulose Rag Rugs	18" x 150′	2/cs
3	CEP-INDSQ100	Industrial Squares	18" x 18"	100/cs
4	CEP-UDTP25	Universal Drum Top Pads	22" dia.	25/cs
5	UDP12-CEP	Universal Drip Pans	3" x 11" x 13"	12/cs
	UDP24-CEP	Universal Drip Pans	3" x 11" x 13"	24/cs



BIODEGRADABLE SORBENTS



Product Code	Description	QUALI	TY
1 CEP-COTP100 2 CEP-COTB810 3 CEP-COTB510 4 CEP-UCOTP100 5 CEP-COTR144 CEP-RAGPAD100 CEP-WIPE800	Cotton Sorbent Pads Poly/Cellulose Blended Booms Poly/Cellulose Blended Booms Univ. Cotton Pads Cotton Sorbent Roll Cellulose Rag Pads Airlaid Crepe Fold	18" x 18" 8" x 10' 5" x 10' 18" x 18" 36" x 150' 3/8" x 18" x 18" Wipes	100/cs 4/cs 4/cs 100/cs 1/cs 100/cs 800/cs
CEP-WIPE000	Alfiald Crepe Fold	vvipes	000/0



- These products are derived from all natural, non-toxic, and recycled fibers.
- Their natural biodegradable composition are environmentally friendly for disposal.
- The cotton sorbent products are available in both oil only and universal pads and rolls.





BONDED OIL ONLY - Q-SERIES [143 P





P	roduct Code	Description		ONLY
-	CEP-BP100 CEP-BR144 CEP-BSR144 CEP-BP200	White Sorbent Pads, Hvy Wt White Sorbent Roll, Hvy Wt White Sorbent Split Rolls, Hvy Wt White Sorbent Pads. Lt Wt	15" x 17" 30" x 150' 15" x 150' 15" x 17"	100/cs 1/cs 2/cs 200/cs
	32. 2.200			_00/00

BONDED UNIVERSAL - Q-SERIES

Product Code		Description		
2	CEP-UQ100	Gray Sorbent Pads, Hvy Wt	15" x 17"	100/cs
	CEP-UQ150	Gray Sorbent Roll, Hvy Wt	30" x 150'	1/cs
	CEP-UQSR150	Gray Sorbent Split Rolls, Hvy Wt	15" x 150'	2/cs
	CEP-UQ200	Gray Sorbent Pads, Lt Wt	15" x 17"	200/cs
	CEP-UQ125	Gray Sorbent Pads, Hvy Wt	15" x 17"	125/cs
	CEP-UQ288	Gray Sorbent Roll, Hvy Wt	30" x 300'	1/cs

The ultrasonic bonding (dimples) creates tensile strength ideal for wiping and MRO applications. The Universal Gray camouflages oil and grease.



Q-PERFORATED







Pr	oduct Code	Description	ONLY	QUALITY	MONEY	
1	CEP-UQ100P	Gray Universal I	Perf. Pads, F	lvy Wt 1	5" x 17"	100/cs
2	CEP-UQ150P	Gray Universal I	Perf. Roll, Hv	yWt 3	30" x 150'	1/cs
	CEP-UQ150SP	Gray Universal I	Perf. Rolls, F	lvy Wt 1	5" x 150'	2/cs
	CEP-Q100P	White Oil Only F	Perf.	•	15" x 17"	100/cs
		Sorbent Pads, F	lvy Wt			
	CEP-Q150P	White Oil Only F	Perf.	3	30" x 150′	1/cs
		Sorbent Roll, Hv	/y Wt			
2	CED DOLL DACK WM	Dall Dook For 20	" Carbont D	alla Mall	Mauntahla	

CEP-ROLLRACK-WM Roll Rack For 30" Sorbent Rolls, Wall Mountable

Q-BOXED/PERFORATED

P	roduct Code	Description		
4	CEP-UQR19BOX	Universal Gray Perf & Boxed	19" x 100′	1/cs
5	CEP-QR19BOX	Oil Only Perf & Boxed	19" x 100′	1/cs



BLUE Q-SERIES OIL ONLY



Product Code Description

1	CEP-BBP100	Blue Bonded Sorbent Pads, Hvy Wt	15" x 17"	100/cs
2	CEP-BBP200	Blue Bonded Sorbent Pads, Lt Wt	15" x 17"	200/cs
3	CEP-BBR144	Blue Bonded Sorbent Roll, Hvy Wt	30" x 150'	1/cs
	CEP-BBSR144	Blue Bonded Sorbent Rolls, Hvy Wt	15" x 150´	2/cs

Q-Series Blue Sonic bonded meltblown is the strongest oil only pad in the sorbent industry. The blue color is ideal for both marine and industrial disguise of hydrocarbon.



COLDFORM SINGLE LAMINATED PADS AND ROLLS

Product Code	Description	
WHITE - OIL ONLY		
CEP-QPL100	Pads Heavy 16"x18"	100/cs
CEP-QEPL100	Pads Medium 16"x18"	100/cs
CEP-QRL150	Rolls Heavy 28"x150'	1/cs
CEP-QRSL150	Split Rolls Heavy 14"x150'	2/cs
CEP-QERL150	Rolls Medium 28"x150'	1/cs
CEP-QESRL150	Split Rolls Medium 14"x150'	2/cs





The Cold Form Process saves you money in cost and use!!

CAMOUFLAGE - UNIVERSAL

07 till 0 0 1 E7 t 0 E	CHITEIRO	
CEP-CML100	Pads Heavy 16"x18"	100/cs
CEP-CMRL150	Rolls Heavy 28"x150'	1/cs
CEP-CMLSR150	Split Rolls Heavy 14"x150'	2/cs



GREY - UNIVERSAL CEP-UQPL100 Pads Heavy 16"x18" 100/cs Pads Medium 16"x18" CEP-UQEPL100 100/cs CEP-UQRL150 Rolls Heavy 28"x150' 1/cs 2/cs

CEP-UQSRL150 Split Rolls Heavy 14"x150' CEP-UQERL150 Rolls Medium 28"x150' Split Rolls Medium 14"x150' CEP-UQESRL150

COLDFORM NATURAL BONDED PADS AND ROLLS

1/cs

2/cs

Product Code	Description	
WHITE - OIL ONLY		_
CEP-C100	Pads Heavy 16"x18"	100/cs
CEP-EC100	Pads Medium 16"x18"	100/cs
CEP-EC200	Pads Medium 16"x18"	200/cs
CEP-CR150	Rolls Heavy 28"x150"	1/cs
CEP-CSR150	Split Rolls Heavy 14"x150"	2/cs
CEP-CER150	Rolls Medium 28"x150"	1/cs
CEP-CESR150	Split Rolls Medium 14"x150'	2/cs
GREY - UNIVERSA	L	
CEP-UC100	Pads Heavy 16"x18"	100/cs
CEP-UEC100	Pads Medium 16"x18"	100/cs
CEP-UC200	Pads Light 14"x18"	200/cs
CEP-UCR150	Rolls Heavy 28"x150"	1/cs
CEP-UCRS150	Split Rolls Heavy 14"x150"	2/cs
CEP-UCER150	Rolls Medium 28"x150'	1/cs
CEP-UCESR150	Split Rolls Medium 14"x150"	2/cs



BIODEGRADABLE

COLDFORM FINE FIBER PADS AND ROLLS

Product Code	Description	
WHITE - OIL ONLY		
CEP-QF100	Pads Heavy 16"x18"	100/cs
CEP-QF150	Rolls Heavy 28"x150'	1/cs
CEP-QSF150	Split Rolls Heavy 14"x150'	2/cs
GREY - UNIVERSA	L	
CEP-UQF100	Pads Heavy 16"x18"	100/cs
CEP-UQF150	Rolls Heavy 28"x150'	1/cs
CEP-UQSF150	Split Rolls Heavy 14"x150'	2/cs
GREEN - UNIVERS	AL	
CEP-GQF100	Pads Heavy 16"x18"	100/cs
CEP-GQF150	Rolls Heavy 28"x150'	1/cs
CEP-GQSF150	Split Rolls Heavy 14"x150'	2/cs



13



MILITARY PADS & ROLLS CAMO

Pi	roduct Code	Description		
1	CEP-MM100	Sorbent Pads	16" x 20"	100/cs.
2	CEP-MM150	Sorbent Roll	30" x 150'	1/cs.
	CEP-MM150S	Sorbent Split Rolls	15" x 150'	2/cs.





LAMINATED PADS & ROLLS

Product Code	Description		
OIL ONLY			
CEP-Q100SMS	White Sorbent Pads, Hvy Wt.	15" x 17"	100/cs.
CEP-QEP100SMS	White Sorbent Pads, Med Wt	15" x 17"	100/cs.
CEP-Q150SMS	White Sorbent Roll, Hvy Wt	30" x 150'	1/cs.
CEP-QER150SMS	White Sorbent Roll, Med Wt	30" x 150'	1/cs.
CEP-QSR150SMS	White Sorbent Split Rolls, Hvy Wt	15" x 150´	2/cs.
CEP-QESR150SMS	White Sorbent Split Rolls, Med Wt	15" x 150'	2/cs.

GRAY LAMINATED - UNIVERSAL

VALEAMINALED - ONI	VLINDAL		
CEP-UQ100SMS	Gray Sorbent Pads, Hvy Wt	15" x 17"	100/cs.
CEP-UQEP100SMS	Gray Sorbent Pads, Med Wt	15" x 17"	100/cs.
CEP-UQ150SMS	Gray Sorbent Roll, Hvy Wt	30" x 150'	1/cs.
CEP-UQER150SMS	Gray Sorbent Roll, Med Wt	30" x 150'	1/cs.
CEP-UQSR150SMS	Gray Sorbent Split Rolls, Hvy Wt	15" x 150'	2/cs.
CEP-UQESR150SMS	Gray Sorbent Split Rolls, Med Wt	15" x 150′	2/cs.





PADS & ROLLS

Pı	oduct Code	Description		
1	WHITE FINE FIBER	– OIL ONLY		
	CEP-Q100	White Sorbent Pads, Hvy Wt	15" x 17"	100/cs.
	CEP-QEP100	White Sorbent Pads, Med Wt	15" x 17"	100/cs.
	CEP-Q200	White Sorbent Pads, Lt Wt	15" x 17"	200/cs.
	CEP-Q50	White Sorbent King Pads, Hvy Wt	30" x 34"	50/cs.
	CEP-Q150	White Sorbent Roll, Hvy Wt	30" x 150'	1/cs.
	CEP-Q24	White Sorbent Roll, Hvy Wt	24" x 150'	1/cs.
	CEP-Q288	White Sorbent Roll, Lt Wt	30" x 300'	1/cs
	CEP-QSR150	White Sorbent Split Rolls, Hvy Wt	15" x 150′	2/cs.
	CEP-Q288S	White Sorbent Split Rolls, Hvy Wt	15" x 300′	2/cs.
2	GRAY FINE FIBER -	- UNIVERSAL		
	CEP-UQ100P	Gray Sorbent Pads, Hvy Wt	15" x 17"	100/cs.
	CEP-UQ200P	Gray Sorbent Pads, Lt Wt	15" x 17"	200/cs.
	CEP-UQ50P	Gray Sorbent King Pads, Hvy Wt	30" x 34"	50/cs.
	CEP-UQ150P	Gray Sorbent Roll, Hvy Wt	30" x 150′	1/cs.
	CEP-UQR24P	Gray Sorbent Roll, Hvy Wt	24" x 150′	1/cs.
	CEP-UQ288P	Gray Sorbent Roll, Lt Wt	30" x 300'	1/cs.
3	GREEN FINE FIBER			
	CEP-UP100P	Green Sorbent Pads, Hvy Wt	15" x 17"	100/cs.
	CEP-UEP100P	Green Sorbent Pads, Med Wt	15" x 17"	100/cs.
	CEP-UR150P	Green Sorbent Roll, Hvy Wt	30" x 150′	1/cs.
	CEP-UER150P	Green Sorbent Roll, Med Wt	30" x 150′	1/cs.
4	BLUE FINE FIBER -			
	CEP-QBP100	Blue Sorbent Pads, Hvy Wt	15" x 17"	100/cs.
	CEP-QBEP100	Blue Sorbent Pads, Med Wt	15" x 17"	100/cs.
	CEP-QBP200	Blue Sorbent Pads, Lt Wt	15" x 17"	200/cs.
	CEP-QBR144	Blue Sorbent Roll, Hvy Wt	30" x 150′	1/cs.
	CEP-QBER144	Blue Sorbent Roll, Med Wt	30" x 150′	1/cs.
	CEP-QBP288S	Blue Sorbent Roll, Lt Wt	30" x 300'	1/cs.



POLY BACKED DRIP PAD



Product Code	Description	Q	UALITY
CEP-OP1250	Oil Zap Pad	17"x23"	150/CS
CEP-OP2442	Oil Zap Pad	24"x42"	40/CS
CEP-OPR-9200	Oil Zap Roll	Perforated	1 Roll (133 pads)

- · Eliminates shop rags.
- · Quick absorption.
- · Absorbs one-half quart of oil.
- Pad will withstand hot oil up to 210 degrees.
- · Needle-punched for strength.



OIL-ONLY DRIP SENTINEL DRIP PAD

Product Code	Description		
CEP-5694-YE	Drip Sentinal Drip Pad	21" x 21"	1/cs

- Oil only (for petroleum-based liquids)
- · Great for oil changes, lawn, farm and garden equipment
- · Absorbs and retains up to 7 quarts of liquid
- · Non-slip barrier envelope that helps capture the spill
- Nominal size: 21" x 21"
- Drip catching surface: 13.5" x 13.5"
- Optional grommet and 3-foot nylon tether (not shown)



Simply throw down the Drip Sentinel Drip Pad under leaky equipment and watch as it absorbs and retains up to 7 quarts of liquid (oils and hydrocarbons).

RAILROAD PETROLEUM SORBENTS

Product Code	Description	
CEP-PRRTB18	Track Blankets 60 Gallons, 2 Rolls	19" x 100′
CEP-PRRTB59	Track Blankets 90 Gallons, 1 Roll	59" x 100′

- · Three layer construction for durability.
- Protects railroad ties, soil and rock ballast.
- Ultrasonic welded edge won't tear or shred, prevents delamination.
- Applications
 - Locomotive refueling sites, ready track areas, maintenance/repair yards/ships, wayside track lubrication sites.



For additional railroad products reference page 53

RAIL BERM

Product Code Description

CEP-45-RSB-FS Rail Berm, Portable Spill Containment

This new light weight containment pad is deisgned to provide a temporary bermed containment area around the valves underneath a rail tank car during loading/ unloading operations. Light weight (only 80 lbs) it can be easily lifted into place by two operators! Function: The berm provides a 4'x4' x12" H bermed area that sits in the void between the tracks directly under the valves; should a

large release occur, caputred product would begin to fill this berm; the spilled product would then be directed over the outside rail to a side compartment 4'x18"x12"H. This outside compartment is fitted with two 2" drains that include male CAM-LOC fittings for quick coupling of system to hoses that can transport the spilled materials to a nearby catchment area.







5 GALLON SPILL KITS

Product Code	Description	Contents
CEP-SK5	Oil Only Spill Kit	10- white oil only pads, 2- socks, goggles, gloves, disp. Bag.
CEP-HAZSK5	Hazmat Spill Kit	10- green hazmat pads, 2- socks, goggles, gloves, disp. Bag.
CEP-GPSK5	General purpose/ Universal Spill Kit	10 - grey universal pads, 2- socks, goggles, gloves, disp. Bag.



20 GALLON SPILL KITS

Product Code	Description	Contents
CEP-SK20	Oil Only Spill Kit	50- white oil only pads, 4- socks, 2-pillows, goggles, gloves, disp. Bag.
CEP-HAZSK20	Hazmat Spill Kit	50- green hazmat pads, 4- socks, 2-pillows, goggles, gloves, disp. Bag.
CEP-GPSK20	General purpose/ Universal Spill Kit	25 - grey universal pads, 4- socks, 2-pillows, goggles, gloves, disp. Bag.



30 GALLON SPILL KITS

Product Code	Description	Contents
CEP-SK30	Oil Only Spill Kit	50- white oil only pads, 12- socks, 4-pillows, goggles, gloves, disp. Bag.
CEP-HAZSK30	Hazmat Spill Kit	50- green hazmat pads, 12- socks, 4-pillows, goggles, gloves, disp. Bag.
CEP-GPSK30	General purpose/ Universal Spill Kit	50 - grey universal pads, 6- socks, 4-pillows, goggles, gloves, disp. Bag.



55 GALLON SPILL KITS

Product Code	Description	Contents
CEP-SK55	Oil Only Spill Kit	100- white oil only pads, 2- booms, 5-pillows, goggles, gloves, disp. Bag.
CEP-HAZSK55	Hazmat Spill Kit	100- green hazmat pads, 2- booms, 5-pillows, goggles, gloves, disp. Bag.
CEP-GPSK55	General purpose/ Universal Spill Kit	50 - grey universal pads, 12- socks 5-pillows, goggles, gloves, disp. Bag.



95 GALLON SPILL KITS

Product Code	Description	Contents
CEP-SK95	Oil Only Spill Kit	100- white oil only pads, 4- booms, 10-pillows, goggles, gloves, disp. Bag.
CEP-HAZSK95	Hazmat Spill Kit	100- green hazmat pads, 4- booms, 10-pillows, goggles, gloves, disp. Bag.
CEP-GPSK95	General purpose/ Universal Spill Kit	100 - grey universal pads, 4-booms, 10-pillows, goggles, gloves, disp. Bag.



TRANSPORT SPILL KITS

Product Code	Description
CEP-TRSK5	Oil Only Transport Spill Kit
CEP-UTRSK5	Universal Transport Spill Kit

Each kit contains:

10 - Sorbent pads
2 - Sorbent Socks
1 - Epoxy Stick
1 - Pair Goggles
1 - Pair Nitrile Gloves
1 - 32oz Scoop

2 - Drum Liners 55 gal. 1 - 5.5 ga

1 - 5.5 gal Lab Pack w/screw lid





VACPAK25

Product Codes Description

CEP-VACPAK25 CEP-UVACPAK25

Oil Only Vacuum Sealed Spill Kit Universal Vacuum Sealed Spill Kit

Contains:

Contains: 10 - Sorbent pads 15 - Sorbent Pads 2 - Sorbent Socks 3 - Sorbent Socks 1 - Case Wipes 1 - Pair Goggles 1 - Plug Patty 1 - Pair Nitrile Gloves 1- Pair Nitrile Gloves 1 - Drum Liner 55 gal.



SAFETY & INFECTION CONTROL KITS



Pı	oduct Code	Description
1	CEP-UPCKIT-17102	Universal Precautions Compliance Kit
2	CEP-EZKIT-17121	Blood and Bodily Fluid Clean Up Kit
3	CEP-FSP-48630	Formaldehyde Spill Response Kit







DECONKIT - PORTABLE DECON KIT

Product Code Description **DCONKIT** Portable Decon Kit Vacuum Pack

Includes:

- 3 Disposable Towels
- 1 Bottle Antibacterial Soap
- 1 Disposable Coverall
- 1 First Step Eyewash
- 1 Pair Tyvek Booties



BATTERY ACID SPILL KIT

Product Code Description CSK-SK-2BA

Battery Acid Spill Kit

HIGHEST

Includes:

1 20 Gal Overpack Drum

4 Acid Neutrilizers 2lb ea.

3 General Purpose Socks 3" x 4'

20 Sorbent Pads

2 Pair Nitrile Gloves

2 Pair Safety Goggles

2 Pair Disposable Coveralls

3 Disposable Bag Liners



DUFFLEBAG SPILL KIT

Product Code Description **DBAGKIT** Duffle Bag Spill Kit

Includes:

3" x 46" 2 Poly Socks 10 White Oil Only Sorbent Pads

Pair Nitrile Gloves

Plug Patty

Emergency Response Guide

55 Gal Drum Liner

Water Resistant Bag



55 GALLON CONSTRUCTION SITE SPILL KITS

Product Code Description

CEP-CSKU-F55 55 Gallon Construction Site Spill Kit

Kit Contains

50 Universal Sorbent Pads

3 Universal Sorbent Booms

Universal Sorbent Socks

20lb Bag Granular Sorbent Neoprene Drain Cover

Disposable Bags

Shovel

Pair of Safety Goggles

Pair of Nitrile Gloves

Pair Disposable Coveralls

55 gallon poly drum





GENERAL PURPOSE 64 GAL. MOBILE SPILL KIT

Product CodeDescriptionGPSK-MOBSpill Kit64 Gallon

Includes:

1 20LB bag Granular Sorb

100 Universal Pads

4 General Socks 10'

4 Haz Mat Pillows

1 Neoprene Drain Cover 36"x36"

1 Epoxy Stick/Repair Putty

2 Pair of Nitrile Gloves

2 Goggles

3 Drum Liners 55GAL. 38"x63"

1 Yellow 64 Gal Wheel Cart



DUFFLEBAG MULTI SPILL KIT

Product Code	Description
DBAG-MULTI Kit	Duffle Bag Multi Spill Kit
Includes:	

Includes:

3 Poly Socks1 Sorbent Pillows

4 General Socks 4

4 Gray Sorbent Pads3 Haz Mat Socks

1 Haz Mat Pillow

3 White Oil Only Sorbent Pads

3 Green Universal Sorbent Pads

1 Universal Drip Pan

Universal DrumTop Pads
 White DrumTop Pads w/Bung
 Oil Zap Pads
 17" x 23"

3 Oil Zap Pads1 Water Resistant Bag







CSK 75 OIL ONLY STACKABLE KIT

Product CodeDescriptionCSK75Oil Only Stackable Kit

Includes:

1 Rubbermaid Brute Container 24" x24" x30

1 Lid For Brute Container

10 White Oil Only Sorbent Pads

2 White Poly Socks 3" x 46"

1 Pair Goggles

1 Pair of Nitrile Gloves

1 Drum Liner 55GAL. 38"x63"

1 20Lb bag Granular Sorbent

1 Scoop, Small 32 oz.







HURRICANE SPILL KIT 95 GAL



Hurricane Mobile Spill Kit 95 gal.



Includes:

STORMSK95

10 Universal pads

4 Universal Booms 5" x 10'

2 Goggles

2 Pair Nitrile Gloves

1 Disposable Coverall

1 AM/FM Radio 4 Batteries

1 Drum Liner 55 gal.

1 Tarp

1 20' rope

2 Lightsticks

1 20' x 100' PolySheeting

1 Emergency Response Guide

1 Flash Light w/ batteries

1 OverPack Wheeled 95 Gal.









HURRICANE SPILL KIT 30 GAL

Product Code Description

STORMSK30 Hurricane Spill Kit 30 gal.



50 Universal pads

1 Hazardous Sock

Goggle

Pair Nitrile Gloves

1 AM/FM Radio

Batteries

Drum Liner 55 gal.

1 Emergency Response Guide

1 Flash Light w/batteries

1 OverPack 30 Gal.



HURRICANE



PREPAREDNESS



UNIVERSAL ECONO KIT

Product Code Description

USK-ECONO Universal Econo Kit

Includes:

8 Universal Sorbent Pads

- 4 Sorbent Pillows
- 1 Goggle
- 1 Pair Nitrile Gloves
- Drum Liner 55 gal.
- Emergency Response Guide
- 1 Tow-N-Go or Wall Mount Box





RAY

MOBILE SPILL CARTS



Product CodeDescriptionQUALITYCEP-MOBSK255200-Pads 15" x 17", 4-B510 Booms,

12-Socks 3" x 4', 10-Pillows 10" x 10", 4-Disposable Bags, 2-Goggles, 2-Gloves,

1-Transport Shovel

CEP-MOBHAZSK255 200-Pads 15" x 17", 4-B510 Booms,

12-Socks 3" x 4", 10-Pillows 10" x 10", 4-Disposable Bags, 2-Goggles, 1-Glove,

1-Transport Shovel

For fast reponses! Cart is constructed of high density polyethylene that is chemical resistant.

All mobile kits are refillable.



MOBILE SPILL KIT TOOL KADDIE



Product Code

Description

CEP-MOBSKTOOL-GS Tool Kaddie

40-Pads, 5-Socks 3" x 4', 2-Socks 3" x 10', 8-Pillows, 2-Nitrile Gloves, 1-Pair Goggles, 4-Epoxy Sticks, 2-Disposable Bags, 50-Wipes, 1-Emergency Response Guide

The Mobile Spill Kit Tool Kaddie is comprised of spill control and safety products for general purpose applications. Its easy out-opening doors and push cart mobility make this kit the most desirable spill kit for industrial applications. Also available in oil only version.

Customize your spill kits, add any safety products desired.



DRUM REPAIR SPILL KITS



CEP-DRUMPATCHKIT

Our Drum Repair Kit contains components to repair punctures, cracks, gashes or surface rotting of containers. Restrain leaks resulting from damage or deterioration in drums and tanks.



MERCURY SPILL KITS

Product Code Description

CEP-MERCSK25 Mercsorb Powder 1 Hg Absorb Jar

(250 mg.) 2 Hg Absorb Sponges 1 500g. Absorb Powder



MOBILE 95 GALLON OVERPACK SPILL KITS

Description **Product Code CEP-990M** Oil Only Mobile 95 gallon Spill Kit **CEP-988M** Universal Mobile 95 Gallon Spill Kit CEP-988MH Hazmat Mobile 95 gallon Spill Kit

Oil Only Contains

Oil Only Sorbent Booms Oil Only Sorbent Pads Neoprene Drain Cover

Caution Tape Repair Putty

Pair Nitrile Gloves 2 Pair Safety Goggles

Pair Disposable Coveralls

Disposabale Liners

Universal/Hazmat Contains

10 General Purpose Sorbent Socks

General Purpose Pillows

General Purpose Sorbent pads 100

Neoprene Drain Cover

Caution Tape

Pair Nitrile Gloves 2

Pair Safety Goggles

Pair Disposable Coveralls

Disposable Liners



MOBILE 50 GALLON OVERPACK SPILL KITS

Product Code Description

CEP-590M Oil Only Mobile 50 gallon Spill Kit CEP-588M Universal Mobile 50 Gallon Spill Kit CEP-588MH Hazmat Mobile 50 gallon Spill Kit

Oil Only Contains

Oil Only Sorbent Booms Oil Only Sorbent Pads Neoprene Drain Cover Caution Tape 1

Repair Putty

Pair Nitrile Gloves 2

Pair Safety Goggles

Pair Disposable Coveralls

Disposabale Liners

Universal/Hazmat Contains

5 General Purpose Sorbent Socks 4'

General Purpose Pillows

General Purpose Sorbent pads

Neoprene Drain Cover

Caution Tape

Pair Nitrile Gloves 2

Pair Safety Goggles

2 Pair Disposable Coveralls

Disposable Liners



GPSK95 WHEELED

Product Code Description

GPSK95Wheeled General Purpose/Universal Spill Kit 95 Gal Wheeled

Available in Oil-Only and Hazmat

MOVE YOUR KIT TO THE SPILL

GO MOBILE

Includes:

OP95-Wheeled General Purpose Pillows

Universal Boom 5" x 10' 100 Universal Green Bonded Pads Pair Goggles

Pair Nitrile Gloves 1

55Gal Drum Liner

55Gal Drum Liner



GPSK50 WHEELED

Product Code Description GPSK50-WH General Purpose/Universal Spill Kit 50 Gal Wheeled Available in Oil-Only and Hazmat

Includes:

50 Universal Pads

OP50-Wheeled General Purpose Pillows General Socks 3" x 4' 50 Wipes General Socks 3" x 10' 1 Emergency Response Guide





LAB SPILL KIT

Product Code Description

CEP-ABK001 Lab Spill Kit

Includes:

- 1 Plastic Carry Case
- 4 Universal Sorbent Pads
- 1 Acid Neutralizer
- 1 Base Neutralizer
- 1 Pair Safety Goggles
- 1 Pair Nitrile Gloves
- 1 Disposable Bag

HANDLES ALL CHEMICALS AND LABORATORY LIQUIDS.



Hospitals • Schools • Doctor/Dental Office

LEAK CONTROL PATCH KITS

Product Code Description

KIT-A-1 Offset T Patch Kit

Universal leak control kit has components to repair punctures, cracks, gashes or surface rotting of all containers. Additionally, this new kit will allow you to patch some holes that previously were more difficult, such as cracks close to the edge of tanks or supports, and cracks that toggle winds will not fit into. All necessary tools and hardware are included.

KIT-WPS Wedges, Putty & Stop-it kit Leak patch kit includes, lead wool, plug rug, premix putty, wooden wedges and dowels, fix stix and stop it pipe repair system.

At last a functional collection of the most proven and commonly used components for emergency and temporary leak stoppage of liquid or bulk hazardous materials due to puncture, gashes, cracks or surface rotting in most of the common containers- drums, cans, tank trucks and cars, automobile gasoline tanks and storage tanks.

These kits are designed for temporary control until the container can be disposed of properly.





MERCURY SPILL KIT

Product Code Description

CEP-MERCAU MercurySpill Kit



Includes:

- 1 MercSorb Powder
- 1 Mercury Vapour Suppressant
- 2 Universal Sorbent Pads
- 1 Dust Mask
- 1 Pair Disposable Booties
- 2 Pair Nitrile Gloves
- 1 Dust Pan with Brush
- 1 Aspirator
- 3 Disposable bags



SHOP SPILL KITS **Product Code** Description CEP-CSKU205 Universal/Chemical CEP-CSK205 Oil Only 50 Sorbent Pads Includes: 15" x 17" Sorbent Socks 3" x 48" 2 Sorbent Booms 5" x 10' 1 Safety Sorb 2.5 lbs. Neoprene Drain Cover 36" x 36" 1 Disposal Bag 2 Pairs Nitrile Gloves Pairs Safety Goggles

Spill contents are stored in a 55 gallon poly drum.



SPILL KITS			
Product C	ode	Description	
CEP-ASK- CEP-ASK- CEP-ASK- CEP-ASK- CEP-ASK-	20-UN 20-UP 20-O 20-ON	Universal/Chemical Universal/Chemical Universal/Chemical Oil Only Oil Only Oil Only	Poly Zipper Bag Nylon Bag 14 Gal. Pail Poly Zipper Bag Nylon Bag 14 Gal. Pail
Includes:	20 3 2 1 2 1 1	Sorbent Pads Sorbent Socks Sorbent Pillows Safety Sorb Disposal Bags Pair Nitrile Gloves Pair Safety Goggles	15" x 17" 3" x 48" 8" x 18" 2.5 lbs.

Your choice...poly bag, nylon bag or 14 gallon pail.



FIRST RESPONDER KITS

Product C	ode	Description
CEP-CSKU15 CEP-CSK15		Universal/Chemical Oil Only
Includes:	1 4 1 1 1 1	Plastic Carrying Case Sorbent Pads Sorbent Sock Disposal Bag Epoxy Stick/Repair Putty Pair Nitrile Gloves Pair Safety Goggles

Contents are stored in a durable plastic case for protection against rough handling.





VEHICLE SPILL KITS

ode	Description	
	Universal/Chemical Oil Only	
1 10 4 1 1 1	Nylon Bag Sorbent Pads Sorbent Socks Neoprene Drain Cover Disposal Bag Epoxy Stick/Repair Putty Pair Nitrile Gloves	15" x 17" 3" x 48" 36" x 36"
1	Pair Safety Goggles	
	10 4 1 1	J40 Universal/Chemical Oil Only 1 Nylon Bag 10 Sorbent Pads 4 Sorbent Socks 1 Neoprene Drain Cover 1 Disposal Bag 1 Epoxy Stick/Repair Putty

Durable nylon carry bag requires minimal storage space on operating equipment.



TRUCK SPILL KITS

Product Code CEP-CSKU20 CEP-CSK20		Description	
		Universal Oil Only	
Includes:	20 1 1 1 1 1 1	Sorbent Pads Sorbent Sock Sorbent Sock Disposal Bag Pair Nitrile Gloves Pair Safety Goggles Clear Vinyl Zipper Bag	15" x 17" 3" x 48" 3" x 120"



PLASTIC WALL CABINET

Product Codes

CEP-CSKU115 Universal/Chemical CEP-HAZWMSK225 HazMat CEP-CSK115 Oil Only CEP-WMSK225 Oil Only

Includes:

1 - Plastic Wall Cabinet 25 5/8x18 7/8x 35 5/8 10 - Sorbent Pads

15" x 17" 8 - Sorbent Socks 3" x 48"

- 4 Sorbent Pillows
- 4 Disposable Bags 2 - Pair Nitrile Gloves
- 2 Pair Safety Goggles
- 2 Disposable Suits

Includes:

1 - Plastic wall cabinet 25 5/8x18 7/8x 35 5/8

50 - Sorbent Pads 15" x 17" 3" x 48"

6 - Sorbent Socks

8 - Sorbent Pillows

1 - Pair Nitrile gloves

1 - Pair of Goggles

1 - Dust Pan



Wall-mountable.

^{*} Cabinet has two doors and two shelves.

BATTERY ACID SPILL STATION

Product Code		Description	IAIION
CEP-CSKI	J23	Universal	
Includes:	25 3 1 1 2 1 1 1 1	Sorbent Pads Chemical Sorbent Socks Chemical Sorbent Roll Neoprene Drain Cover Disposal Bags Epoxy Stick/Repair Putty Pair Nitrile Gloves Pair Safety Goggles Disposable Suit Respirator	15" x 17" 3" x 48" 19" x 144' 36" x 36"



All contents are in a 30 gallon poly drum.

SPILL STATION

Product Code		Description	
CEP-CSKU25 CEP-CSK25Oil Only		Universal lly	
Includes:	1	Sorbent Boom	5" x 120"
	50	Sorbent Pads	15" x 17"
	5	Sorbent Socks	3" x 48"
	1	Neoprene Drain Cover	36" x 36"
	3	Disposal Bags	24" x 36"
	1	Epoxy Stick/Repair Putty	
	1	Bag Absorbent	20 lbs.
	1	Pair Safety Goggles	
	1	Pair Nitrile Gloves	

Available Colors: Orange, Yellow or Forest Green



Lockable, sloped lid to shed rain. Optional wheels upon request.

SPILL STATION - 95 GALLON

Product Code	Description	
CEP-CSKU27 CEP-CSK27	Universal Oil Only	
Includes: 100 5 5 4 1 3 2 1 1	Sorbent Pads Sorbent Socks Sorbent Socks Sorbent Booms Neoprene Drain Cover Disposal Bags Epoxy Sticks/Repair Putty Bag Absorbent Pair Safety Goggles Pair Nitrile Gloves	15" x 17" 3" x 48" 3" x 120" 5" x 120" 36" x 36"
1	Disposable Suit	





CHEETAH SORB **Product Code Description** CEP-TS20 Cheetah Sorb Absorbent Give your oil absorbent "Cheetah Power!"

Many new oil absorbent technologies have come and gone. The #1 reason for market failure is simple: Price! Traditional clay based absorbents are dusty, dirty, absorb very little, and have respiratory drawbacks for the low price of the bag.

20 lb. bag

Introducing CHEETAH SORB! The first new oil absorbent that is dust free, highly absorbent, incinerable, and...priced like floor dry! Cheetah Sorb even looks like floor absorbent, without the harmful silica. Don't make price be the reason you handle the most cost consuming absorbent in the market. Lower your handling costs and get the "Power of the Cheetah", at kitty litter prices!









Cheetah Sorb — the only industrial floor oil absorbent you'll need!



SPHAGNUM PEAT MOSS ABSORBENTS

Description		
Peat Sorb	3 cu. ft. bags	
4"X4'	20/cs.	
4"X8′	10/cs.	
2"X10′	20/cs.	
	Peat Sorb 4"X4' 4"X8'	Peat Sorb 3 cu. ft. bags 4"X4' 20/cs. 4"X8' 10/cs.

The RAS organic heat treated peat moss is a hydrophobic, biodegradable granular that absorbs 15 times its weight in hydrocarbons. It contains less than 5% moisture, making this one of the best absorbents on fine sheens or concrete stains.

Peat moss is non-toxic and all natural.



ANTI-SLID ARSOPRENTS

AIII-JEIP	ABJUNDEN		1
Product Code	Description		HIG
CEP-VASH25	Volcanic Ash Safety Sorbent	25 lbs. bag	GC
CEP-SAFETYSORB	Volcanic Ash Safety Sorbent	2 1/2 lb. carton	

This safety sorbent maintains the highest anti-slip or non-skid characteristics of all sorbents. The volcanic ash rock creates a natural surface to plant floors. The product is also ideal for vapor supression. Packaging is in a 25 lb. bag and in 2 1/2 lb. cartons.

Volcanic ash rock creates a natural surface to plant floors. Don't slip and fall, use this line of RAS sorbents!



OPTISORB

Product Code	Description	
OS25	Oil Absorbent Granulars	25 lb.

Optisorb Premium Oil Absorbent is an all purpose absorbent designed for the quick clean up of water, oil and grease. Made from diatomaceous earth, a naturally occurring mineral with superior absorption ability, this high quality product delivers 50% more absorbency per pound than clay alternatives. Optisorb Premium Oil absorbent is available in a leak-resistant, moisture proof poly bag. Medium granulars.

> 100% Natural Mineral 100% Moisture Free Environmentally Friendly Provides more absorption for your money Easy to use and transport Soaks up messy Spills



4 lb.



SELECTSORB™ PROFESSIONAL

Product Code Description

25 lbs. bag

50 lbs. bag

CEP-SELECTSORB Multi-purpose Absorbent Granules 9/case

SelectSorb Professional is a unique multi-purpose product developed for the quick and easy clean-up of liquid spills. SelectSorb is made from a naturally occurring mineral with superior absorption quality. This high quality product delivers 50% more absorbency per pound than regular clay absorbent products.



CEP-FLAB50

D

DIATOMACEOUS EARTH		
Product Code	Description	MONE
CEP-DEARTH25	Diatomaceous Earth	25 lbs.

Floor Dry

These traditional clay based absorbents are still very cost-effective absorbents for industrial plant every day spills. The granular mesh size creates a safe non-slip work area. 50 bags per pallet.








GATOR ABSORBENT

Product CodeDescriptionCEP-GATOR30Oil Gator30 lbs. bag

- Gator absorbent has an absorbent powder match for any liquid.
- · Oil Gator is ideal for hydrocarbons.



KENAF ABSORBENTS

Product Code	Description	
CEP-KENAF2	Bio-Sorb	2 cubic ft. bag
CEP-KENAF3	Organic	2 cubic ft. bag

The Kenaf Bio-Sorb granular absorbent has indigenous oil eating microbes that solve many long-term spill disposal solutions. The product is all natural, non-toxic, and completely biodegradable.







DRY BIO REMEDIATED



CELLULOSE & VERMICULITE

Product Code	Description	
CEP-CELU18	Cellulose	20 lbs. bag
(see CHEETAH SORB	on page 28)	•
CEP-VERM4	Vermiculite	4 cubic ft. bag
CEP-COB20	Corn Cob	20 lb. bag
		-

These recycled fiber sorbents are ideal for solidification, packaging, and incineration. The high BTU and low ash content of cellulose and cob fibers are excellent for fuel blending which can save in disposal costs.



FR RATED





NEUTRALIZING GRANULARS

Product Code Description

CEP-SODAASH50 Soda Ash 50 lbs. bag CEP-SODBIC50 Sodium Bicarbonate 50 lbs. bag

• These neutralizing powders perform on low ph acids.



CHEMKLENZ NEUTRALIZER

CHEMKLEN	z neuikalizek
Product Code	Description
FD324-0901-00EP	ChemKlenz Shaker Wallmount Station
FA324-0750-00EP	ChemKlenz Shaker (750 Gram Granules)
FA-CKWK	ChemKlenz Wallmount Station & Shaker
FA324-0501-00EP	ChemKlenz Bag (500 Gram Granules)
FA324-5001-00EP	ChemKlenz Bag (5-kg Granules)
FA324-5000-00EP	ChemKlenz 5-kg Pail (Granules)
FA024-1000-00EP	ChemKlenz 1-kg Pressurized Cylinder
FA024-2000-00EP	ChemKlenz 2-kg Pressurized Cylinder
FA024-4000-00EP	ChemKlenz 4-kg Pressurized Cylinder
FA15-4902	4-kg Vehicle Mount
FA15-4903	4-kg Applicator Wand
FA15-4901	4-kg Wall Mount
FA15-2901	2-kg Wall Mount
FA15-2902	2-kg Vehicle Mount
FA15-1901	1-kg Wall Mount
FA15-1902	1-kg Vehicle Mount

NO MORE
CONFUSING
SPILL-X.
CHEMKLENZ
WORKS ON ALL!



Hazardous Liquid & Vapor Chemical Neutralizer. ChemKlenz can effectively contain and neutralize a broad range of chemical hazards associated with common industrial chemicals. Available in shakers, pails, bags, and pressurized cylinders. Wall mounts and stations make chemical safety a visible presence.

PORTA-SORB GRANULAR DISPENSER



Product Code Description

CEP-PORTSORBCART Porta-Sorb Dispenser

Complete with non-sparking broom, shovel and recycle screen.

Easiest or most convenient way to dispense granular absorbents. Very mobile and allows for consistent flow of all RAS granulars. Durable for continued use.





ENVIROSALV POLY SALVAGE DRUM PLUS

Product Code Description

CEP-1295-YE Salvage Drum 95 gal



Poly Salvage Drum Plus



POLY OVERPACKS





Product Code Description CEP-1237-YE Poly-Overpack® 31.75" x 26" x 41.5" CEP-1240-YE Poly-Overpack® 110 31.75" x 25.75" x 45" 110 Gallons

For Distorted/Bowed Drums

- Our Poly-Overpack® 95 & 110 meets Group 1 packaging standards and salvage drum regulations.
- · Tight, secure and leak-free container closing is simple: just place any long object, like a wooden two-by-four, in the handy lid slots and turn it to screw the lid down tightly.







POLY OVERPACKS



Product Code Description

CEP-1065-YE

Poly-Overpack®

65 Gallons

CEP-OP95-WHEELED Wheeled Overpack™ 31.75" x 36" x 47"

95 Gallons

- Meets Group 1 packaging standards, salvage drum regulations.
- Nests for easy storage and has a gasket in the lid for secure containment.
- · Light enough for one person to handle and large enough to pack sufficient absorbents for incidental spills.







POLY OVERPACKS

Product Code	Description	
CEP-1220-YE	Poly Overpack 20 20 Gallon	23" x 18" x 19"
CEP-1230-YE	Poly Overpack 30 30 Gallon	23" x 18" x 30"
CEP-1259-YE	Wheeled Overpack 50 50 Gallon	24.5" x 18.5" x 39.5

Poly Overpack® 20 and 30

- With 1/2 turn, lid allows for easy access, unlike traditional "hoop-ring" designs.
- · Nestable for compact shipment.
- · Built-in shoulder for easy handling.






Wheeled Overpack™

- · Built-in handle and wheels.
- · Choose Polyolefin wheels for indoor or rubber for outdoor.

POLY COLLECTOR











DISPENSING-POLY-DOLLYS®

Product Code	Description	
CEP-5300-YE	Poly-Dolly® 95 Gallons	69" x 32.5" x 26.57"
CEP-5300-YE-A	Poly-Dolly® 95 ATD 95 Gallons	69" x 34.5" x 26.5"

Poly-Dolly Cover





 Transports 55 gallon drums with ease, lifts to become an efficient self-dispensing station and acts as its own secondary containment unit.

3 in 1 products act as a dolly, dispenser and drip pan-all in one!



DISPENSING-CARTS

Product Code	Description	
CEP-5205-YE	Spill Scooter™	34.62" x 8.82"
CEP-5206-BK	Spill Scooter™ Handle	
CEP-5200-YE	Poly-Spillcart™	66.5" x 29" x 43.25"
CEP-5200-YE-A	Poly-Spillcart-A™	ALL Terrain Spillcart



- Transporting around the plant is no longer a problem.
- Easily rolls through 36" doorway.





DISPENSING

Product Code	Description	
CEP-8091-YE	Drums-Up™ to 55 Gallons	7.25" x 34"
CEP-5275-BK	Poly-Tank Containment Unit/275™	82.25" x 45" x 35.75"
CEP-5275-TARP CEP-5550-TARP CEP-5550-BK	Tarp for CEP-5275-BK Tarp for CEP-5550-BK Poly-Tank Containment/55	50

- The incidental spill solution
- Designed for the widely used 275 gallon and 550 gallon aboveground tank.
- 275 gallon or 550 gallon sump which saves space and provides easy access to tanks and pumps.





DISPENSING-POLY-RACKER SYSTEMS"

Product Code	Description	
CEP-6000-YE	Poly-Racker™	49" x 52.5" x 22.5"
CEP-6002-YE	Poly-Stacker™	49" x 41" x 13"
CEP-6003-YE	Poly-Shelf™	17" x 22" x 17.5"
CEP-6010-YE	Mini-Racker™	31" x 29" x 15"
CEP-6012-YE	Mini-Stacker™	31.5" x 19.5" x 18"

Poly-Racker™

• The centerpiece of the system is a unique, one-piece polyethylene rack that holds two 55 gallon drums securely in place.

Poly-Stacker™

· Combine a single Poly-Stacker with the Poly-Rackers to stack up to four drums. Add another Poly-Stacker and you have a storage system.

Poly-Shelf™

• Easily attaches to a Poly-Stacker and allows simultaneous dispensing from all drums.

Mini-Racker™

 Mini-Racker holds (2) 5 - 6.5 gallon metal or plastic lidded pails or cans. The Mini-Stacker™ adds an extra level or storage.



In stock for immediate delivery!



DISPENSING-RACKER/STACKERS

Product Code	Description	
CEP-6004-YE	Multi-Purpose Racker/Stacker™	48.5" x 41" x 20"



- · One holds up to two 55 gallon drums.
- · Stackable so you can double up to provide storage for four 55 gallon drums.
- · Unit can be placed on floor (no sump) or on the Poly-Slim Line 6000 pallet.
- · Forkliftable.





DISPENSING-SINGLE DRUMS

Product Code	Description	
CEP-6006-YE	Single Poly-Racker™	31" x 53" x 32"
CEP-6007-YE	Single Poly-Stacker™	31" x 40.5" x 20"
CEP-6005-BK	Poly-Racker Well Liner™	12.75" x 15.5" x 2.5"

Single Poly-Rack System

- · Consists of separate single Poly-Racker, single Poly-Stacker, Poly Well Liner and Poly-Shelf.
- Poly-Stacker allows for stacking of second 55 gallon drum.

This system holds 1,600 lbs.



RAS

THE MINI-RACKER SYSTEM

MINI-RACKER

Part No. CEP-6010-YE Dimensions: 31"Lx29"Wx15"H 124cmx133cmx57cm

124cmx133cmx57cm Weight :12.5lbs/454kg

Load Bearing Capacity: UDL: 200lbs/1350kg

Sump Capacity: 8gal./387.6 liters

Regulations: EPA 40 CFR 264.175, SPCC and NPDES.

The new Mini-Racker system is ideal for storage and dispensing of small containers with built-in spill protection and patented enclosed sump. The system has a mobility option to make movement in the plant environment safe and easy too.



MINI-STACKER

Part No. CEP-6012-YE

Dimensions: 31.5"Lx19.5"Wx18"H

124cmx133cmx57cm Weight: 10lbs/454kg Load Bearing Capacity UDL:

100lbs./1350kg

The Miini-Racker Stacker System consists of the base Racker that

will hold two (2) 5-6.5 US gallon metal or plastic lidded pails or cans, or two (2) 5 US gallon or smaller metal or plastic "jerry cans". The Racker version is available in two (2) versions: a "place and use" version (CEP-6010-YE) and a mobile version (CEP-6011-YE-M) that includes wheels and handle.



DRIP SENTINEL DRUM TOP WORKSTATION

Product Code Description

CEP-3200-BK Drip sentinel drum top workstation 3 lbs 24" O.D. x 20" I.D. 2.75" exterior height 2" interior height

The Drip Sentinel Drum-Top Workstation helps save liquids that are routinely lost during the dispensing process by catching them and redirecting them to the drum fresh and free of debris. The Drip Sentinel Drum-Top Workstation is easy to install and use, fits 55 gallon steel tight-head drums, and works with all types of rotary drum pumps. Made of durable, non-corrosive and chemically resistant polyethylene. Equipped with a stainless steel mesh strainer.



ECONO SPILL SHELL

Product CodeDescription5002-BK2-Drum Econo Spill Shell5004-BK4-Drum Econo Spill Shell


Economical Spill Containment. Engineered drainage channels facilitate the flow of spilled liquids away from containers for safe and effective clean-up.





OUTDOOR STORAGE-JOB HUTS

Product Code	Description	
CEP-4010-YE CEP-5111-CG	Job Hut™ Multi-Purpose Work Ramp	90" x 62.5" x 93" 25.5" x 48" x 6.25"



- · Forkliftable from all sides.
- Tough polyethylene means it won't rust or corrode.
- · Large 75 gallon sump.
- · Foam grates for easy cleaning.
- · Molded in vents help reduce fumes and condensation.

Substantial savings!

Compare to similar metal or concrete storage buildings.



OUTDOOR STORAGE-HAZARD HUTS


 Product Code
 Description

 CEP-4000-YE
 Hazard Hut®
 63.38" x 67" x 71.38"

 One piece molded 100% polyethylene construction means no joints or seams to leak.

- · Molded inside vents reduce fumes.
- · Removable grates make it easy to clean.
- 72 gallon sump capacity.
- Double doors provide easy access for up to four-55 gallon drums.
- Four-way forkliftable, easy to handle.

Indoor storage problem? Go outside!



OUTDOOR STORAGE -POLY SAFETY PACKS

Product Code	Description	
CEP-2038-YE	Poly-SafetyPack®	60.25" x 36.5" x 45.75"
CEP-2038-YE-D	Includes Drain	
CEP-2077-YE	Poly-Safety Pack® Plus	60.25" x 36.5" x 63.25"
CEP-2077-YE-D	Includes Drain	

- · Outdoor or indoor.
- Holds two 55 gallon drums.
- · 135 gallon sump capacity.
- Drum access easy with our unique gull-wing covers.
- · Security lock included.
- "Plus" unit has inside height of 54.25" that allows the lid to be closed with pumps in place.

Safe, secure two drum storage. Ideal for marine spill kit.





STORAGE TOTES

Product Code	Description	
CEP-1505-YE	Large Tote	45" x 35.62" x 30.
CEP-1525-YE	Extra Large Tote	51.62" x 47.5" x 3
CEP-1515	Caster Kit With	
	Handles & 4"	
	Polyurethane Wheels	
CEP-1535	8" Pneumatic Wheels	

- · Large and extra large.
- · Both offer a 500 lb. load bearing capacity.

The only nestable, stackable, forkliftable, water resistant, mobile tote on the market.





PORTABLE SPILL CONTAINMENT

Product Code	Description	7.1M
CEP-4804-BK-SU	Stinger Berm™-4	4' x 6' x 12"
CEP-4806-BK-SU	Stinger Berm™-6	6' x 6' x 12"
CEP-4810-BK-SU	Stinger Berm™-10	10' x 10' x 12"
CEP-4860-BK-SU	Stinger Berm™-60	12' x 60' x 12"
CEP-4850-BK-SU	Stinger Berm™-50	15' x 50' x 12"
CEP-4866-BK-SU	Stinger Berm™-66	15' x 66' x 12"
CEP-4820-BK-SF	SNAP FOAM-Stinger™	10' x 26' x 1'
CEP-4836-BK-SF	SNAP FOAM-Stinger™	12′ x 36′ x 1′
CEP-4860-BK-SF	SNAP FOAM-Stinger™	12′ x 60′ x 1′
CEP-4854-BK-SF	SNAP FOAM-Stinger™	14' x 54' x 1'
CEP-4885-BK-SF	SNAP FOAM-Stinger™	14' x 85' x 1'

Stinger Berm™


Industrial, government, construction, transportation and emergency response applications.

- · Side walls fold down for easy drive-in and drive-out.
- Excellent rip, tear and puncture resistance.
- · Chemical and abuse resistance.
- Custom sizes available

Snap Foam™ Stinger

Has foam ends that allow for one-time set-up and then continuous drive-in and out capabilities.





CEP-48-BRK-DLX DELUXE BERM REPAIR KIT Contains: XR Material 1 sq.yd.(black), PVC material 1 sq.yd. (yellow), (4) replacement berm stays, (5) peel and stick berm patches, (1) hand held heat gun, (1) rubber brayer roller, (1) cutting knife, and (1) locking tool box. Ship wt. 15 lbs.





BERM ACCESSORIES

STORAGE AND TRANSPORT BAG

Product Code	Description
	'
CEP-4810-BAG	Storage & Transport Bag for 4810-BK-SU
CEP-4816-BAG	Storage & Transport Bag for 4816-BK-SU
CEP-4820-BAG	Storage & Transport Bag for 4820-BK-SU or SF
CEP-4836-BAG	Storage & Transport Bag for 4836-BK-SU or SF
CEP-4854-BAG	Storage & Transport Bag for 4854-BK-SU or SF
CEP-4885-BAG	Storage & Transport Bag for 4885-BK-SU or SF



GROUND PAD

Product Code	Description
CEP-4804-GP	Ground Pad for 4'x6' Berm
CEP-4806-GP	Ground Pad for 6'x6' Berm
CEP-4808-GP	Ground Pad for 8'x10' Berm
CEP-4810-GP	Ground Pad for 10'x10' Berm
CEP-4812-GP	Ground Pad for 12'x12' Berm
CEP-4816-GP	Ground Pad for 16'x16' Berm
CEP-4820-GP	Ground Pad for 10'x26' Berm
CEP-4836-GP	Ground Pad for 12'x36' Berm
CEP-4850-GP	Ground Pad for 15'x50' Berm
CEP-4854-GP	Ground Pad for 14'x54' Berm
CEP-4860-GP	Ground Pad for 12'x60' Berm
CEP-4866-GP	Ground Pad for 15'x66' Berm



TRAC MAT

Product Code	Description
CEP-4804-TM	Trac Mat for 4'x6' Berm (2x3x6)
CEP-4806-TM	Trac Mat for 6'x6' Berm (2x3x6)
CEP-4808-TM	Trac Mat for 8'x10' Berm (2x3x10)
CEP-4810-TM	Trac Mat for 10'x10' Berm (2x3x10)
CEP-4812-TM	Trac Mat for 12'x12' Berm (2x3x12)
CEP-4816-TM	Trac Mat for 16'x16' Berm (2x3x16)
CEP-4820-TM	Trac Mat for 10'x26' Berm (2x3x26)
CEP-4836-TM	Trac Mat for 12'x36' Berm (2x3x36)
CEP-4850-TM	Trac Mat for 15'x50' Berm (2x3x50)
CEP-4854-TM	Trac Mat for 14'x54' Berm (2x3x54)
CEP-4860-TM	Trac Mat for 12'x60' Berm (2x3x60)
CEP-4866-TM	Trac Mat for 15'x66' Berm (2x3x66)





PORTABLE SPILL CONTAINMENT

Product Code	Description	
CEP-5920-YE	Prowler Pool™ 20 Gallon	28" x 13" x 18"
CEP-5966-YE	Prowler Pool™ 66 Gallon	48" x 13" x 36"
CEP-5900-YE	Prowler Pool™ 100 Gallon	48" x 18" x 32"
CEP-5950-YE	Prowler Pool™ 150 Gallon	78" x 18" x 60"
CEP-1601-BK	Poly-Edge™, Black	34.75" x 20" x 15"

Prowler Pool™

- Puncture, abrasion and cold temperature resistant down to -65°F. Poly-Edge[™]
 - · Lockable and weather resistant.



PORTABLE SPILL CONTAINMENT

Product Code	Description	
CEP-5650-YE	Dripillow Berm™ 1 Gallon – Small	22" x 22" x 3"
CEP-5660-YE	Dripillow Berm™ 2 Gallon – Medium	24" x 36" x 3"
CEP-5670-YE	Dripillow Berm™ 3 Gallon – Large	24" x 54" x 3"
CEP-5680-YE	Dripillow Berm [™] 4 Gallon – XLarge	38" x 42" x 3"


- Stable weighted base so it will not tip or splash in windy conditions.
- · Grommets in corners provide attachment points.
- Replaceable UV resistant pads available for reorder.



PORTABLE SPILL CONTAINMENT

Product Code	Description	
CEP-5750-YE	1 Drum Spillpal™	2′ x 2′ x 3"
CEP-5755-YE	2 Drum Spillpal™	2′ x 4′ x 3"
CEP-5760-YE	4 Drum Spillpal™	4′ x 4′ x 3"
CEP-5765-YE	4 Drum In-Line Spillpal™	2′ x 8′ x 3"
CEP-5770-YE	6 Drum Spillpal™	4′ x 6′ x 3"
CEP-5775-YE	8 Drum Spillpal™	4′ x 8′ x 3"
CEP-7006-BK	Deck Grates	48" x 23" x 1.75"

- · Reusable! Just fold and place on shelf.
- Alternative to hard plastic pallets that need to be moved by a forklift.
- · Foam sidewalls that spring back into place.
- · Order with or without grates.





PORTABLE SPILL CONTAINMENT











Product Code	Description	
CEP-5700-YE CEP-5706-YE CEP-5708-YE CEP-5710-YE CEP-5720-YE CEP-5730-YE CEP-5740-YE CEP-5901-YE	Description Stinger Yellow Jacket™ HazMat Pool™	4' x 4' x 8" 6' x 6' x 8" 10' x 10' x 8" 4' x 6' x 8" 4' x 8' x 8" 6' x 8' x 8" 8' x 10' x 8" 60" x 6" x 54"
CEP-5901-YE-D	100 Gallon HazMat Pool™ With Drain	60" x 6" x 54"



Stinger Yellow Jacket™

- Make this a part of your spill kit, 22 oz. vinyl-coated polyester.
- Made of 22 oz. vinyl-coated polyester.
- Unique snap-up support strips create sturdy side walls.

SPILL KIT VACUUM

Product Code	Description
CEP-Q-VAC	Q-Vac™100
CEP-Q-VAC PLUS	Q-Vac™100 w/Spill Scooter

- Fits on a standard 55 gallon, closed-top drum.
- · Requires no filters.
- · No moving parts to break or replace.
- · Pumps liquid directly into drum.
- · A liquid overflow shut-off valve ensures vacuum automatically turn's off when full.





SPILLPADSTM

Product Code	Description	
CEP-5600-YE	Poly-Spillpad™	24" L x 24" W x 2" H
CEP-5610-YE	Poly-Spillpad™	24" L x 48" W x 2" H
CEP-5620-YE	Poly-Spillpad™	48" L x 48" W x 2" H


- Removable grate allows you to access the sump easily
- Grate is made of 100% polyethylene
- · Variety of sizes available

LARTRAVSTM

Product Code	Description	
CEP-5248-YE	Poly-Labtray™	25" x 21.5" x 3"

- Low-profile unit is only 3" high.
- Small 25" x 21.5" footprint.







WORKSTATION SPILL PALLETS

Product Code	Description	
CEP-5110-YE	8 - Drum Workstation™	100" x 53.25" x 6
CEP-5115-YE	6 - Drum Workstation™	76.5" x 53" x 6"
CEP-5116-YE	4 - Drum Workstation™	52.5" x 53" x 6"
CEP-5117-YE	2 - Drum Workstation™	53" x 28.5" x 6"



- · Low profile workstation actually becomes part of your factory floor.
- · Large sump capacity.
- · Removable heavy duty foam grates for easy cleaning.

Low Profile!
Dispensing station or customized work area.



HARDCOVER SPILL PALLETS

Product Code	Description	
CEP-4062-YE	2 - Drum Hardcover	62.5" x 34.6" x 69"
CEP-4064-YE	4 - Drum Hardcover	63" x 56.5" x 69"

2 & 4 Drum Hardcover/Spill Pallet

- · Lockable.
- · Indoor or outdoor.
- Ramp optional.
- Roll top design where swing-open doors are a problem.

IN-LINE PALLETS

Product Code	Description	
CEP-5102-YE	Low Profile In-Line Poly-Spillpallet™ 3000	98" x 25.25" x 12"
CEP-5102-YE-D	Low Profile In-Line Poly-Spillpallet™ 3000 With Drain	98" x 25.25" x 12"



SPILL PALLETS

Product Code	Description	
CEP-5001-YE	4 - Drum Poly-Spillpallet™ 6000	50" x 50" x 17"
CEP-5001-YE-D	4 - Drum Poly-Spillpallet™ 6000 With Drain	50" x 50" x 17"
CEP-5253-YE	2 - Drum Poly-Spillpallet™ 2000	53.5" x 29" x 17"
CEP-5253-YE-D	2 - Drum Poly-Spillpallet™ 2000 With Drain	53.5" x 29" x 17"
CEP-5400-YE	4 - Drum Poly-Slim-Line™ 6000	54" x 54" x 12"
CEP-5400-YE-D	4 - Drum Poly-Slim-Line™ 6000 With Drain	54" x 54" x 12"

Heavy duty loads. The most reliable pallets in the industry.

In stock for immediate delivery!



IBC SPILL PALLETS

Product Code	Description	
CEP-5469-YE CEP-5469-YE-D	IBC Spill Pal™ IBC Spill Pal™ w/ Drain	72.25" x 72.25" x 26.5"

ALLET ACCESSORIES

Product Code	Description
CEP-5400-TARP	for use with CEP-5400-YE & CEP-5400 YE-D
CEP-5102-TARP	for use with CEP-5102-YE & CEP-5102 YE-D
CEP-5253-TARP	for use with CEP-5253-YE & CEP-5253 YE-D
CEP-5001-TARP	for use with CEP-5001-YE & CEP-5001 YE-D

PORTA-PALLETS

Product Code	Description	
CEP-5700-YE CEP-5710-YE CEP-7006-BK	Poly-Porta-Pallet™ Poly-Porta-Pallet™ Replacement Grate Fits CFP-5710-YF	48" x 48" x 8" 48" x 72" x 8" 48" x 23" x 1.75"
	FIIS CEP-3/ IU-YE	







UNIVERSAL POLY-DRUM FUNNELS

Product Code	Description	
CEP-3004-YE	Funnel	26" x 5.5" x 4"
CEP-3004-YE-SF	Safety Funnel	26" x 5.5" x 4"
CEP-3040-YE	Funnel Cover	26" x 5.5" x 4"



- · Funnel fits both closed and open head 55 gallon drums and other containers.
- Exclusive feature patented scalloped design, high side walls & bung fitting holders.



Safety Funnel

· Safety funnel has a non-sparking safety bung closure with flame arrestor.

Cover

· Optional lockable cover (lock not included.)

HOSE CONTAINMENT

Product Code	Description	
CEP-4701-YE CEP-4702-YE CEP-4704-YE CEP-4706-YE CEP-4710-YE	Hose Bibb™ Hose Wrap™ Hose Wrap™ Hose Wrap™ Hose Wrap™	Fits 3/4" Hose Fits 1 1/2" – 3" Hose Fits 4" – 5" Hose Fits 6" – 8" Hose Fits 10" Hose
Hose DibbTM		L.



- Safely wrap up to 3/4" quick-disconnect fittings or other hose attachment ends to absorb small leaks.
- Opening 2 1/2".





Hose Wrap™

· Made of rugged and resistant 22 oz., 30 mil. material and an integrated sorbent pad.

DRIP SENTINEL MAINTENANCE BLANKETS

Product Code	Description	Dimensions
CEP-4720-BK	Drip Sentinel Maintenance Blanket	3' x 12' x 120 mil
CEP-4725-BK	Drip Sentinel Maintenance Blanket	6' x 12' x 120 mil
CEP-4730-BK	Drip Sentinel Maintenance Blanket	9' x 12' x 120 mil
CEP-4735-BK	Drip Sentinel Maintenance Blanket	12' x 12' x 120 mil

Blanket is designed to be utilized under vehicles or leaking equipment. The blanket is made of 8 oz. non-woven geo-textile

material, that is 100 mils thick, backed by 1 layer of 20-mil fuel/chemical resistant polyethylene. Custom Sizes Available.







GAS CYLINDER PRODUCTS

Product Code	Description	
CEP-7301-BK CEP-7301-BK-A	Single Cylinder Dolly™ HD Pneumatic Wheels	22.5" x 24.75" x 46
CEP-7212-YE	2 Cylinder Poly-Stand™	28" x 14" x 30"
CEP-7213-YE	4 Cylinder Poly-Stand™	41.75" x 29" x 46"
CEP-7202-YE	6 Pack Cylinder Rack™	48" x 31" x 41"
CEP-7203-BK	6 Pack Cylinder Ramp™	46" x 20" x 6"
CEP-7205-BK	Replacement Accessory Strap	

Cylinder Dolly™

T and transport industrial cylinders.

2 Cylinder Poly-Stand™

· Ideal for inexpensive wall mounted storage.

6-Pack Cylinder Rack™

- · Moves through standard doorways.
- · Maximize floor space and eliminate clutter.



GAS CYLINDER PRODUCTS

Product Code	Description	
CEP-7302-BK	Dual Cylinder Dolly™	36.5" x 26.25" x 45.2"

- Accommodates any two cylinders, each up to 12" in diameter, including Class 300 SCF industrial gas cylinder and No.5 acetylene cylinders.
- Light weight and easy maneuverability with tough 16.5" diameter pneumatic wheels.
- · Will not rust or corrode.

36" built-in tray holds tools, valves & torches.





GAS CYLINDER PRODUCTS

Product Code	Description	
CEP-7216-YE	Universal Poly Cylinder Bra	ickets
CEP-7204-BK	Caster Frame	33.5" x 31.5" x 4.5"

New design can be used as a single, or can be multiplied and added up to "X" amount.









Product Code	Description	YSIEMS HIGH
CEP-1320	Ultra-SpillDeck P1 Bladder System	25 7/8" x 30 1/2" x 5 3/4"
CEP-2329	Ultra-Spill Deck P2 Bladder System	52" x 30 1/2" x 5 3/4"
CEP-2317 CEP-2320	Bladder Attachment/ Fitting	25 1/8" x 4 5/8" x 4 5/8"
GEP-2320	Replacement Bladder/ Fitting Unfurled	66" x 58"
CEP-2345	Bladder Pump	12" x 7" x 5 1/2"
CEP-1089	Loading Ramp	24" x 32" x 5 3/4"
CEP-2330	Ultra-SpillDeck P4 Bladder System	52" x 56 5/8" x 5 3/4"

Low Profile! Bladder attachment meets OSHA requirement for containment capacity.



SPILLDECKS®

Product Code	Description You MONEY	
CEP-1321	Ultra-SpillDeck P1	25 7/8" x 25 7/8" x 5 3/4"
CEP-1086	Ultra-SpillDeck P2	52" x 25 7/8" x 5 3/4"
CEP-1072	Ultra-SpillDeck P4	52" x 52" x 5 3/4"
CEP-1089	Ultra-SpillDeck	24" x 32" x 5 3/4"
	Loading Ramp	

· Bulkhead fittings not only lock connected modules together, but allow spilled liquid to flow from one to another.

Low Profile! Connect these modules to custom-design your own system. Add on as needed.



SPILLDECKS® PLUS

Product Code	Description	
CEP-2222	Ultra-SpillDeck Plus P2 2 Drum	54 1/2" x 27 1/4" x 4 1/4"
CEP-2223	Ultra-SpillDeck Plus P4 4 Drum	54 1/2" x 54 1/2" x 4 1/4"

- · Extra rugged for heavy equipment and machinery.
- Loads up to 10,000 lbs. per square foot.
- 4 1/4" low profile.
- 2 and 4 drum models can be connected together with bulkhead fittings to increase overall sump capacity.

Extra rugged – low profile – 10,000 lbs. per square foot.





SPILLDECKS - IN-LINE

Product Code	Description	
CEP-2360	Ultra 3 Drum	77 7/8" x 25 7/8" x 5 3/4"
CEP-2361	Ultra 4 Drum	104" x 25 7/8" x 5 3/4"
CEP-2333	Ultra 5 Drum	129 7/8" x 25 7/8" x 5 3/4"
CEP-2334	Ultra 6 Drum	156" x 25 7/8" x 5 3/4"



- Narrow 25 7/8" depth allows drums to be stored along a wall.
 - Additional spilldeck modules can easily be connected.



Product Code	Description	
OFD 1000	0 III - D0	47"

CEP-1060	Spill Tray P2	17" x 12" x 4"
CEP-1061	Spill Tray P4	21" x 17" x 4"











Description	
Flat Bottom Model	34" x 24 1/4" x 27 1/4"
Pallet Jack Model	32 1/2" x 24 1/4" x 28 5/8
Drum Tray® No Grate	32" x 27 1/8" x 8 1/8"
Drum Tray® With Grate	32" x 27 1/8" x 8 1/8"
	Flat Bottom Model Pallet Jack Model Drum Tray® No Grate Drum Tray®

Flat Bottom and Pallet Models

- Applications: satellite waste collection, general storage of chemical drums, portable pumping stations.
- 66 gallon capacity.

Drum Trays

• 55 and 30 gallon drums.



SPILLSHELVES

Product Code	Description	
CEP-2430	Ultra Stacking Shelf® Yellow	47 3/4" x 14 3/4" x 24"
CEP-2431	Ultra Stacking Shelf® Black	47 3/4" x 14 3/4" x 24"

- · Stack buckets, pails and small containers.
- Stack up to three high.
- Contoured top surface channels spills or leaks into sump below.

Fits on any spill pallet or deck!



SPILLKINGS®



Product Code	Description	
CEP-0801	Drum Pallet Model No Drain	51" x 51" x 17 1/2"
CEP-0802	Drum Pallet Model With Drain	51" x 51" x 17 1/2"
CEP-3000801	Drum Pallet Only	48 3/4" x 48 3/4" x 5 1/2"

Drum Pallet Model

- · 4-way forkliftable deck.
- Double stack drums to optimize valuable floor space.
- 100% polyethylene construction.
- 6,500 lbs. static load capacity.
- Removable heavy duty foam grates for easy cleaning.
 NOTE: Only 55 gallon steel drums with equal height on lower level.

Removable deck!



SPILLPALLETS®

Product Code	Description	
CEP-1000	Ultra-SpillPallet P4	53" x 53" x 11 3/4"
	No Drain, 4 Drum	
CEP-1001	Ultra-SpillPallet P4	53" x 53" x 11 3/4"
	With Drain, 4 Drum	
CEP-1010	Ultra-SpillPallet P2	53" x 29" x 16 1/2"
	No Drain, 2 Drum	
CEP-1011	Ultra-SpillPallet P2	53" x 29" x 16 1/2"
	With Drain, 2 Drum	

- 4 drum, 6,000 lbs. load capacity.
- 2 drum, 3,000 lbs. load capacity.
- 100% polyethylene construction.
- · Heavy loads and convenient handling.





IBC SPILLPALLETS®

Product Code	Description	
CEP-9630	Ultra-Spill Pallet P4 Plus No Drain	62" x 62" x 8 3/4"
CEP-9631	Ultra-Spill Pallet P4 Plus With Drain	62" x 62" x 8 3/4"
CEP-9610	Ultra-Spill Pallet P2 Plus No Drain	65 1/2" x 40" x 8 3/4"
CEP-9611	Ultra-Spill Pallet P2 Plus With Drain	65 1/2" x 40" x 8 3/4"

- Only low profile polyethylene spill pallet strong enough to handle full IBCs.
- Translucent side walls offer convenient visual leak detection.
- 52" x 52" deck.
- · 4-way forkliftable entry.
- · Versatile units can be used for drum containment also.








IBC SPILLPALLETS®		HQ HIGHEST
Product Code	Description	QUALITY
CEP-1057	Ultra-IBC Spill Pallet No Drain	58 3/4" x 58 3/4" x 33"
CEP-1058	Ultra-IBC Spill Pallet With Drain	58 3/4" x 58 3/4" x 33"

- · Double stack IBC tanks.
- 16,000 lb. weight capacity.
- 100% polyethylene construction has no metal parts.
- 400 gallon sump.






IBC SPILLPALLETS® PLUS

Product Code	Description	
CEP-1157 No Drain	Ultra-IBC Spill Pallet Plus	62" x 62" x 28"
CEP-1158 With Drain	Ultra-IBC Spill Pallet Plus	62" x 62" x 28"
CEP-1160	Bucket Shelf	19 1/2" x 16" x 14 1/2"

- Low profile, 28" overall height.
- All polyethylene construction.
- Forkliftable.
- 52" x 52" deck.
- 62" x 62" footprint.
- 360 gallon sump.



IBC HARD TOP		HQ HIGHEST
Product Code	Description	QUALITY
CEP-1162	Hard Top No Drain	64.5" x 62" x 96"
	360 Gallons	
CEP-1161	Hard Top	64.5" x 62" x 96"
	With Drain	
	360 Gallons	

- Upper roll-top door and lower swing-out doors combine to allow easy access to IBC.
- Safely store IBC tank with maximum dimensions 52" x 52" x 61".
- Low profile 28" height, 360 gallon containment sump.
- Forkliftable, lockable, all polyethylene.

Comply with regulations while storing IBC tanks outdoors.



SPILLBERMS®





Product Code	Description	MONEY QUALITY
CEP-2100	10' SpillBerm	10′ x 4" x 2 1/4"
CEP-2101	SpillBerm	
	Black Connector	
CEP-2102	SpillBerm	
	90° Orange Corner	
CEP-2052	SpillBerm-Low Profile	10′ x 2 1/4" x 1 3/8"

10' SpillBerm

- Flexible, will bend and turn to form almost any shape.
- Can be cut to various lengths.
- Non-absorbing, clean and reuse.

10' SpillBerm-Low Profile


- 1 3/8" tall berm.
- · Interlocking end joints.



OUTDOOR DRUM STORAGE

Product Code	Description	
CEP-9636	Ultra-Hard Top P4 Plus No Drain 75 Gallons	64.5" x 62" x 79"
CEP-9637	Ultra-Hard Top P4 Plus With Drain 75 Gallons	64.5" x 62" x 79"
CEP-0676	Loading Ramp	

- · Unique "dual-closure."
- · Roll-top covers can be easily lifted from waist height.
- Low profile 8 3/4" containment pallet.
- · Forkliftable, lockable, all-polyethylene.





OUTDOOR DRUM STORAGE



Product Code	Description	QUALITY
CEP-9612 No Drain	Ultra-Hard Top P2 Plus	67 1/4" x 41 1/4" x 74"
CEP-9613 With Drain	Ultra-Hard Top P2 Plus	67 1/4" x 41 1/4" x 74"
CEP-0676	Loading Ramp	46" x 28" x 8 3/4"

- Tall 23 3/4" head space easily accommodates rotary drum pumps and large conical funnels.
- Low profile 8 3/4" containment pallet.
- 100% polyethylene construction will not rust or corrode.

ALLOWS FOR PUMP SPACE

Store 2 drums safely outdoors with pumps and funnels in place!






OUTDOOR DRUM STORAGE

Product Code	Description	
CEP-1082	Ultra-Hard Top P2	57" x 30 1/2" x 64 1/2"
	No Drain, 2 Drum	
CEP-1083	Ultra-Hard Top P2	57" x 30 1/2" x 64 1/2"
	With Drain, 2 Drum	

 UV inhibitor in polyethylene resin resists degrading effects of sunlight.

· Hinged covers are easily opened by one person.

66 gallon capacity.





OUTDOOR DRUM STORAGE

Product Code	Description	
CEP-1080	Ultra-Hard Top P4 No Drain, 4 Drum	57" x 54" x 60"
CEP-1081	Ultra-Hard Top P4 With Drain, 4 Drum	57" x 54" x 60"

- Rugged steel lift brackets allow covers to be temporarily fixed in their position. Makes decanting of wastes safe and efficient.
- · Deck grates are removable for easy cleaning.

Stores 4 drums, allows convenient access. Completely user friendly and lockable for security.



OUTDOOR DRUM STORAGE

Product Code	Description	
CEP-9640 No Drain	Ultra-Hard Top P1 Plus	36" x 36" x 66"
CEP-9641 With Drain	Ultra-Hard Top P1 Plus	36" x 36" x 66"
CEP-0417	Dolly	26 1/2" x 26 1/2" x 5"

- Safe Handling can be moved by forklift under the "shoulder" area.
- Tall head space–25 3/4" allows use with drum pumps and conical funnels.
- Dolly—has a load capacity of 800 lbs., constructed of steel with four wheels.





CONTAINMENT BERMS-STAKE WALL®

Product Code	Description	
CEP-8308	Stake Wall Model 179 Gallons	4′ x 6′ x 1′
CEP-8309	Stake Wall Model 269 Gallons	6′ x 6′ x 1′
CEP-8310	Stake Wall Model 748 Gallons	10′ x 10′ x 1′
CEP-8337	Stake Wall Model 5610 Gallons	15′ x 50′ x 1′
CEP-8332	Stake Wall Model 7405 Gallons	15´ x 66´ x 1´

The only containment berm design that does not rely on inflation, hinged straps or cumbersome frames to keep sidewalls up.



CONTAINMENT BERMS-COMPACT®

Product Code	Description	
CEP-8609	Compact Model 179 Gallons	4′ x 6′ x 1′
CEP-8610	Compact Model 269 Gallons	6′ x 6′ x 1′
CEP-8611	Compact Model 748 Gallons	10′ x 10′ x 1′
CEP-8612	Compact Model 5385 Gallons	12′ x 60′ x 1′
CEP-8613	Compact Model 5610 Gallons	15′ x 50′ x 1′
CEP-8614	Compact Model 7405 Gallons	15′ x 66′ x 1′

Folds into a tight package, store onboard trucks and haz mat response vehicles.



CONTAINMENT BERMS-ULTIMATE

Product Code	Description	
CEP-8505	Ultimate Model 5385 Gallons	12′ x 60′ x 1′
CEP-8506	Ultimate Model 5610 Gallons	15′ x 50′ x 1′
CEP-8507	Ultimate Model 7405 Gallons	15′ x 66′ x 1′

- Entry and exit walls are supported every 12" with a patented "living hinge."
- Hands free drive-in/drive-out.
- Materials are Copolymer 2000™, XR5, polyurethane and others available.
- · Walls automatically spring back once a vehicle has entered.
- · PVC sidewall assemblies.





MENT BERMS-CAMO®

Product Code	Description	
CEP-8609-CAM	Camo Model 179 Gallons	4′ x 6′ x 1′
CEP-8610-CAM	Camo Model 269 Gallons	6′ x 6′ x 1′
CEP-8611-CAM	Camo Model 748 Gallons	10′ x 10′ x 1′
CEP-8612-CAM	Camo Model 5385 Gallons	12′ x 60′ x 1′
CEP-8613-CAM	Camo Model 5610 Gallons	15′ x 50′ x 1′
CEP-8614-CAM	Camo Model 7405 Gallons	15′ x 66′ x 1′

· Use with tarps or netting to provide complete camouflaged coverage.



Available for large orders only.

CONTAINMENT BERMS-COLLAPSIBLE WALL®

Product Code	Description	
CEP-8405	Collapsible Wall Model 179 Gallons	4′ x 6′ x 1′
CEP-8403	Collapsible Wall Model 269 Gallons	6′ x 6′ x 1′
CEP-8400	Collapsible Wall Model 748 Gallons	10′ x 10′ x 1′
CEP-8404	Collapsible Wall Model 5385 Gallons	12′ x 60′ x 1′
CEP-8401	Collapsible Wall Model 5610 Gallons	15′ x 50′ x 1′
CEP-8402	Collapsible Wall Model 7405 Gallons	15′ x 66′ x 1′





Product Code	Description	
CEP-8385	Foam Wall Model	4′ x 2′ x 2"
CEP-8386	Foam Wall Model	6′ x 8′ x 2"
CEP-8387	Foam Wall Model	8′ x 10′ x 2"

- · Choose from 3 standard sizes.
- · Custom sizes available.
- · Low-2" sidewall.
- Simply unfold for quick deployment.

LOW PROFILE BERM CONTAINMENT



RAILROAD PETROLEUM SORBENTS

Product Code	Description	
CEP-PRRTB18	Track Blankets 60 Gallons, 2 Rolls	19" x 100′
CEP-PRRTB59	Track Blankets 90 Gallons, 1 Roll	59" x 100′







- · Three layer construction for durability.
- · Protects railroad ties, soil and rock ballast.
- · Ultrasonic welded edge won't tear or shred, prevents delamination.
- Applications
- Locomotive refueling sites, ready track areas, maintenance/repair yards/ships, wayside track lubrication sites.





RAILROAD TRACKPANS®

Product Code	Description
CEP-9595	9-Foot Ultra-TrackPan System, No Covers
	(Includes 4 Side and 2 Center Pans w/ Grates)
CEP-9596	9-Foot Ultra-TrackPan System with Covers
	(Includes components listed above,
	plus 4 Side and 2 Center Covers)

- Modular, 53.5" long polyethylene TrackPans can be easily assembled to any length desired. (see photo #1)
- Rugged grating is slip resistant, keeps personnel elevated from spills. (see photo #2)
- Optional covers keep rainwater out of the pans, providing effective stormwater management. (see photo #3)



- Prevent costly cleanup and regulatory fines.
- Flow-through channels allow spills to flow from one TrackPan to the next.







ECONOMY & SPRUNG STEEL POPUP POOLS

Product Code	Description		
CEP-8020	Sprung Steel Design	20 Gallon	8" x 28" x 35"
CEP-8022	Economy Model	20 Gallon	8" x 28" x 35"
CEP-8066	Sprung Steel Design	66 Gallon	12" x 42" x 53"
CEP-8068	Economy Model	66 Gallon	12" x 42" x 53"
CEP-8100	Sprung Steel Design	100 Gallon	12" x 53" x 64 1/2"
CEP-8102	Economy Model	100 Gallon	12" x 53" x 64 1/2"
CEP-8150	Sprung Steel Design	150 Gallon	24" x 64" x 76"
CEP-8153	Economy Model	150 Gallon	24" x 64" x 76"
CEP-8160	Economy Model	250 Gallon	12"X73"X85"
CEP-8162	Economy Model	400 Gallon	20"X73"X85"



CABMOUNT CONTAINERS®

Product Code	Description	
CEP-8155	PopUp Pool Storage	28 1/4" x 13" x 10 3/4"
	(for economy models only)	

CONTAINMENT SUMPS

Product Code	Description	
CEP-2800	275 Containment Sump No Drain	84 1/2" x 43 3/4" x 29"
CEP-2801	275 Containment Sump With Drain	84 1/2" x 43 3/4" x 29"
CEP-2820	550 Containment Sump With 3/4" Drain Fitting	87 x 62 1/4" x 32 3/4"
CEP-2810	Pull Over Cover	

- Containment for 500 or 550 gallon oval tanks.
- · Indoors or outdoors.
- Rugged, all-polyethylene construction will not rust or corrode.

Indoors or outdoors... Eliminate costly spills while storing fuels, oils, etc.



ULTRA-1000 CONTAINMENT SUMP

Product Code	Outside Dimensions	Inside Dimensions	Weight	Containment Capacity
CEP-2830 No Drain	148" x 63" x 33"	130 1/2" x 45 1/2"	180lbs.	1100 gallons
CEP-2831 with 1/2" Drain				_

· Contains 1000-gallon fuel tanks.

CEP-2832 with 2" Drain

- 1-piece molded polyethylene design will not rust or corrode.
- · Nestable design saves freight and minimizes storage space.
- Optional 1/2" drain fitting available allows use with Ultra-Self Bailer.
- 2" drain fitting also available.
- · Use with optional Ultra-Self bailer for outdoor containment.
- Self bailer allows clean stormwater to passively drain from sump while capturing hydrocarbons.

Meets StormWater, SPCC, and EPA containment regulations.



CONTAINMENT TRAYS®

Product Code	Description	
CEP-2351	Ultra-Containment W/O Grating, Tray	54" x 29 3/4" x 3 1/2"
CEP-2352	Ultra-Containment With Grating, Yellow Tray	54" x 29 3/4" x 3 1/2"
CEP-2350	Ultra-Containment With Grating, Black Tray	54" x 29 3/4" x 3 1/2"





- Low profile, 16.5 gallon sump is perfect for containment of 5 gallon pails, batteries, safety cans, dry cleaning waste drums and leaky machine parts.
- Optional 2'x 4'grating elevates containers from spilled liquid.

For small containers and packages.



	enbille i ben	
Product Code	Description	
CEP-2421	Ultra-Safety Cabinet Bladder System V2 2 Drum	63 1/2" x 37 3/4" x 6 1/4"
CEP-2420	(Does not include cabinet) Ultra-Safety Cabinet Bladder System V1	37 3/4" x 37 3/4" x 6 1/4"
	1 Drum (Does not include cabinet)	

- Low profile 6 1/4" off plant floor.
- · Bladder unfurls as sump fills up.
- · Convenient height allowing wastes to be poured into drum top funnels.

Out of sight, should not be out of mind...





TWIN IBC SPILLPALLET

Product Code	Description	
CEP-1140	No Drain	124 1/2" x 61 5/8" x 22"
CEP-1144	With Drain	124 1/2" x 61 5/8" x 22"
CEP-1160	Bucket Shelf	19 1/2" x 16" x 14 1/2"


- Available with optional Bucket Shelf for either or both sides catches small leaks or spills during dispensing.
- Grates are easily removed for quick clean-up.

Meets EPA Containment and SPCC Regulations for Two IBC Tanks.





ULTRA-MODULAR IBC SPILL PALLETS





Weight Capacity: 9,000 lbs. UDL per Pallet

Required accessory: CEP-1118 - Assembly Kit (Includes hole saw, arbor and set of (2) Tightening Tools

Option for Indoor Models:

CEP-9630 Spill Pallet Only

Outdoor Models	Description	Dimensions:	Gallon Capacity	Weight
CEP-1165	2-Tank Model	126" x 93" x 79"	280 gal.	881 lbs.
CEP-1166	3-Tank Model	188" x 93" x 79"	355 gal.	1258 lbs.
CEP-1167	4-Tank Model	250" x 93" x 79"	365 gal.	1603 lbs
CEP-1168	5-Tank Model	312" x 62" x 79"	375 gal.	1948 lbs.

Weight Capacity: 9,000 lbs. UDL per Pallet

Required accessory: CEP-1118 - Assembly Kit (Includes hole saw, arbor and set of (2) Tightening Tools

Option for Outdoor Model:
CEP-9658 Extender Kit Options for Indoor & Outdoor Models:

CEP-1117 2" Bulkhead Fittings (Set of 2)

CEP-1124 Expansion Tank Only, 61" x 31" x 12 1/2", Capacity: 65 gallons, 30 lbs

- New Ultra-Modular IBC Spill Pallets provide low cost spill containment for multiple IBC tanks. Standard offerings include: 2-tank, 3-tank, 4-tank and 5-tank indoor and outdoor models. In addition, components may be purchased separately to allow users to "build-your-own" configurations for indoor models.
- Each IBC tank sits on a heavy-duty spill pallet that offers a Uniformly Distributed Load Capacity of 9,000 lbs. Each of the low profile spill pallets has a containment capacity of 75-gallons and measures 62" x 62" x 8.75"H.
- To increase containment capacity, a 65-gallon capacity Expansion Tank is available. "Flow-through" bulkhead fittings (1.25-inch diameter) are used to connect spill pallets and Expansion Tanks together. This patented feature allows spills to be channeled throughout the containment

system, thereby "borrowing" containment capacity from adjacent spill pallets and Expansion Tanks.

 Any number of the modular spill pallets can be connected together with the bulkhead fittings. Two (2) bulkhead fittings are used to connect one pallet to the next.

- Connecting an Expansion Tank to a spill pallet also requires two (2) bulkhead fittings. Bulkhead fittings are included with each 2-, 3-, 4-, or 5-tank model. Once five (5) or more spill pallets are connected together, the total containment capacity is 375 gallons minimum and does not require use of an Expansion Tank to meet the spill containment regulations.
- Optional Extender Kits (Part# 9658) provide for the addition of another compartment to Outdoor Models. (1 tank per Extender Kit).
- Ultra-Modular IBC Spill Pallets are constructed of 100% polyethylene, eliminating the potential for rust and corrosion. They offer excellent chemical resistance to a broad range of chemicals including acids, solvents and oils.









- Unique, lockable, dual-closure allows quick access to tanks.
- Roll-top covers can be easily lifted for routine visual inspection
- · Swing-out doors provide safety and convenience for loading/unloading tanks.
- · Safely stores IBC tanks, with maximum dimensions of 52" x 52" x 61"



Upper roll-top door and lower swing-out doors combine to allow easy and convenient access to IBC.

UTILITY TRAYS

Product Code	Description
CEP-1031	12" x 48" x 4 3/4"ID
CEP-1032	24" x 48" x 4 3/4"ID
CEP-1033	30" x 48" x 4 3/4"ID
CEP-1034	24" x 36" x 4 3/4"ID
CEP-1035	36" x 36" x 4 3/4"ID
CEP-1036	40" x 48" x 3 1/2"ID

Ribbed bottom keeps cans, pails and other containers elevated above any spills or leaks.



SPILLBERM PLUS

Product Code	Description	
CEP-2054	5′ x 4" x 4 1/2"	

- Taller SpillBerm helps contain or divert larger volume spills
- Flexible polyurethane
- · Non-absorbent and chemical resistant
- · Easily cleans with soap and water
- Multiple units can be quickly and easily connected





LEAK DIVERTERS®

Product Code	Description	
CEP-1780	Pipe Leak Diverter	18" x 18"
CEP-1785	Roof Leak Diverter	5′ x 5′
CEP-1787	Roof Leak Diverter	10' x 10'
CEP-1790	Roof Leak Diverter	20′ x 20′
CEP-1/90	Rooi Leak Diverter	20 X 20





- Keep fluid leaks off the floor eliminate slip hazards and chemical exposure.
- Large 18" diameter opening captures overhead leaks, big and small.
- Bottom fitting connects to a standard garden hose.
- Allows fluids to be collected in a drum or tank.
- · Rugged coated vinyl construction.
- CEP-1780 Pipe Leak Diverter ships complete with bungee cords and hooks for quick installation.

TANKER TOURNIQUETS®

Product Code	Description	
CEP-2000	Magnetic Model	15 3/4" x 32 1/4" x 3 1/4"

Magnetic Model

- · 8 magnets.
- Spark resistant assembly for use on steel surfaces.

Minimize environmental damage, protect lives and save the load!



DRUM TOURNIQUETS®

Product Code	Description	
CEP-2010	Magnetic Model	22 1/2" x 6 1/2" x 2 7/8"
CEP-2013	Universal Model	22 1/2" x 6 1/2" x 2 7/8"

Magnetic Model

- · 2 magnets.
- Spark resistant assembly for use on steel drums, other ferrous applications.

Universal Model

- 2 magnets.
- · Spark resistant assembly.
- 10' long ratchet setup.
- Use on steel drums, polyethelyne and fiber drums.



Both models have stainless steel backing plate.

POLY OVERPACKS® - SALVAGE DRUMS

Product Code	Description	
CEP-0510	Ultra-OverPacks® 30 Gallons	21 3/4" x 17" x 28 1/4"
CEP-0600	Ultra-OverPacks® 20 Gallons	21 3/4" x 17 3/4" x 16 3/4"
CEP-0526	Ultra-OverPacks® 55 Gallons	24 3/4" x 20" x 37 1/2"
CEP-0500	Ultra-OverPacks® 95 Gallons (x-rated)	31" x 25 1/8" x 43 1/4"

20, 30, 55, 95 gallon models. Convenient "no tools required" closures.



DECONDECKS







CEP-TACTICAL MODEL - DCON-6000 CEP-HOSPITAL MODEL - DCON-6010 CEP-NON-AMBULATORY MODEL - DCON-6020

TACTICAL MODEL - DCON-6000

- · Replaces conventional containment pools contaminated water is captured in deck sump and attached 55 gallon bladder.
- · Deck and bladder capacity is 99 gallons.
- · Use for chemical, biological, and/or radiological response.

HOSPITAL MODEL - DCON-6010

- · Privacy shelter quickly attaches to DeconDeck.
- Supply hose and shower unit provided warm water supply required.
- · Dual bladders and deck combine to contain 165 gallons of liquid - nearly one hour of continuous use.

NON-AMBULATORY MODEL - DCON-6020

- · Elevated deck allows contaminants to be separated from workers and patients.
- Includes hose and spray wand.
- · Deck and bladder contain 88 gallons.
- Replacement bladders Product Code CEP-2320.

DISASTER PREP EQUIPMENT

Product Code

CEP-AIR BIO-GAS MONITOR CEP-LEVEL A HAZMAT SUIT-XL XXL CEP-GAS RESPIRATORY-FULL FACE-HALF FACE CEP-FALL PROTECTION-SLING/HARNESS







RESPONSE SHOVELS®



Product Code Description CEP-0401 Quick-Release Shaft

15" x 10" x 3" Collapsed

and "D" Handle

(Fits into 5 gallon or larger spill kits.)

CEP-0402

Quick-Release

Telescoping Shaft

(Fits into 20 gallon or larger spill kits.)

CEP-0404

Quick-Release Shaft, Polyethylene Scoop

37" Assembled






CEP-0488



FUNNELS-POLYETHYLENE®

Product Code Description



W/ Spout
Bung Access Funnel 23 5/8" x 5 1/2"

No Spout

CEP-0484 Bung Access Funnel 29" x 26 3/4" x 9 1/2"

W/ Spout, Hinged Cover

CEP-0487 Bung Access Funnel 29" x 26 3/4" x 9 1/2"

No Spout, Hinged Cover




25" x 6"

25" x 6"

13 lbs.

18 lbs.



FUNNELS-POLYETHYLENE®

Optional

	Product Code	Description
	CEP-0471	Universal Funnel W/ Spout
	CEP-0479	Universal Funnel No Spout
	CEP-0476	Snap-on Cover Optional
Does .	CEP-0497	Global Funnel W/ Spout, No Cover
	CEP-0499	Global Funnel W/ Spout, Hinged Cover
	CEP-9985	Pop-up Fill Gage Optional
_	CEP-0498	Snap-on Cover



OPENHEAD FUNNEL

Product Code	Description	
CEP-0460	For Drums 22 1/4" – 23 1/2" dia.	24 1/2" dia. x 11"

Replaces drum lid allowing convenient drum access for pouring, collection rags, and soiled absorbents.



ULTRA BURP FREE FUNNEL

Product Code	Dimensions	Weight
CEP-0656	22" OD x 11 1/2"H	8 lbs.
CEP-0651	13 3/8" OD X 11" H	5 lbs.

- Built-in vent No more splashing or "burping" when pouring liquids!
- Threaded brass insert screws into 2" drum bung.
- All polyethylene construction won't rust or corrode provides excellent chemical resistance.
- Hinged, lockable lid prevents unauthorized access.
- New, larger style provides bigger pouring area and easy access.



WRINGERS





Product Code Description

CEP-WRINGER100 Manual Wring

Manual Wringer 12" x 1" Dia Rolls



- · Wring and reuse sorbent pads or towels.
- Mountable on open-head drums, tubs or boards.
- · Excellent for carwashes.
- · Built for heavy-duty, long life and low maintenance.
- · Constructed with sturdy steel frame and springs.



DRUMVAPORLOCKS®

Product Code	Description	
CEP-0440	Ultra-VaporLock W/ Fill Tube	35 1/2" x 1 3/4"
CEP-0444	Ultra-VaporLock No Fill Tube	6" x 1 3/4"

Eliminate vapor escape while decanting wastes.

DRUMLIFTERS®

Product Code	Description		
CEP-0409	DrumLifter	Load Capacity:1000 lbs.	
DRUMTIPPERS®			
Product Code	Description		
CEP-0851	DrumTipper	11 1/2" x 11" x 6"	



UTILITY BOXES

Product Code	Description	
CEP-0860	Utility Box - Forest Green No Wheels	48"L x 31"D x 31.5"H
CEP-0863	Utility Box - Forest Green 5" Solid Rubber Wheels	48"L x 31"D x 38"H
CEP-0866	Utility Box - Forest Green 8" Pneumatic Wheels	48"L x 31"D x 41.75"H



- · Other available colors include safety orange and yellow.
- Perfect for spill kit usage or storage bin for parts, etc.
- · Forkliftable and lockable.
- · Heavy-duty, double-walled lid is sloped to shed rain.











MODULAR SPILL PLATFORM SYSTEMS

Product Code Description

CEP-1631	2 Drum Budget Basin	26 1/4" x 51 1/2 x 6 1/2"
CEP-1632	2 Drum Modular Platform	26 1/2" x 51 1/2 x 6 1/2"
CEP-1634	4 Drum Modular Platform	52 1/2" x 51 1/2 x 6 1/2"
CEP-1689	Poly Ramp for 1632, 1634	45 1/2" x 32" x 8"



Eagle has redeisgned the 2 drum (1632) Modular Platform and 4 drum (1634) Modular Platform. New Features include

- Fork lift pockets
- · Redesigned flat top grating
- · New interlocking technology that eliminates the need for the U channel connectors.



Arrange in an endless number of configurations!



SPILL CONTAINMENT PLATFORMS®

Product Code	Description	
CEP-1647	4 Drum In-Line Spill Platform	106" x 30 1/4" x 6 3/4"
CEP-1686	6 Drum Pallet Unit Low Profile	77" x 51 1/2" x 6 1/2"
CEP-1688	8 Drum Pallet Unit Low Profile	102" x 51 1/2" x 6 1/2"
CEP-1689	Poly Ramp for 1647, 1686, 1688	



- · Low profile.
- Polyethylene construction for excellent chemical resistance.
- Grating with 1 3/4" square opening that removes easily for cleaning.

In stock for immediate delivery!







SPILL CONTAINMENT PALLETS®

Product Code Description

i ioduct code	Description	
CEP-1612	Single Drum Unit	31" x 33"
CEP-1620	2 Drum Pallet Unit	51" x 26 1/4" x 15"
CEP-1640	4 Drum Pallet Unit	51 1/2" x 51 1/2" x 18 1/2"
CEP-1645	4 Drum Pallet Unit	51 1/2" x 51.5" x 8"
CEP-1689	Low Profile Poly Ramp for 1645	45 1/2" x 32" x 8"
CEP-1698	Single Drum Containment Dolly	26 1/2" x 7"
	·	



- Forkliftable design with 3/4" drain plug.
- Polyethylene construction.
- Grating with 1 3/4" square opening that removes easily for cleaning.



HORIZONTAL DRUM STACKING SYSTEM®

Product Code	Description	
CEP-1605	Cradle*	29" x 26 1/2" x 22 1/2"
CEP-1606	Single Stacker*	27" x 26 1/2" x 29"
CEP-1607	Double Stacker*	48" x 26 1/2" x 13"
CEP-1608	Shelf	19" x 23" x 19"

IBC SPILL UNIT

Product Code	Description	
CEP-1680	IBC Spill Unit Tub & Platform 400 Gallon (does not include IBC Tank)	67" x 67" x 26"
CEP-1958	Horizontal DrumLifter	



*Fits all spill containment platforms and pallets.





LAB & OVERPACK DRUMS®

Product Code	Description	
CEP-1601	Lab Pack W/Plastic Ring	30 Gallon
CEP-1601M	Overpack W/Metal	30 Gallon
	Lever Lock Ring	
CEP-1601MB	Overpack W/Metal	30 Gallon
	Lever Lock Ring Blue	
CEP-1650	Lab Pack W/Screw	20 Gallon
	Top Lid	
CEP-1652	Lab Pack W/Plastic Ring	20 Gallon
CEP-1661	Overpack Drum W/Screw	20 Gallon
	Top Lid - 65 Gallon	
CEP-1690	Overpack Drum W/Screw	20 Gallon
	Top Lid - 95 Gallon	



SALVAGE DRUMS®



Product Code	Description	YOU MONEY
CEP-1602	Salvage Drum 30 Gallon	21 1/8" x 28 1/2
CEP-1654	Salvage Drum 20 Gallon	22" x 20 1/2"
CEP-1665	Salvage Drum 65 Gallon	31" x 39"
CEP-1695	Salvage Drum 95 Gallon	31" x 44 1/2"
CEP-OP95-EG	Salvage Drum 95 Gallon	31" x 44 1/2"

- Polyethylene construction with UV inhibitors.Lids feature closed cell foam gasket for positive seal with locking band.





OUTDOOR DRUM STORAGE BUILDINGS & WORKSTATIONS®

Product Code	Description	
CEP-1626	2 Drum Workstation (Low)	60" x 34" x 46"
CEP-1628	2 Drum Workstation (High)	60" x 34" x 64"
CEP-1629	Workstation Dolly	6" x 60" x 34"
CEP-1649	4 Drum Poly Storage Building	57 1/2"x 57 1/2"x 72"

Storage Buildings

- Four-way forklift sockets.
- · Vented door louvers.
- 62 gallon spill capacity.





DRUM ACCESSORIES

Product Code	Description	
CEP-1952 CEP-1954 CEP-1958	Overpack Dolly Drum Lifter Horizontal Drum Li	fter
Easy lifting.Safety first.		fter SAFF
CEP-1660 CEP-1662	Drum Funnel Drum Funnel With Screen	18" x 7" 18" x 7"
CEP-1664	Drum Funnel Cover	18 1/2" x 5"
CEP-1666	Drum Cover– Closed Head	23" x 5"
CEP-1667	Drum Cover– Open Head	24" x 5"
CEP-1670	Drip Pan	10 1/2" x 10 1/2 x



• Dome shaped design keeps water contaminants from accumulating on drum head.











MOBILE SPILL CONTROL PLATFORMS®

/ 28" x 56" x 41"
31" x 6"
31" x 6"
31" x 7"



Safely transfer containers between stations.



COLUMN/CORNER PROTECTORS®

Product Code	Description	
CEP-1706	Column Protector For 6" Column	24" x 24" x 42"
CEP-1708	Column Protector For 8" Column	24" x 24" x 42"
CEP-1710	Column Protector For 10" Column	24" x 24" x 42"
CEP-1712	Column Protector For 12" Column	24" x 24" x 42"
CEP-1738	Post Protector	
CEP-1720	Sm. Corner Protectors	21" H, 5 lb. ea. Set of 2
CEP-1725	Lg. Corner Protectors	42" H, 10 lb. ea. Set of 2









THE THROW-N-GO BERM

Product Code	Description		
CEP-TG-1010	10' x 10' x 12"	65lbs	588 Gallons
CEP-TG-1236	12' x 36' x 12"	195 lbs	3001 Gallons
CEP-TG-1454	14' x 54' x 12"	310 lbs	5341 Gallons

- · Easy to depoly in all situations, including emergencies
- Berm contains no working parts to malfunction
- Conforms to Federal, State, and Military environmental containment regulation
- · Can be utilized with fuel and chemicals
- · Custom Sizes available
- No assembly is required. Walls lay flat and setup takes less than 30 seconds.
- · Berm can be driven on at any angle
- Walls rise automatically when fluid is spilled.
- · Built in track mats prevent damage to Berm.





40MIL L BRACKET ECONO-BERM

Product Code Description

CEP-BERM- (SIZE) -PT CALL FOR QUOTE

\$
SAVES
YOU
MONEY

Manufactured with your choice of bracketed sidewalls, pop-up sidewalls or drive thru endwalls, the versatile Econo-Berm can be customized for the most taxing of containment applications, including: roll-off containers, tanker trucks, frac tanks, decon wash pads, emergency response, drum storage and portable pumps. Its easy-to-install, pop-up design is ready to use in minutes, UV- and chemical-resistant, flexible, lightweight and dependably durable. Optional accessories-like a protective ground cover, track guard and hose support bridge-ensure complete investment protection.



LOWEST PRICED BERM IN THE INDUSTRY.





BAZOOKA TRICKLE FILTER W/AUTOMATIC SHUTOFF



Product Code	Description	
CEP-BAZOOKA CEP-BAZOOKA-12 KIT	Imbiber bazooka, 5" O.D. x 12" L Bazooka plus installation kit, 5" O.D. x 16.5" L	8 lbs. 10 lbs

Introducing an exciting new product, The Imbiber Bead Bazooka! It's an automated shut off system which allows water drainage of containment berm applications, but also utilizes an innovative system for detection of Class I & II organics such as diesel fuel. Water will continually drain through the filter. But, in case of a spill within a berm when an organic substance is detected, the Imbiber Bead Technology takes over , and the flow is completely shutoff. It's a virtually maintenance free design with very simple upkeep.

- Trickle filter allows water flow rate of 20 gallons per minute.
- Unique Imbiber Imbicator pre-filter signals presence of organic susbstance with a distinct color change.
- Imbiber Beads inside capture the organic substance, and by doing so, shut off flow through the filter.
- · Virtually maintenance free.

Bazooka Installation Kit. The kit contains all you need for an easy field installation of the Imbiber Bead bazooka, and can be completed in just minutes.





PLUG-IT

		Plug Size
Product Code	Fits Drain Sizes	(top diam/bottom diam)
CEP-PI-22	1.5 - 2.5 in.	3 inch/ 1 inch
CEP-PI-33	2.5 - 3.5 in.	4 inch/ 2 inch
CEP-PI-44	3.5 - 4.5 in.	5 inch/ 3 inch
CEP-PI-66	5.5 - 6.5 in.	7 inch/ 5 inch

Plug the drain as a safety precaution. The Plug-It can be used where there is almost no room between the top of the drain and the floor grate. Put PLUG-IT in the drain. cut to the height to fit and put the grate back on. Easy to remove, if the drain is needed. Very inexpensive.



RESPONSE PLUG

		Plug Size
Product Code	Fits Drain Sizes	(top diam/bottom diam)
CEP-RP-2	1.5 - 2.5 in.	3 inch/ 1 inch
CEP-RP-3	2.5 - 3.5 in.	4 inch/ 2 inch
CEP-RP-4	3.5 - 4.5 in.	5 inch/ 3 inch
CEP-RP-6	5.5 - 6.5 in.	7 inch/ 5 inch

Response Plug - for floor drains - allows normal drainage, yet immediately plug the drain if a hazardous spill occurs. Simply put the Response Plug into the drain and put the grate back on. It is designed to float up and allow routine wash water to flow through. If a hazardous spill occurs, just take the plastic push rod, or a screw driver or pencil or other handy tool and slide it through the grate to push the Response Plug down into the drain. Immediately seals off the drain. Works with fuels, oils and many chemicals. Neoprene blend and plastic – will not spark.





FIRE FIGHTING EQUIPMENT FOLDING FRAME TANKS



Use Part No. CEP-ALF-size for Alum. Or CEP-STF-size for steel

Tank Size	Open	Folded	Double Folded -Opt.	Steel	Aluminum
500 Gallon	5'8" x 5'8" x 30"	8" x 5'8" x 30"	16" x 2'11" x 30"	90 lbs	68 lbs
750 Gallon	7'0" x 7'0" x 30"	8" x 7'0" x 30"	16" x 3'7" x 30"	97 lbs	79 lbs
1000 Gallon	8'3" x 8'13" x 30"	8" x 8'13" x 30"	16" x 4'3" x 30"	116 lbs	96 lbs
1500 Gallon	10'3" x 10'3" x 30"	8" x 10'3" x 30"	16" x 5'3" x 30"	138 lbs	109 lbs
2100 Gallon	11'3" x 11'3" x 30"	8" x 11'3" x 30"	16" x 5'9" x 30"	154 lbs	124 lbs
2500 Gallon	12'3" x 12'3" x 30"	8" x 12'3" x 30"	16" x 6'3" x 30"	169 lbs	135 lbs
3000 Gallon	13'3" x 13'3" x 30"	8" x 13'3" x 30"	16" x 6'9" x 30"	185 lbs	149 lbs
3500 Gallon	14'3" x 14'3" x 30"	8" x 14'3" x 30"	16" x 7'3" x 30"	205 lbs	167 lbs
4000 Gallon	15'3" x 15'3" x 30"	8" x 15'3" x 30"	16" x 7'9" x 30"	223 lbs	178 lbs
5000 Gallon	17'3" x 17'3" x 30"	8" x 17'3" x 30"	16" x 8'9" x 30"	269 lbs	215 lbs

- Aluminum or Steel Frame (Steel frame folded width is 7")
- · Vinyl Liner 22oz Std. Side and Heavy Duty 28oz Floor
- · Easy Lift Handles Mounted to Floor of Tank
- Two DrainTubes Std. on 2500 Gallon and up
- 10" Drain tube w/ Quick release for fast Draining or Mating w/ another Tank



CEP-2373





ULTRA RACK CONTAINMENT TRAYS

Description	Dimensions	Capacity	Weight
Single Tray	23 1/2" x 44" x 2 3/4"	8 gallons	8 lbs
Two Tray System	48" x 44" x 2 3/4"	16 gallons	17 lbs.
(Includes two trays an	d one connector)		
Three Tray System	72" x 44" x 2 3/4"	24 gallons	27 lbs.
(Includes three trays a	and two connectors)		
`	,		
	Single Tray Two Tray System (Includes two trays an Three Tray System	Single Tray 23 1/2" x 44" x 2 3/4"	Single Tray 23 1/2" x 44" x 2 3/4" 8 gallons Two Tray System 48" x 44" x 2 3/4" 16 gallons (Includes two trays and one connector) Three Tray System 72" x 44" x 2 3/4" 24 gallons

- Low-profile (2 3/4") slides easily under pallet racking and shelving.
- Small leaks and spills from palletized contents above are captured keeping floors clean and free from slip hazards.
- Black, all-polyethylene construction provides excellent chemical compatibility and corrosion resistance.
- · Multiple tray systems available to fit any size rack or shelf.

Connector

 Additional trays and/or connectors may be added for larger applications or revised configurations.








SPILL CONTROL PLATFORMS - STEEL

Product Code	Description	Sump Capacity	Dimensions	Wt.	Load Capacity
LOW-PROFILE MOD	DELS				
CEP-SSB-5125	2-Drum	33 gal.	51 x 26 x 6.5	125	3000
CEP-SSB-5125-66	2-Drum	66 gal.	51 x 26 x 12	158	3000
CEP-SSB-5151	4-Drum	66 gal.	51 x 51 x 6.5	233	6000
CEP-SSB-5176	6-Drum	99 gal.	76.5 x 51 x 6.5	358	9000
CEP-SSB-RAMP	Ramp*		33 x 36 x 6.5	70	1500
CEP-DCC	Drip Channels		25-1/2" L	2	
*Ramp not for use wit	th SSB-5125-66				
FORKLIFTABLE MO	DELS				
CEP-SST-5125	2-Drum	33 gal.	51 x 26 x 10.5	138	2000
CEP-SST-5125-66	2-Drum	66 gal.	51 x 26 x 16	171	2000
CEP-SST-5151	4-Drum	66 gal.	51 x 51 x 10.5	259	4000
CEP-SST-5176	6-Drum	99 gal.	76.5 x 51 x 10.5	381	6000
CEP-SST-RAMP	Ramp*		33 x 42 x 10.5	95	1500
CEP-DCC	Drip Channels		25-1/2" L	2	
*Ramp not for use wit	th SSB-5125-66				



Spill Control Platforms: Heavy-gauge steel construction holds up in applications where plastic units just won't do, either for durability reasons, or when materials being stored are not compatible with plastic. Welded steel bar grating is removable for easy clean-up. Drip Channels "hook" units of same heights together, help prevent drainage between units. Optional Ramps available in 2 heights. All models help you comply with EPA and OSHA requirements; models with 66 and 99 gallon capacity help you comply with Uniform Fire Code.












STORMWATER DRAINGUARDS

Product Code	Description	
CEP-9217	Oil & Sediment Model	48" x 36" x 18"
CEP-9219	Oil & Sediment Plus	48" x 36" x 18"
CEP-9227	Trash & Debris Model	48" x 36" x 18"
CEP-9235	Grate Lifting Hook	

- Stormwater pollution is state and local government's top concern for the new millennium.
- Helps comply with NPDES, 40 CFR 122.26 (1999).

Our catch basin inserts keep sediment and hydrocarbons from entering the rivers, lakes and streams.



STORMWATER DRAINGUARDS CURB-INSERT STYLE

Product Code	Description	
CEP-9230	Oil & Sediment Model	24" – 42"
CEP-9239	Oil & Sediment Plus	24" - 42"
CEP-9231	Oil & Sediment Model	42" - 60"
CEP-9240	Oil & Sediment Plus	42" - 60"

- Use with combination catch basins with street grate and curb opening.
- Heavy-duty tension rod secures DrainGuard inside curb inlet.
- Helps comply with NPDES, 40 CFR 122.26 (1999).

Stop sediment, hydrocarbons and other debris from entering curb inlets and catch basins.



STORMWATER GRATEGUARDS

Product Code	Description	
CEP-9272-SED	Sediment Only Model	18" x 24" x 4"
CEP-9272-O/S	Oil/Sediment Model	18" x 24" x 4"
CEP-9273-SED	Sediment Only Model	24" x 24" x 4"
CEP-9273-O/S	Oil/Sediment Model	24" x 24" x 4"
CEP-9274-SED	Sediment Only Model	28" x 28" x 4"
CEP-9274-O/S	Oil/Sediment Model	28" x 28" x 4"
CEP-9275-SED	Sediment Only Model	30" x 32" x 4"
CEP-9275-O/S	Oil/Sediment Model	30" x 32" x 4"
CEP-9276-SED	Sediment Only Model	24" x 36" x 4"
CEP-9276-O/S	Oil/Sediment Model	24" x 36" x 4"
CEP-9277-SED	Sediment Only Model	24" x 40" x 4"
CEP-9277-O/S	Oil/Sediment Model	24" x 40" x 4"
CEP-9278-SED	Sediment Only Model	24" x 48" x 4"
CEP-9278-O/S	Oil/Sediment Model	24" x 48" x 4"



PASSIVESKIMMERS

Product Code	Description	
CEP-9260	Ultra-Passive Skimmer	2 per box
CEP-9261	Ultra-Passive Skimmer	5 per box

- · Floats on water surface, absorbs oil.
- Fits most catch basins, sumps, vaults and holding tanks.

Helps comply with NPDES, 40 CFR 122.26 (1999)



CURBGUARDS, INSERT-STYLE

Product Code	Description	
CEP-9760	Insert-Style CurbGuard	Fits 24" – 42" Inlets
CEP-9761	Insert-Style CurbGuard	Fits 42" - 66" Inlets

- Two heavy-duty tension rods keep unit secured inside inlet for a clean, flush-mounted installation.
- Filtering material is quickly and easily replaced.

Helps comply with NPDES 40 CFR 122.26. For use in drains with curb inlets only!





PIPESOCKS

escription	
I/Sediment Model	8" dia.
I/Sediment Model	12" dia.
I/Sediment Model	16" dia.
i	l/Sediment Model l/Sediment Model

· Custom sizes available.





DEWATERING BAGS

Product Code	Description	
CEP-9724-O/S	Oil/Sediment Model	6′ x 6′
CEP-9725-O/S	Oil/Sediment Model	10′ x 15′
CEP-9727-O/S	Oil/Sediment Model	15′ x 15′
CEP-9729-O/S	Oil/Sediment Model	3′ x 4′


· Custom sizes available.



DRAINPLUGS®

Description SAVES YOU MONEY	HIGHEST QUALITY
Drain Plug	2" dia.
	O" 4:-
	3" dia.
Drain Plug	4" dia.
Plug Kit 3 Plugs & Carrying Case	2", 3", 4"
	Drain Plug Non-absorbing Material Drain Plug Cleans With Soap Drain Plug Safety Orange Color Plug Kit





Also available in 6", 8", 10" and 12".

- Tapered design wedges securely into standard drains to stop any flow.
- Eye bolts are removable, allowing installation of grating with drain plug in place.

DRAINSEALS®

Product Code	Description You NONE	Y QUALITY
CEP-2126	Drain Seal	18" x 18"
CEP-2127	Drain Seal	24" x 24"
CEP-2130	Drain Seal	36" x 36"
CEP-2132	Drain Seal	48" x 48"
CEP-2140	Drain Seal Wall Mount	Fits 18" x 24"
CEP-2142	Drain Seal Wall Mount	Fits 36" Drain Sea
CEP-2143	Drain Seal Wall Mount	Fits 48" Drain Sea
CEP-2134	Circular Drain Seal	12" dia. x 3/8"
CEP-2135	Circular Drain Seal	20" dia. x 3/8"
CEP-2136	Circular Drain Seal	30" dia. x 3/8"
CEP-2137	Circular Drain Seal	42" dia. x 3/8"
CEP-2124	Rectangular Drain Seal	18" x 58" x 3/8"
CEP-2125	Rectangular Drain Seal	36" x 58" x 3/8"



- No specified top or bottom. Both sides will seal drains.
- Reinforcing mesh between layers of polyurethane that increases durability and resistance to tearing.

Wall Mount

Velcro straps. Just grab and go!









DRAINSEALS® TRUCKMOUNT

Product Code	Description
CEP-2145	Fits 18" x 18", 24" x 24", 12" dia and 20" dia. DrainSeals
CEP-2146 CEP-2147	Fits 36" x 36", 30" dia. DrainSeals Fits 42" x 42", 48" x 48", 12" dia and 42" dia. DrainSeals

DRAIN PROTECTOR II

Product Code	Description		
DRAINPROTECTOR II (RED)			
DC-18A	18" x 18" 4 lbs		
DC-24A	24" x 24" 7 lbs		
DC-36A	36" x 36" 15 lbs		
DC-42A	42" x 42" 20 lbs		
DC-48A	48" x 48" 26 lbs		
DC-54A	54" x 54" 34 lbs		

CIRCULAR DRAINPROTECTOR II (RED)

DC-12AR	12" 2 lbs
DC-20AR	20" 5 lbs
DC-30AR	30" 10 lbs
DC-42AR	42" 17 lbs

Product Code Description

RECTANGULAR DRAINPROTECTOR II (RED)

DC-1860A 18" x 60" 13 lbs. DC-3660A 36" x 60" 26 lbs.

Drain protector II: The DrainProtector II is a NEW reversible product.

The pad is constructed of a solid tacky urethane product with no fillers that delivers a tough, durable seal using either side. Due to its lighter weight, it can be used quickly for emergency chemical spills.





The Economy Drain Seal





ULTRA GUTTER GUARD PLUS

Product Code	Dimensions	Weight
CEP-9151	6"H x 6'L	10 lbs.
CEP-9158	6"H x 9'L	13 lbs.
CEP-9154	6"H x 12'L	16 lbs.
CEP-9159	6"H x 15'L	20 lbs.
CEP-9148 Counterweight*	14"L x 1 1/2" dia.	7 lbs.



- · Designed for curb inlets with high-flow volumes.
- Unique, multi-dimensional outer filter combined with rigid inner frame maintains a low profile to prevent damage from vehicular traffic.
- Modular, 3-foot, inner frames allow for compact transport and storage.
- Counterweight inserts into inlet to keep unit upright and secure (Optional 7 lb. weight available)
- Tie-back straps on either end of unit can be used with sod pin or stake for additional anchoring.
- · Can be easily cleaned and reused.
- Helps comply with NPDES, 40 CFR 122.26 (1999).
- Sizing note: When ordering allow 12" overlap on each side of curb inlet.



Stop Pollutants Before They Can Reach Stormwatel Outflow Guard High-Flow Curb Inlets From Silt, Sediment And Other Contaminants



ULTRA OIL & DEBRIS BLOCKER

Product Code	Description	Dimensions	Weight
CEP-9380	8" Center Opening	4 1/2" x 12" x 14"	4 lbs.
CEP-9381	10" Right Opening	5 1/2" x 14" x 16"	6 lbs.
CEP-9382	10" Center Opening	5 1/2" x 14" x 16"	6 lbs.
CEP-9383	10" Left Opening	5 1/2" x 14" x 16"	6 lbs.
CEP-9384	12" Center Opening	6 1/2" x 16 3/8" x 18"	7 lbs.
CEP-9386	10" Adapter	9 1/2" x 10" x 12"	2 lbs.
CEP-9387	12" Adapter	11" x 12" x 12"	3 lbs.

- Stormwater is forced to flow through bottom of unit — floating trash and hydrocarbons remain on the water's surface and out of the outflow.
- Installs quickly and easily in storm drain outflows
- Low-profile allows vactor trucks to clean catch basin without removing the unit.
- Dual component, all-polyethylene unit will not rust or corrode.
- Helps comply with NPDES, 40 CFR 122.26 (1999) and TMDL requirements.
- * One counterweight pouch for 6' GutterGuard Plus. All other sizes have two pouches.







DOWNSPOUTS AND GUTTER GUARDS®

Product Code	Description
CEP-9315 CEP-9316	Down Spout Guard Refill for the
021 0010	Down Spout Guard

- Special "X-Tex" oil-absorbing material removes oil, grease and other hydrocarbons from gutter and downspout waterflow.
- · Quick and easy to install on most downspouts.
- Filter material is easily removed and replaced.
- Polyethylene construction will not rust or corrode.

Remove pollutants from stormwater flow in gutters and downspouts.



ULTRA CURB GUARD PLUS

Product Code	Description
CEP-9248	Ultra Curb Guard Plus
	Dimensions: 4" dia. x 36"L
CEP-9251	Ultra Curb Guard Plus
	Dimensions: 4" dia. x 48"L

- · Quick and easy installation.
- · Modular design build to any length.
- 3' long units can be quickly and easily connected to form longer lengths.
- Wedge-shaped, heavy-duty foam secures unit in curb inlet.
- Woven, polypropylene material provides high flow rate will not cause ponding or flooding.



Protect Curb Inlets From Sediment-Laden Stormwater Runoff

ULTRA GRATE GUARD PLUS

Product Code	Description
CEP- 9130	Ultra-GrateGuard Plus, fits drains up to 48" x 59"
CEP-9142	Ultra-GrateGuard Plus, Curb-Style for combination drains, fits drains up to 48" x 54" and curb inlets 22" - 35"
CEP-9143	Ultra-GrateGuard Plus, Curb-Style for combination drains, fits drains up to 54" x 60" and curb inlets 36"–60"

- · One size fits all.
- Installs quickly and easily with included hardware grate does not need to be moved or lifted.
- · Rugged, polymer components will not rust or corrode.
- Built-in overflow port eliminates ponding and flooding during major rainfall events.
- Woven polypropylene construction provides superior strength and durability.
- Available for standard street drains and combination drains (street drains with curb inlets).

Keep Dirt And Sediment Out Of Storm Drains With Easy-To-Install Ultra-GrateGuard Plus





ULTRA-INLET GUARD

Description
24" x 24" (610 mm x 610 mm)
24" x 36" (610 mm x 915 mm)
24" x 48" (610 mm x 1220 mm)

Sediment Only Model, Curb-Style (for combination drains)

CEP-9173	24" x 24" (610 mm x 610 mm)
CEP-9174	24" x 36" (610 mm x 915 mm)
CEP-9175	24" x 48" (610 mm x 1,220 mm)

ULTRA-INLET GUARD PLUS (incl. built-in overflow port)

Sediment Only Models

CEP-9160	24" x 24" (610 mm x 610 mm)
CEP-9161	24" x 36" (610 mm x 915 mm)
CEP-9162	24" x 48" (610 mm x 1,220 mm)

Sediment Only Model, Curb-Style (for combination drains)

CEP-9163	24" x 24" (610 mm x 610 mm)
CEP-9164	24" x 36" (610 mm x 915 mm)
CEP-9165	24" x 48" (610 mm x 1,220 mm)

Sediment Only Model, Trench Grate Style


CEP-9191 14" x 36" (356 mm x 915 mm)

Oil & Sediment Models

CEP-9124	24" x 24" (610 mm x 610 mm)
CEP-9125	24" x 36" (610 mm x 915 mm)
CEP-9126	24" x 48" (610 mm x 1,220 mm)

Oil & Sediment Model, Curb-Style (for combination drains)

CEP-9127	24" x 24" (610 mm x 610 mm)
CEP-9128	24" x 36" (610 mm x 915 mm)
CEP-9129	24" x 48" (610 mm x 1,220 mm)
CEP-9193	14" x 36" (356 mm x 915



- Quick and easy installation using built-in magnets no more lifting of heavy catch basin grates.
- · Available in several sizes for street drains and combination drains. Custom sizes also available.
- Heavy-duty, reinforced material allows up to 192 gal/ft2/min. through drains.
- Low maintenance simply remove unit, shake off excess dirt, silt and sediment and put back in place.
- Low-profile design can be driven over and is unobtrusive to traffic and personnel.

Protect Drains and Inlets WITHOUT Lifting Any Grates











ULTRA DRAIN GUARD, RECYCLED MODEL

Product Code	Description	Dimensions	Weight	Performance
CEP-9378	1-Pack	48"L x 36"W x 18"H	1 lbs.	Oil - Up to 1.26 gallons Sediment - Up to 40 lbs.
CEP-9379	10-Pack			



- Made completely out of X-Tex material 100% recycled content.
- Superior water flow rate (151 gal/ft.2), together with built-in overflow ports prevents ponding and flooding.
- X-Tex material captures silt and sediment from runoff in addition to absorbing hydrocarbons.
- Quick and easy installation simply lift catch basin grate, lower DrainGuard in place, and replace the grate.
- Helps comply with NPDES, 40 CFR 122.26 (1999) and TMDL requirements.





STORM SENTINEL ADJUSTABLE CATCH BASIN INSERT

Product Code	Description
CEP-1340	Sediment only, round
CEP-1341	Sediment only, rectangular
CEP-1342	Non leaching hydrocarbon packet
CEP-1343	Sediment & oil, (w/packet), round
CEP-1344	Sediment & oil, (w/packet), rectangular

The Storm Sentinel Drain Protection Inserts help companies comply with Stormwater Pollution Prevention Plans and Stormwater Best Management Practices by protecting your storm drains and catch basins. It's the sure way to catch oil and sediment headed into your storm drains and sewers. Equipped with an oil absorbent media in a screened bag, the Storm Sentinel guards against any potential discharge.

- Fits any size rectangular catch basin up to 24"x36" and round basins up to 24"x26".
 Custom Sizes available.
- 300 GPM overflow rate helps avoid ponding.
- · Requires no special tools to install.



ULTRA FILTER DECK


Product Code	Dimentions	Weight	Weight Capacity
CEP-9368 Option	74 1/2"L x 50"W x 5 1/2"H	90 lbs.	9,000 lbs.
CEP-9369	Replacement Filter Media for Ultra-Filter Deck (Box of 3)		

- Heavy-duty polyethylene units use X-TEX® material, a high performance oil absorbent, below removable grating to remove oil, grease and other hydrocarbons from stormwater runoff.
- · Ports are located in base of units to drain off clean stormwater.
- X-TEX® roll of absorbent is quickly and easily removed and replaced.
- Excellent for use underneath dumpsters, grease collection tanks, outdoor machinery or equipment.
- · All-polyethylene construction will not rust or corrode.
- Helps meet Stormwater Management Regulations.

Filter Grease and Oil From Stormwater Runoff



SPECIALTY USE CABINETS









Wall Mount Safety Storage

- 12" deep.
- · Fits easily on the wall above work spaces.
- · Eye level storage.



- · Optimize work area.
- · Compact, fits under counters.
- 3" kick space design.
- · Fume hood or under windows.



- Only 23" wide.
- One door.
- · Self or Manual Closing.


Small Storage

• Used for counter tops, work benches, or floor.

1947 TOP SELLER

Standard Size

- · Supports 350 lbs.
- · Galvanized steel leveling legs.
- Internal and external welded construction.
- 18 gauge steel reinforced double wall panel construction with 1 1/2" air space.
- · 2" raised leakproof sill.
- · 2" vent with fire baffle and cap.
- · Ground connection.
- 3 point key lock doors.



Introducing cabinets that mount on the wall, fit under counters and save space.











CEP-1974B

*FM Approved



HAZARDOUS/FLAMMABLE DRUM STORAGE CABINETS

Drum Vent

Brass Faucet

Sliding	Manual Close	Self-Closing	Description	
CEP-1927	CEP-1926*	CEP-2610*	55 gal.	31 1/4" x 31 1/4" x 65"
CEP-1929	CEP-1928	CEP-2810	55 gal.	31 1/4" x 48 1/4" x 50
-	CEP-1955	CEP-5510	110 gal.	58" x 31 1/2" x 65"
CEP-HAZ1927	CEP-HAZ1926	CEP-HAZ2610*	55 gal.	31 1/4" x 31 1/4" x 65"
CEP-HAZ1929	CEP-HAZ1928	CEP-HAZ2810	55 gal.	31 1/4" x 48 1/4" x 50"
-	CEP-HAZ1955	CEP-HAZ5510	110 gal.	58" x 31 1/2" x 65"
-	CEP-HAZ1992	CEP-HAZ9010	60 gal.	43" x 34" x 65"
CEP-1918	Dolly for 1928			
CEP-1920	2" Rollers			24" x 24" x 2"
CEP-1957	Drum Cabinet Ramp		1000 lbs.	23 1/4" x 26 1/4" x 4 1/4"
CEP-1994	Roller Kit for			20" x 30" x 2"
	CEP-HAZ1992 & CEI	P-HAZ9010		
CEP-1950	Ground Wire			
	W/Alligator Clips			
CEP-1951	Bonding Wire			
	W/C Clip			
CEP-1953	Brass Horizontal	Horizontal or ve	ertical drum stor	aue.





- · Horizontal or vertical drum storage.
- · Vertical cabinets feature a convenient half shelf.
- · Drum storage cabinets come with drum supports.
- · Haz-Drum cabinets come with drum rollers.
- Cabinets come with large "Flammable-Keep Fire Away" labels.
- · Hazardous cabinets come with "Hazardous Waste" labels.









COMBO CABINETS

Product Code	Description		Item	Weight
1932SC6 1947SC9 1962SC12	30 Gal Manual Close Safety Cabinet 45 Gal Manual Close Safety Cabinet 60 Gal Manual Close 60 Gal	W/9 UI-50-FS	7 10 13	290 LBS. 405 LBS. 440 LBS.


These Cantastic new combos bring you Eagle's best selling Safety Cabinets filled with Eagle 5 gallon, Type I Safety Cans with funnels! Now one easy purchase can meet your compliance needs.





MEET OSHA REQUIREMENTS

PAINT AND INK CABINETS-RED






PAINT AND INK CABINETS-YELLOW


Sliding	Manual Close	Self-Closing	Descript	ion
CEP-YPI-30	CEP-YPI-32	CEP-YPI-3010	40 gal.	43" x 18" x 44"
CEP-YPI-45	CEP-YPI-47	CEP-YPI-4510	60 gal.	43" x 18" x 65"
CEP-YPI-60	CEP-YPI-62	CEP-YPI-6010	120 gal.	31 1/4" x 31 1/4" x 65"




[·] Support 350 lbs.


Recommended for Print Shops and Auto Paint & Body Shops.







POLYETHYLENE ACID AND **CORROSIVE CABINETS**




*S Models feature an attractive Stone Fleck finish.

CEP-CRA-PO4

· For use on bench top.

CEP-CRA-P22

- · For use under the counter.
- · Both are available in a very attractive Stone Fleck Blue.













PESTICIDE CABINETS

CEP-PEST 1955 CEP-PEST 5510

Manual	0.16.01	HIGHEST
Close	Self-Closing	Description
CEP-PEST 25	CEP-PEST 24	12 gal. 23" x 18" x 35"
CEP-PEST 32*	CEP-PEST 3010*	30 gal. 43" x 18" x 44"
CEP-PEST 47*	CEP-PEST 4510*	45 gal. 43" x 18" x 65"

CEP-PEST 2610*

CEP-PEST 6010*

*FM Approved

CEP-PEST 26*

CEP-PEST 62*

- · Lead free high gloss polyester hybrid powder baked on finish.
- · 3 point key lock doors.
- · Large "Flammable Keep Fire Away and Pesticides" label.

Lawn care, golf course management and agricultural interests.



110 gal. 58" x 31 1/2" x 65"

DISPOSABLE CANS

Stainless	Galvanized	Description	
CEP-1323	-	2 1/2 gal.	11 1/4" x 12"
CEP-1325	-	5 gal.	11 1/4" x 18"
-	CEP-1423*	2 1/2 gal.	12 1/2" x 12"
-	CEP-1425*	5 gal.	12 1/2" x 18"
* Galvanized F	lame Arrestor.	-	



POLY OILERS





32 oz. PinPoint Oiler, Brass Pump, includes 7" rigid and 8" flexible spout

CEP-OC4	4 oz. PinPoint Oiler, Brass Pump, includes 4" rigid and 5" flexible spout
CEP-OC6	6 oz. PinPoint Oiler, Brass Pump, includes 4" rigid and 5" flexible spout
CEP-OC6B	6 oz. All Purpose Oiler, Brass Pump,
	includes 4" rigid and 5" flexible spout with wide base
CEP-OC6M	6 oz. All Purpose Oiler, Snap Bottom, includes 5" Rigid Spout
CEP-OC10	10 oz. PinPoint Oiler,Brass Pump, includes 5" rigid and 6" flexible spout
CEP-OC14	14 oz. PinPoint Oiler, Brass Pump, includes 5" rigid and 6" flexible spout
CEP-OC16	16 oz. PinPoint Oiler, Brass Pump, includes 6" rigid
	and 7" flexible spout
CEP-OC16LN	16 oz. All Purpose Oiler, Brass Pump,
	includes 4" rigid and 5" flexible spout with Long Neck
CEP-OC24	
	24 oz. PinPoint Oiler,Brass Pump, includes 7" rigid and 8" flexible spout
CEP-OC32	includes 7" rigid and 8" flexible spout 32 oz. PinPoint Oiler,Brass Pump, The state of the stat
	includes 7" rigid and 8" flexible shout

POLY





Lab Cans



Plunger Cans



Faucet Cans



Bench & Daub Cans



DOT Transpot Cans



LAB CANS

Metal Red Stainless CEP-1401 CEP-1301 Description 6" x 8" x 13" 1 gal.

POLYETHYLENE LAB CANS

Red	White	Descripti	on
CEP-1510	CEP-1512	1/2 gal.	6" x 8 1/2" x 9 1/2"
CEP-1511	CEP-1513	1 gal.	6" x 8 1/2" x 13"

*FM Approved.

FAUCET CANS

Brass	Oil Gate	Stainless	Descri	ption
CEP-1417*	CEP-1429		5 gal.	12 1/2" x 13 1/2"
-	-	CEP-1327*	5 gal.	11 1/4" x 15 7/8"
CEP-1427 G	Salvanized		Ü	

*FM Approved.

CEP-1215

CEP-1327 Stainless

PLUNGER CANS

Metal	Description	
CEP-P-701	1 quart	6 1/4" x 8"
CEP-P-702	2 quarts	8" x 8 1/2"
CEP-P-704	4 quarts	8" x 10 3/4"

*All are FM Approved and feature a 5 1/4" wide dasher.

Poly	Description	
CEP-P-711	1 quart	5 1/4" x 9 3/4"
CEP-P-712	2 quarts	6 1/2" x 11"
CEP-P-714	4 quarts	7 3/4" x 13"

BENCH & DAUB CANS

Product Code	Description	l	
CEP-B-600-D	1/2 pint	4 1/4"	3 1/2"
CEP-B-601	1 quart	6 1/4"	3 5/8"
CEP-B-602*	2 quarts	8"	4 1/4"
CEP-B-604*	4 quarts	8"	6 1/2"
CEP-B-606	6 quarts	7 3/4"	9 1/2"
CEP-B-606-NL CEP-B-608	6 quarts 8 quarts	7 3/4" 11 1/4"	9 1/4" 11 1/8"

*Parts cleaning basket available as necessary.

DOT TRANSPORT CANS



5 gal. 12 1/2" x 15 3/4"

Both cans feature brass flame arrestors and meet DOT requirements.

1215-SX5

DOLV DISDOSAL CANS

POIT DISPOSAL CANS				
White Poly	Red Poly	Descri	ption	
CEP-1517 CEP-1523	CEP-1519 CEP-1525	3 gal. 5 gal.	12 1/2" x 14 1/2" 12 1/2" x 18 1/2"	

POLY WASTE CANS

Red Poly	Yellow Poly		IVI OU ON
CEP-933-FL	CEP-933-FLY	CEP-943BIO)
CEP-935-FL	CEP-935-FLY	CEP-945BIO	
CEP-937-FL	CEP-937-FLY	CEP-947BIO	

Poly (Red) **Disposal Cans**



Cans - Red

Poly Waste

Poly Waste Cans - Yellow



Poly (White) **Disposal Cans**



Poly Waste Cans Bio-Haz



Description 16 1/2" x 13 1/2" x 16" 22" x 18" x 18" 10 gal. 14 gal. 22" x 18" x 16"



BUTT CANS

Yellow	Beige	Descri	ption 🕟
CEP-1202	CEP-1202BEI	2 gal.	12" x 28"
CEP-1205	CEP-1205BEI	5 gal.	12" x 33"











I,	SM
F	Produc
L	CEP-1
L	CEP-1
	CEP-1
ì	CEP-1

SMOKING	<i>FRECEPTACLES</i>
Product Code	Description

Product Code	Description	
CEP-1530	SmokeStop Only	Cactus Green Top / Terra Cotta Base
CEP-1536	SmokeStop	w/ Odor Absorbing Filter
CEP-1532	SmokeStop Only	Beige
CEP-1533 CEP-1538	SmokeStop Only	Gray
CEP-1536	SmokeStop SmokeStop	w/ Odor Absorbing Filter, Beige w/ Odor Absorbing Filter, Gray
OEE-1998	SiliokeStob	w/ Oddi Absorbing Filler, Gray





1	CEP-1544	Key West
	CEP 1545	Key West w/ Filter
2	CEP-1540	Nautical
	CEP 1541	Nautical w/ Filter
3	CEP-1542	Nantucket
	CEP 1543	Nantucket w/ Filter
4	CEP-1554	Roman Column

Attractive designs compliment any office, factory, restaurant, hotel or resort.





DECORATIVE SAFE SMOKERS™

Product Code	Description	Dimensions	Weight
CEP-1212Beige	Safesmoker Hitching Post	12.5" base dia x 44.5" h	18 lbs.
1212Black	Safesmoker Hitching Post	12.5" base dia x 44.5" h	18 lbs.
1212Gray	Safesmoker Hitching Post	12.5" base dia x 44.5" h	18 lbs.
CEP-1213Beige	Safesmoker Classic	12.5" base dia. x 37" h	18 lbs
CEP-1213Black	Safesmoker Classic	12.5" base dia. x 37" h	18 lbs
CEP-1213Gray	Safesmoker Classic	12.5" base dia x 37" h	18 lbs.
CEP-1214Beige	Safesmoker Golf Traditions	12.5" base dia x 37" h	18 lbs
CEP-1214Black	Safesmoker Golf Traditions	12.5" base dia x 37" h	18 lbs.
CEP-1214Gray	Safesmoker Golf Traditions	12.5" base dia x 37" h	18 lbs.



ULTRA-SMOKESTOP SMOKING RECEPTACLES

Product Code Description

CEP-1555 SmokeStop, Golf Ball Model 49" H x 14" D 12 lbs CEP-1556 SmokeStop, Roman Wall-Mount Model 24" H x 17 1/2" W x 9" D 10 lbs

Golf Ball Model

- · Polyethylene construction will not rust or corrode
- · Design minimizes smoke exit and water entry
- Unique odor-absorbing and fire suppressing filter available
- 4-gallon steel pail holds over 3,000 cigarettes easily removed and cleaned

Wall-Mount Model


- · Looks and feels like textured stone yet is light and easily mounted
- · Complements entranceways, breezeways and smoking areas
- · Fire-retardant additive in fiberglass helps maintain fire safety
- · Two-piece construction allows easy access for cleaning/emptying of cigarettes





Attractive designs complement any office. factory, restaurant, hotel or resort

TYPE I SAFETY CANS










TYPE I SAFETY CANS

W/O Funnel	Descriptio	n
CEP-UI-2-S	1 quart	5 1/4 x 8"
CEP-UI-4-S	2 quarts	6 3/4 x 8 3/4"
CEP-UI-10-S	1 gal.	9" x 10"
CEP-UI-20-S	2 gal.	11 1/4" x 9 1/2"
CEP-UI-50-S	5 gal.	12 1/2" x 13 1/2"



- Type I cans feature deep drawn, 2-piece, no weld construction with no top
 or side seams, non-sparking brass pour spout and flame arrestor and a
 spring-closing lid with neoprene gasket that safely relieves internal pressure
 at 5 psi.
- · Lead free technology that make our cans environmentally friendly.






Lead Free!
Constructed of 24-guage hot dipped galvanized steel.
Other manufacturers' safety cans use lead coated steel.







TYPE I SAFETY CANS










TYPE I SAFETY CANS

W/O Funnel	Descriptio	n
CEP-UI-2-S	1 quart	5 1/4 x 8"
CEP-UI-4-S	2 quarts	6 3/4 x 8 3/4"
CEP-UI-10-S	1 gal.	9" x 10"
CEP-UI-20-S	2 gal.	11 1/4" x 9 1/2"
CEP-UI-50-S	5 gal.	12 1/2" x 13 1/2"



- Type I cans feature deep drawn, 2-piece, no weld construction with no top
 or side seams, non-sparking brass pour spout and flame arrestor and a
 spring-closing lid with neoprene gasket that safely relieves internal pressure
 at 5 psi.
- · Lead free technology that make our cans environmentally friendly.





Lead Free!
Constructed of 24-guage hot dipped galvanized steel.
Other manufacturers' safety cans use lead coated steel.







STEEL DRIIMS & OVEDDACKS





Description	NEY QUALITY
Steel Drum Open Head	55 gal.
Steel Drum Tight Head w/ Bung Holes	55 gal.
Steel Drum Open Head w/ Bung Holes	55 gal.
Steel Drum Tight Head 16 Gauge	55 gal.
Steel Drum Tight Head Phenolic Lined	55 gal.
Steel Drum Open Head w/ Bung Holes, Epoxy Lined	55 gal.
Steel Drum Overpack #HM5501-Yellow	55 gal. 16 ga
Steel Drum Overpack-Gray	85 gal. 18 ga
Heavy Gauge Steel Overpack-Yellow	85 gal. 16 ga
Steel Drum #HM3001, 18 Gauge-Yellow	30 gal.
Steel Pail w/ Crimped Lid	5 gal.
Steel Drum Open Head	8 gal.
Steel Drum Open Head	20 gal.
•	110 gal.
•	30 gal.
Steel 30 Gallon Open top w/Bung Holes Light Gray	-
	Steel Drum Open Head Steel Drum Tight Head W/ Bung Holes Steel Drum Open Head W/ Bung Holes Steel Drum Tight Head 16 Gauge Steel Drum Tight Head Phenolic Lined Steel Drum Open Head W/ Bung Holes, Epoxy Lined Steel Drum Overpack #HM5501-Yellow Steel Drum Overpack-Gray Heavy Gauge Steel Overpack-Yellow Steel Drum #HM3001, 18 Gauge-Yellow Steel Pail W/ Crimped Lid Steel Drum Open Head Steel Drum Open Hop-Black/White Steel 30 Gallon Open top-Black/White





OVERPACK & SALVAGE DRUM RATED

RAS's steel drums come in a variety of sizes, ratings, & configurations. Phenolic lining is available and sizes range from a 5 gallon to 110 gallon steel Overpacks.

FIBER DRUMS & FLUORESCENT LAMP CONTAINERS





Produc	t Code	Description	
CEP-FII	B55	Fiber Drum	55 gal.
CEP-FII	B30	Fiber Drum	30 gal.
CEP-FII	B4	Fiber Drum For 4' Lamps	
		Holds Approx. 70 Bulbs	
CEP-FII	BDRUM6-8	Fiber Drum For 6-8' Lamps	
		#VTT75-66	

Fiber drums are ideal for fluorescent lamp bulb disposal and non-haz waste incineration.



POLY DRUMS Salves You

Product Code	Description SAVES YOU MONEY	
CEP-PD55	Poly Drum	55 gal.
	Open Top Plain Lid	Ü
CEP-PD55CTBH	Poly Drum	
	Closed Top W/ Bung Holes	55 gal.
CEP-PD55-OS55	Poly Drum Plain Lid	0
	Side Lever Lock	55 gal.
CEP-PD55-OS55-BR-BH	Poly Drum Blue	55 gal.
	Heavy Duty Bolt Ring W/ Bung Holes	J
CEP-PD55OTBH	Poly Drum Blue	
	Open Top W/ Bung Holes	
CEP-OP30CTB	Poly Drum, Blue	30 gal.
	Closed Top W/ Bung Holes	J
CEP-OP30	Poly Drum Plain Lid, Blue	30 gal.
CEP-LP12	Lab Pack Plain Lid	12 gal.
	Side Lever Lock	J
CEP-LP14	Lab Pack Blue Plain Lid,	14 gal.
	Lever Lock, Open Top,# 014	J
CEP-PD20CT	Poly Drum Tight Head	20 gal.
CEP-LP20-1220-YE	Lab Pack	20 gal.
	W/ Screw Lid	Ü
CEP-LP20	Lab Pack	20 gal.
	W/Lever Lock Ring	Ū
CEP-OP55SL	Poly Drum	55 gal.
	Open Top Lever Lock #0526	Ū
CEP-OP55UL	Poly Drum	55 gal.
	Open Top Lever Lock #0525	•
CEP-LP5	Poly Drum	
	Snap On Lid	5 gal.
CEP-LP5L	Screw On Lid	5 gal.

Poly drums range in sizes from 1 gallon to 55 gallon capacity.

All are UN rated for salvage drum waste. All polyethylene drums are incinerable and chemical resistant.



DRUM PUMPS

Product Code Description

CEP-HANDPUMP22 PETROLEUM HAND PUMP

PVC Stroke pump for petroleum, polyurethane valves, buna-n-seals, reinforced vinyl hose. Do not use with hot liquids. Not UL-Listed. Fits steel drum 2" NPS, 3' long hose, 1 1/4" D hose. Ship wt. 5 lbs.

Polypropylene/polyethylene construction. Exceptional resistance to corrosive chemicals, non-flammable solvents. Fits 2" and 3/4" NPS, 16 oz. per stroke. Not recommended for chlorinated products. Fits 5-55 gallon drums. Tube must be cut to fit 15 or 30 gallon drums. Ship wt. 2 lbs.

CEP-PUMP-BR150 HIGH OUTPUT PISTON PUMP

Durable diecast aluminum housing, s/s liner and piston shaft. Easy grip, lockable handle, telescoping suction tube fits 15-55 gallon drums with 2" NPS bung. For petroleum based liquids, UL-Listed for flammables, up to 20 gallons per 100 strokes. Includes a 5/8"x8′ hose with an imbedded static wire and an aluminum nozzle. Ship wt. 15 lbs.

CEP-PUMP-P60P LEVER ACTION POLYPROPYLENE DRUM PUMP

Handles viscous liquids up to 12,000 cPs, delivers 10 ounces per stroke. Unique lever-action pumps up to 6 gallons per minute, handles liquids equivalent in viscosity to SAE90 oil. Telescoping suction tube adjusts to fit 15-55 gallon drums. Fits 2" NPS bung. Self venting spout rotates 360 degrees for versatile dispensing. Not for use above 125 degrees F or with heated drums. Ship wt. 4 lbs.

Handpump22



Pump - P50PX



Pump - BR150



Pump - P60P







272016

DRUM ACCESSORIES



Product Code Description CEP-POLYFAUC2 **POLY FAUCET 2"**

2" Polyethylene faucet with EPDM Gasket large bore for fast dispensing of fluids. Good for viscous non-corrosive fluids.

CEP-POLYFAUC75 POLY FAUCET .75"

.75" Polyethylene faucet for use with non-flammable, non-corrosive thin liquids not suitable for heavy oils.

CEP-273108 PAIL TIPPER

Steel pail tipper is used for manually dispensing liquid from 5-gallon steel or plastic pails. Easy assembly, ships knock down and boxed. Ship wt 10 lbs. Capacity 70 lbs. adjustable locking chime stop, dispensing height 10". Assembled overall dimension: 14 1/2"W x 14 1/2" D x 30" H.

CEP-240042 PT PAIL TRUCK

Handles up to four standard steel or plastic 5-gal pails. Ergonomic design eliminated the need to stack pails on a nose plate. 10" semi-pneumatic wheels. Capacity 500 lbs. Ship wt. 40 lbs.

CEP-272178 ALUMINUM NON-SPARKING DRUM WRENCH

CEP-272016 BRONZE ALLOY NON-SPARKING DRUM WRENCH

CEP-272301 100% NON-SPARKING DRUM DEHEADER

CEP-272302 REPLACEMENT BLADE FOR #272301

CEP-272083 FAUCET ZINC DIE CAST ALLOY FAUCET,

.75" NPT connection with flame arrestor, can be padlocked, self closing design, FM approved for non-viscous liquids. Viton gasket. Sold in packages of 10.

CEP-272080 FAUCET ZINC DIE CAST ALLOY FAUCET,

.75" NPT connection no flame arrestor, can be padlocked, self closing design, FM approved for non-viscous liquids. Viton gasket. Sold in packages of 10.

CEP-272037 FAUCET HEAVY DUTY BRASS FAUCET,

.75" NPT connection, Teflon gasket, self closing design. Adjustable shank designed to easily adjust to proper drain position after installing drum. Internal flame arrestor. FM approved for use with oil (under 30 SAE)and non-corrosive flammable. Sold in packages of 2.

CEP-272038 FAUCET HEAVY DUTY STAINLESS STEEL.

Internal flame arrestor. FM approved for use with oils (under 30 SAE) and non-flammable, compatible with stainless steel. Adjustable shank designed to easily adjust to proper drain position after installing in drum. .75" NPT connection, Teflon gasket.

CEP-272034 HEAVY DUTY GATE VALVE 2" BRASS

FM approved for use with viscous non-corrosive fluids heavier than 30 SAE. Fast, self-closing Teflon blade, 2" NPT connection.





272037

272034



Polyfauc



273108



240042



GROUNDING WIRES & CABLES



Product Code Description CEP-CLAMP-GATP Aluminum Clamp w/ Quick Release Harness CEP-CLAMP-G40P Bronze Clamp, (2) SIS Points w/ Chain Release #REB2960 Grounding Clamp CEP-GRDGCLAMP-REB W/SSTL Points CEP-C-CLAMP-EP-1 C-Clamp CEP-C-CLAMP-EP-2 C-Clamp CEP-C-CLAMP-EP-3 C-Clamp CEP-GRDGASSY-R1-10 #R-1-10 Grounding Assy w/3' SS Cable and, 2 Reb Clamps CEP-CABLEREEL-R20 Cable Reel w/ 20' Cable & R&B Clamp CEP-RETACLMP-10 #RAC10 Retract A Clamp w/10' Cable and Reb Clamp CEP-CABLE-RAC10 #RAC102 Cable, Cable Only, 10' Length Less Clamp

RAS's grounding wires and cables are ideal for creating a static resistant setting for transfer of fluids from all metal containers and tanks.


#RAC20 Retract A Clamp 20' of Cable and GAT-P Clamp

GRDGCLAMP-REB



CEP-RETACLMP-RAC20






CLAMP-GATP



CLAMP-G40P



C-CLAMP



RETACLMP-10









PIPE, VALVE & HOSE CONTAINMENT

Product Code Description

 CEP-PCC 301
 Poly Containment
 24" x 24"

 CEP-PCC 303
 Poly Containment
 36" x 36"

 CEP-ROUNDUP42
 Round Up
 42" x 42" x 12"





HQ HIGHEST QUALITY

DOLLIES

Product Code Description CEP-9709 DOLLY No Collar CEP-9713 DOLLY w/Collar CEP-DOLLY-433S Drip catching drum dolly – no collar Drip catching drum dolly w/collar 30 Gallon Drum Dolly

EXCELLENT DRUM SPILL COLLECTION



HAND TRUCKS

Product Code	Description
1 CEP-DTRUCK-1500	EZY Rol 2-Wheel Drum Truck
	30 and 55 Gallon Drums
2 CEP-DTRUCK-2175	EZY Rol 4-Wheel Drum Truck
	30 and 55 Gallon Drums





PORTABLE LIFTS

	FORTABLE LIFTS		
Pı	roduct Code	Description	
1	CEP-VERSA-LIFT	Manually propelled Floor Truck. 1000lb. capacity.	
2	CEP-ROTO-LIFT	Rotating Drum Handler Manually Propelled	
3	CEP-RAPTOR-8575	Raptor Barrel Hawk	
4	CEP-ROTOGRIP-78 CEP-ROTOGRIP-90	Roto-Grip Lifts and Rotates Drums and Cylinders 18-24" with electric clamping jaws Choose from 78" or 90" Model.	
5	CEP-ROTOGRIP-CW78 CEP-ROTOGRIP-CW90	Counter weighted Rotogrip lifts and Rotates Drums 360° Choose 78" or 90" High Model.	











LIFT TRUCK ATTACHMENTS

Product Code Description		Description
1	CEP-VG6139	Versa-Grip Lift Truck Attachment Self Powered Hydraulic for Steel and Fiber Drums
2	CEP-DSNATCHER	Gravity Actuated Mechanical Drum Snatcher for 55 Gallon Steel Drums
3	CEP-DSNATCHER-7438	Gravity Actuated Mechanical Double Drum Snatcher for 55 Gallon Steel Drums









SEALANTS - EPOXY PIPE REPAIR

Product Code Description

CEP-EPOXY12 Epoxy Sticks, Repair Putty 12/cs. CEP-PIPEWRAP Pipe Wrap 4" x 12'

Wrap, 1-Pair Gloves, 1-Epoxy Stick Pipe Patch Kit Stop It Pipe Repair Clamp CEP-PIPEPATCH-KIT CEP-PIPECLAMP 10/cs. Fix Stix, 20 Min. Epoxy Stick Fusion Tape, 1" x 20' Self CEP-FIXSTICK 28/cs. **CEP-FUSIONTAPE** 12 rolls/cs.

















NEUTRALIZERS & GELS

	HIGHEST	
Product Code	Description QUALITY	
CEP-NEUTA1	Neutralizer Dry Base	5 gal. pail
CEP-NEUTB1	Neutralizer Dry Acid	5 gal. pail
CEP-NEUTLIQ-D4	Neutralizer Liquid Acid	5 gal.
CEP-NEUT5GAL	Neutralizer Liquid Caustic	5 gal.
CEP-CHEMCLASS	Chemical Classifier Chart	-
CEP-EMU5	Bunker C Solvent	5 gal.
CEP-PH50	PH Paper	50' roll









SEALANTS - PLUG 'N DIKE














CEP-1PMP Plug'N Dike, Premix 1 lbs.- 5/cs CEP-PND48 Plug'N Dike, Dry Granular 48 lbs., 5 gal. pail CEP-10PND Plug'N Dike, Dry Granular 10 lbs., 1 gal. jar-4/cs CEP-PND-10 Plug'N Dike, Plug Pattie, Premix 10 oz.- 8/cs 8" x 8"- 4/cs

CEP-PND8R-4 Plug Rug 16" x 16"- 4/cs CEP-PLRUG16 Plug Rug 24" x 16"- 4/cs CEP-PLRUG24 Plug Rug CEP-1PMP-15 Plug'N Dike, Premix 1 lbs. -15/cs 4 lbs. - 2/cs CEP-4PND Plug'N Dike, Premix

Seal'N Contain Basin CEP-SNC-11 CEP-UNI-1 Uni-Safe 1 lb. (in 32 oz. Jar) CEP-UNI-4 Uni-Safe 4 lb. (1 gal. Jar) CEP-UNI-10 Uni-Safe 10 lb. (in 2 gal. Pail)

Plug'N Dike sealant products are the most adhesive and fast hardening products in MRO applications. After the leak, stop it fast!



HAZ-MAT BOXES **Product Code**





CEP-BOX-HSCMEGA3

Cubic Yard Box Kit W/ Lid, Liner & Nail Kit

CEP-BOX-RSCMEGA3

Cubic Yard Box Kit W/ Liner & Nail Kit



RAS's cubic yard waste boxes are all tri-wall in construction, contain lid, liner, and nail kit.

Rated for packing groups I,II, & III



HAZ-MAT CONTAINERS



Product Code

CEP-WASTECON-MAV CEP-WASTECON-CORRAL Description

Waste Container Maverick Waste Container Corral

1 cubic yard, 36" x 36" x 36" 1.6 cubic yard, 42" x 42" x 42"











For hazardous waste, the bulk boxes we offer are rated for all UN/DOT transport requirements of all hazardous solids and liquids.



NEUTRALIZERS & SOLIDIFIERS



ACID LOCK

Product Code	Description
CEP-AL-12001	5 oz., 24/cs
CEP-AL-12002	11 oz., 12/cs
CEP-AL-12003	15 oz., 12/cs
CEP-AL-12004	3.5 lb. Pail
CEP-AL-12005	17.5 lb. Pail
CEP-AL-12006	50 lb. Drum



Neutralizes and solidifies low pH fluid spills.

PETRO LOCK

Product Code	Description
CEP-PL-14101	2 oz., 24/cs
CEP-PL-14102	4 oz., 12/cs
CEP-PL-14103	8 oz., 12/cs
CEP-PL-14110	2.5 lb. Pail
CEP-PL-14120	12.5 lb. Bucket
CEP-PL-14130	25 lb. Drum

Absorbs petroleum base spills.



ALKY

Product Code	Description
CEP-AK-13001	5 oz., 24/cs
CEP-AK-13002	11 oz., 12/cs
CEP-AK-13003	15 oz., 12/cs
CEP-AK-13004	3.5 lb. Pail
CEP-AK-13005	17.5 lb. Pail
CEP-AK-13006	50 lb. Drum



Neutralizes and solidifies high pH fluid spills.

ZORB SHEETS

Product Code	Description
CEP-ZORB3	3"x6", 2500/cs
CEP-ZORB6	6"x6", 2500/cs
CEP-ZORB12	12"x12", 500/cs
CEP-ZORB33	3"x3", 20,000/cs

Tissue based papers impregnated with super absorbent polymers.



BIOHAZARD / INFECTION CONTROL RED Z

Product Code	Description	
CEP-RZ-41101 CEP-RZ-41102 CEP-RZ-41103 CEP-RZ-41115 CEP-RZ-41116 CEP-RZ-41220	Red-Z 5oz Shaker Top Bottle Red-Z 11oz Shaker Top Bottle Red-Z 15oz Shaker Top Bottle Red-Z 3.5lb Bulk Bucket Red-Z 17.5lb Bulk Bucket Red-Z 50lb Bulk Drum	24/cs 12/cs 12/cs



ANTISEPTIC BIO-HAND CLEANER

Product Code	Description	
CEP-HC-17350	4 oz. Bottle	24/cs
CEP-HC-17357	64 oz. Bottle	8/cs
SOLD IN CASE QUA	ANTITIES ONLY	



- Other sizes available upon request.Available in Fresh Scent or Citrus Scent.



ANTIMICROBIAL WIPE

Product Code	Description	
CEP-PAWS-3440	Individually Wrap Towelette	100/Box
CEP-PAWS-34405	Tub Dispenser	50 Ct.
CEP-PAWS-34410	Tub Dispenser	160 Ct.
SOLD IN CASE QUANTITIES ONLY		

· Available in Fresh Scent or Citrus Scent.



LENS CLEANER

Product Code	Description	
CEP-LC-3700	Lens Cleaner Wipes	50/Box
SOLD IN CASE QU	ANTITIES ONLY	



ANTIMICROBIAL HANDWASH

Product Code	Description	
CEP-SW-34450	8 oz. Bottle	24/cs
CEP-SW-34452	16 oz. Bottle	12/cs
CEP-SW-34455	1 Gal. Bottle	4/cs
SOLD IN CASE QUA	ANTITIES ONLY	

- Contains PCMX antimicrobial action and aloe vera to moisturize hands.
- Meets PIC and OSHA standards.



SANIZIDE PLUS DISINFECTANT, **CLEANER & DEODORIZER**

Product Code	Description	
CEP-SZ-2	2 oz. Spray Bottle	24/cs
CEP-SZ-16	16 oz. Trigger Sprayer	12/cs
CEP-SZ-32	32 oz. Trigger Sprayer	6/cs
CEP-SZ-1	1 Gallon Bottle	4/cs
SOLD IN CASE QUA	ANTITIES ONLY	







NATURES WAY HS SPILL RESPONSE/BIOREMEDIATION



Product Code Description CEP-NW5 5 Gallon Pail 55 Gallon Drum CEP-NW55 CEP-NWBULK **Bulk Tote**



DIAMOND: ALL PURPOSE INDUSTRIAL CLEANER/DEGREASER

Product Code	Description	
CEP-DIAMOND-5	5 Gallon Pail	
CEP-DIAMOND-55	55 Gallon Drum	
CEP-DIAMOND-BULK	Bulk Tote	

· Replaces strong industrial alkaline cleaners.



GOLD: NON PETROLEUM SOLVENT

Product Code	Description
CEP-GOLD-5	5 Gallon Pail
CEP-GOLD-55	55 Gallon Drum
CEP-GOLD-BULK	Bulk Tote

- · Low odor, non flammable.
- Replaces strong petroleum and citrus solvents.



EMERALD: SUPER INDUSTRIAL CLEANER/DEGREASER

Product Code	Description	
CEP-EMERALD-5	5 Gallon Pail	
CEP-EMERALD-55	55 Gallon Drum	
CEP-EMERALD-BULK	Bulk Tote	



JEP 14 MULTI PURPOSE **CLEANER/DEGREASER**

Description
1 Gallon / 4 cs
5 Gallon Drum
55 Gallon Drum
275 Gallon Tote







- · NSF/USDA Approved.
- · Great for restaurants and food processing.
- · Non toxic and biodegradable industrial cleaner.
- · Great for oil platforms, tank and pipeline cleaning applications.



CHEMICALS, CLEANERS & MICROBLAZE OUT



Product Code	Description	
CEP-DEGR55	Biodegreaser	55 gal. drum
CEP-DISP55	Oil Dispersant	55 gal. drum
CEP-DEG5	Degreaser	5 gal. pail
CEP-DISP1	Oil Dispersant	5 gal. pail 1 gal. 5 gal. REMEDIAL
CEP-DISP5	Oil Dispersant	5 gal.
CEP-EMU5	Bunker C Solvent	5 gal. pail
CEP-MICROBLAZE-55	Microblaze	55 gal. drum
CEP-MICROBLAZE5	Microblaze	5 gal. container
CEP-MICROBLAZE-OUT	Microblaze	5, 55, 250 gal.
CEP-ACIDICACID	Acidic Acid	5 gal.



RAS offers a full line of maintenance chemical cleaners, degreasers and lubricants. Oil spill dispersant cleaners and microbial action that acts on chemicals are also available.



WIPES & R		HQ IGHEST
Product Code	Description You MONEY	UALITY
CEP-WIPE800	Trifold Wipes	800/cs
	Air Laid	
CEP-RAG50	Rags, Colored	50 lbs. box
CEP-RAG133-25	Colored Sweatshirt, Recycled	25 lbs. box
CEP-RAG135-25	Recycled Colored Knits	25 lbs. box
CEP-RAG215-25	Colored Fleece, New	25 lbs. box
CEP-RAG333-25	White Sweatshirt, New	25 lbs. box
CEP-RAG455-25	Bleached Knit Wipers	25 lbs. box
CEP-RAG541-25	Red Shop Towel-Washed	25 lbs. box
CEP-RAG340-25	White T-Shirt, Recycled	25 lbs. box
CEP-SCRUBS-42272	Scrubs in Bucket, 72/Bucket 6 Buckets/cs	





RAS's wipes, rags and shop towels are the most cost-effective MRO clean room sorbents. Soft tissue wettable wipes are also available.





TOOLS/RRIISHES/MODS

I OULS/DRUS	JNES/INUPS
Product Code	Description
CEP-SCOOP1	Scoop Plastic Square Bottom
CEP-SCRAPER	Scraper, Hand, Plastic
CEP-NSSHOVIR	Large Scoop Non-Sparking Shovel
CEP-NSSHOV-6880EB	Small Scoop Non-Sparking Shovel
CEP-SQ18-HEAD ONLY	Squeege 18" Plastic,
CEP-SQHANDLE-60	Wood Handle For Squeege
CEP-DPAN2005	Dust Pan Non-Spark
CEP-PSHBRM-24HD	Push Broom Head Only
	24" Wood Block
	w/ Plastic Bristles
CEP-NSTOOLKIT-BC5	Tool Kit Non-Sparking #BC5 6 Pc





97




SAFETY RAIL PROTECTORS

Description
Single Rail Application – 18" Column
Dual Rail Application – 42" Column
Triple Rail Application – 42" Column

CEP-C-3	Triple Rail Ap	plication – 42	Z" Column	
(For rail dimensions	, see graphic at right.)	Dim. A	Dim. B	Dim. C
CEP-R-10	10′ Rail	115-7/16"	120"	130"
CEP-R-9	9' Rail	103-7/16"	108"	118"
CEP-R-8	8' Rail	91-7/16"	96"	106"
CEP-R-7	7' Rail	79-7/16"	84"	94"
CEP-R-6	6' Rail	67-7/16"	72"	82"
CEP-R-5	5' Rail	55-7/16"	60"	70"
CFP-R-4	4′ Rail	43-7/16"	48"	58"

NOTE: Add "-LO" to the model number for lift out rails and columns.







BARRICADE PROTECTORS

HQ HIGHEST QUALITY

Description	
Versa-Guard Standard Versa-Guard Expanded Versa-Guard Expanded Height	11′4" x 37"H 15′4" x 37"H 11′4" x 48"H
	Versa-Guard Standard Versa-Guard Expanded

Options

- · Sign hanging brackets.
- Flashing lamp/flag holder.
- · Wall mounting kits.
- · Locking caster feet.
- · Fixed position locking bar.
- · Floor mounting brackets.



E-X-P-A-N-D-I-N-G & Portable!

BARRICADE SYSTEMS



Product Code	Description	QUALITY
CEP-1830POLICE	Quick-Deploy Police	e Barricade, White, Police Sheeting
CEP-1830NS	Quick-Deploy Police	e Barricade, White, No Sheeting
CEP-18104E	Traffic Barricade, O	range, 4" Engineer Grade Sheeting
CEP-18106E	Traffic Barricade, O	range, 6" Engineer Grade Sheeting
CEP-18106H	Traffic Barricade, O	range, 6" High Intensity Sheeting
CEP-1810NS	Traffic Barricade, O	range, No Sheeting
CEP-1840PEDX	Ped-X Barricade, Li	ime, Ped-X-ing Sheeting
CEP-1840NS	Ped-X Barricade, Li	ime, No Sheeting









Barricades fold flat for easy transport.





PROTECTORS



Product Code	Description Q	UALITY
CEP-1525	Post Protectors	For 4" posts- 4 1/2" dia. x 52"
CEP-1526	Post Protectors	For 6" posts- 6 5/8" dia. x 52"
CEP-1521	Beam Protectors	7 1/2" x 8 1/2" x 36"
CEP-1523	Corner Protectors	5 3/4" x 5 5/8" x 42"
CEP-1522	Wall Protectors	2" x 6" x 48"

Post Protectors


- · Come in custom colors for the top cap and bottom.
- · Preformed channel in top of post can be used for promotional or cautionary signage.

Beam Protectors

- · Modular design install in "stacked" mode to protect from high-reaching equipment.
- · Special designed groove allows for easy install.


Corner and Wall Protectors

· Buffer your facility from material handling damage.



BOLLARD POST & SLEEVE COMBOS

Product Code	Description	Bollard Dims.	Post Sleeve	Item	Weight
1743PS	4" Round Bollard Post w/4" Smooth Post Sleeve	36"h x4.5" dia.	5" dia. X 36"h	2	50lbs.
1744PS	4" Round Bollard Post w/4" Smooth Post Sleeve	42"h 4.5" dia.	5"dia. x 42" h	2	55 lbs
1763PS	6" Round Bollard Post w/6" Smooth Post Sleeve	36"h x 6.625" dia.	7" dia. x 36" h	2	70 lbs.
1764PS	6" Round Bollard Post w/6" Smooth Post Sleeve	42"h x 6.625" dia.	7" dia x 42" h	2	77 lbs







ALUMINUM DOCKPLATES

Product Code	Description	
CEP-A-4836	3,700 lb. capacity	48" x 36" x 5" x 3/8"
CEP-A-4860	2,200 lb. capacity	48" x 60" x 9"x 3/8"
CEP-A-6048	3,600 lb. capacity	60" x 48" x 7"x 3/8"
CEP-A-6060	2,800 lb. capacity	60" x 60" x 9"x 3/8"
CEP-B-4848	4,800 lb. capacity	48" x 48" x 7"x 1/2"
CEP-B-4860	3,900 lb. capacity	48" x 60" x 9"x 1/2"
CEP-B-6048	5,900 lb. capacity	60" x 48" x 7"x 1/2"
CEP-B-6060	4,900 lb. capacity	60" x 60" x 9"x 1/2"

ALUMINUM DOCKBOARDS

Product Code	Description		
CEP-AC-6036 CEP-AC-6060 CEP-AC-7248 CEP-AC-7260 CEP-BC-6060 CEP-BC-7236 CEP-BC-7260	10,000 lb. capacity 10,000 lb. capacity 10,000 lb. capacity 10,000 lb. capacity 15,000 lb. capacity 15,000 lb. capacity 15,000 lb. capacity	60" x 36" x 5" 60" x 60" x 9" 72" x 48" x 7" 72" x 60" x 9" 60" x 60" x 9" 72" x 36" x 5" 72" x 60" x 9"	 11" lip with 11° bend angle provides wide service rate. Bolted locking legs give added safety in loading/unle. Aluminum/steel combination absorbs stress.





- 11" lip with 11° bend angle provides wide service range. Bolted locking legs give added safety in loading/unloading.
 - Aluminum/steel combination absorbs stress.



ULTRA-POST PROTECTORS

Product Code Description

CEP-1743-BK Post protector, Decorative (Black) Fits Posts 6"- 6 3/4" D up to 52" H

Decorative Model

- Sculptured design complements facility grounds and surroundings
- Several colors to choose from
- · Rugged construction minimizes scratches, dents and other damage
- UV inhibitor in resin resists degrading effects of sunlight for years of service

Post Protectors put an end to dents, scratches and constant upkeep



CLEARANCE BARS

Product Code	Description	Dimenstions	Weight
1780	5" Clearance bar	5" dia x 76"	7 lbs
1781	7" Clearance bar	7" dia x 77"	9 lbs

Chain not included.





POST SLEEVES

Product Code	Description	
CEP-POSTSLV-1732	4" Post Sleeve	
CEP-POSTSLV-1730	6" Post Sleeve	
CEP-POSTSLV-1738	8" Post Sleeve	
CEP-POSTSLV-1730-72	6" Post Sleeve	72"H
CEP-POSTSLV-1738-72	8" Post Sleeve	72"H

OR=Orange

 Standard color is yellow. Add:

W=White R=Red GN=Green LM=Lime BR=Brown Blk=Black

to part number.



POLY CURB RAMP



Product Code Description

CEP-CRAMP-1794 Poly Curb Ramp

28"Wx27"Lx4"H







RAT

CEILING PANELS WITH A DRAIN

Product Code	Description
CEP-IB2x2	2' x 2' Ceiling Panel
CEP-IB2x4	2' x 4' Ceiling Panel

- 1. Simply replace an existing 2' x 2' or 2' x 4' acoustical ceiling panel with the patented drain panel.
- 2. Attach the enclosed drain hose with our clips and ties to your ceiling.
- 3. Direct any leak as far away as 25 feet. (This patented system can be used again and again.

Unsafe floor conditions, damaged equipment and unhealthy mold deposits are just some of the headaches caused by ceiling leaks. This patented system quickly and efficiently replaces an existing leaking acoustical ceiling panel and allows you to easily direct leaks as far as 25 feet away. The panel allows you to avoid an unattractive appearance and wasted time while protecting your equipment, floors, facility, staff and customers from ceiling leaks.





DRUM CHOCK

Product Code	Description
CEP-DRCH-1	Drum Chock – Mini
	For Front or Back of Drum
CEP-DRCH-2	Drum Chock – Full Length
	Hold Drum in Place
CEP-DRCH-3	Drum Chock – Full Length
	Tilts Drum Forward
CEP-DRCH-4	Drum Chock
	Tilts Drum Forward w/Fork Opening







WORK PLATFORM

HQ HIGHEST QUALITY

Product Code Description CEP-STP18

Work Platform 18"x18"x10"H

- · Interlocking Sections
- 500lb. Capacity
- Polyethylene Anti-Skid Deck





STEP STOOLS



Product Code Description CEP-ST1 18"x12"x12"H One Step Stool CEP-ST2 Two Step Stool 22"x21"x20"H CEP-ST3 Three Step Stool 32"x22"x30"H CEP-ST4 Four Step Stool 45"x25"x69.5"H













POLY-CADE BARRICADE





Product Code Description

72"Lx16"Wx35"H





WALL PROTECTORS

IIAII FROILCIORS	
Description	
Wall Protector	
Rack Protector	
Pipe Protector	
For pipes and electrical	

conduit













Bolts to wall and covers up to 5" round pipe.



MOLDED POLYETHYLENE MODULAR PIECES CAN BE INTERLOCKED TOGETHER TO ANY CONFIGURATION. CALL FOR QUOTE.
























HOSE BRIDGES

Product Code Description

CEP-HBRIDGE2472 Hose Bridge 24" x 72" x 5 1/2"



- All cars.
- Fire rescue.
- Apparatus and heavy trucks.
- · Recycled plastic.
- NOW with 6 hose openings! Two 5", two 4", two 3".
- · In plant use:
 - Welding cables.
 - Electrical conduit.
 - Water lines.
 - Hydraulic lines.
 - Air lines.
 - Steam lines.

Industrial use — water department, electrical/gas/phone utilities, construction.













FLOOR MATS & GRATES

Product Code	Description
CEP-FLMAT2	2' Floor Matting
CEP-FLMAT3	3' Floor Matting
CEP-FLMAT4	4' Floor Matting
CEP-DRIDEK3	3' x 4' Grating



RAS's line of floor matting and grates are both antifatigue and durable for high traffic or work areas. Dri-decking is lockable for continuous sizes.





CUSHION TILE SYSTEMS Product Code Description CEP-MAT12X2 Modular Safety Station Mats

- · Beveled ramps for wheelchairs.
- Anti-fatigue, 3/4" thick supported by 81 "mini shock absorbers."

HIGHES'

- Carbide Grit Top®.

- Solid Tile. - Super Soft.

- · Interlocking "waffle grid" allows maximum drainage.
- Modular 12" x 12" tiles fit snugly together to create any size mat.
- · 2 3/4" ramps or new extra-wide 6" ramps.
- 100% recycled plastic.
- · Specify color and surface style.
- Choose from 13 eyecatching colors.
- · Tiles available in 8 styles.
- Standard.
- Encapsulated Dura Grit[®].
- Super Tough.
- Conductive and Static Dissipative.
- Pre-assembled workstations in 9 sizes.
 - 30" x 36"
- 30" x 48"
- 42" x 72"
- 30" x 60" - 30" x 72"
- 30" x 96"
- -42" x 60"
- 42" x 96"
- 42" x 120"













TARPS Product Code Description CEP-FRTARP10X12 Tarp Fire Retardant 10' x 12' CEP-FRTARP12X12 Tarp Fire Retardant 12' x 12' CEP-FRTARP12X16 Tarp Fire Retardant 12' x 16' CEP-FRTARP12X24 Tarp Fire Retardant 12' x 24' 16' x 16' CEP-FRTARP16X16 Tarp Fire Retardant 20' x 20' CEP-FRTARP20X20 Tarp Fire Retardant









RAS's tarps & slings are fire retardant and UV resistant for all weather conditions.

SAFETY FENCING

Product Code Description CEP-FENCING-100 Safety Fencing





4' x 100'



CONSTRUCTION VERTICAL NETTING & NETTING WRAP

Product Code Description

Vertical debris netting 4'x150' orange CEP-SBN-22-4OR CEP-SBN-22-4BLK Vertical debris netting 4'x150' black

Knitted polyethylene threads with reinforced border. Meets NYC Local Law 61 and OSHA specs. Available in fire-retardant, high visibility fluorescent orange or non fire retardant black. Hole openings approx. 1/4". Other roll sizes available.

Vertical debris netting 4'x150' orange CEP-SBN-427-4OR CEP-SBN-427-4BLK Vertical debris netting 4' x150' black

PVC coated polyester with reinforced border. Fire retardant. Meets NYC Local Law 61 and OSHA specs. Available in high visibility orange and black. Hole openings approx. 1/8" x 3/16". Other roll sizes available.

All RAS construction and netting is available in orange and black coloring. Meets all OSHA regulations and NYCLOCAL Law 61 for construction applications.







CONSTRUCTION SAFETY Product Code



2.5" x 3.5", 15" - 36" 4" x 5", 15" - 36" Flag - Plain Flag - Custom Tape 3" x 1000' Roll

CEP-FLAG-DANGER Flag 4 Mil Red Polyethylene, 12" x 300' 1 3/16" Taffeta Roll Flagging, 2.5 Mil Glo Colors CEP-TAPE-SURVEYOR Tape

Please specify length Please specify length Please specify verbiage Sold by roll only 144 roll/cs.



CEP-FLAG-XX

CEP-CFLAG-XX CEP-TAPE-WARN




CONSTRUCTION SAFETY		
Product Code	Description	
CEP-TAPE	3" x 1000' Caution Tape	
	Yellow w/ Black Letters	
CEP-SAFETYCONE28	Safety Cone – Orange	
CEP-FLRSIGN	Spill Floor Sign	
CEP-GOGGLES	Safety Goggles	
CEP-GLOVENIT-813	Disposable Nitrile Glove	
	Powder Free	

RAS offers a full line of construction safety and remediation products.

CAN BE ADDED TO SPILL KITS







SOIL EROSION PREVENTION

Product Code

Description

Call for quote and sizes

GEOTEX-W- (SIZE) Geotextile woven fabric GEOTEX-NW- (SIZE) Geotextile nonwoven fabric

Applications used for

- RailRoad Stabilization
- Asphalt OverlayStabilization
- Pond Underliners
- Erosion Control Drainage

Woven and Non-Woven Geotextile Fabric This geotextile is made up of polypropylene fibers. These fibers are needled to form a stable and durable network such that the fibers retain their relative position. It is non-biodegradable and resistant to most soil chemicals, acids and alkali with a pH range of 3 to 12.

CALL FOR QUOTE





ASPEN FIBER LOGS

Product Code	Description	
CEP-ASPLOG9	9"x 25'	
CEP-ASPLOG12	12"x 10'	
CEP-ASPLOG20	18"x 10'	

Aspen Fiber logs come in 9"x12" and 18" diameters. These are used any where sediment needs to be filtered. They have also been used in lieu of silt fence around job perimeters when allowed. They are traditionally staked in place with either t-posts or wood stakes.







MARINE - CONTAINMENT BOOMS

Product Code	Description	
CEP-CB10-50	Containment Boom	 10" x 50′
CEP-CB10-100	Containment Boom	10" x 100′
CEP-CB18-50	Containment Boom	18" x 50'
CEP-CB18-100	Containment Boom	18" x 100′
CEP-CB24-50	Containment Boom	24" x 50'
CEP-CB24-100	Containment Boom	24" x 100'
CEP-CB36-50	Containment Boom	36" x 50'
CEP-CB36-100	Containment Boom	36" x 100'
CEP-MINICB25	Mini Creek Boom	5" x 25'
CEP-NEO-4	Self Inflatable Neo Boom	10" x 100'








Product Code	Description	
CEP-FIREBOOM	Fire Boom	



MARINE - BOOM REELS, DISPERSANT SPRAVERS & PUMPS

Product Code	Description	<u></u>
CEP-BREEL500-M	Manual Boom Reel	500' Capacity
CEP-BREEL500-E	Electric Boom Reel	500' Capacity
CEP-BREEL500-D	Diesel Driven Boom	500' Capacity
	Reel	
* 1000' consoit is available in all readels		





CEP-DISPRAY25 Dispersant Sprayer – Mobile – Fits Any Tank Oil Spill Spate Pump - Diesel Driven CEP-SPATEPUMP250 CEP-PUMP3

Diesel Driver - 3" Inlet **Explosion Proof Power Pack**

The RAS line of boom reels, dispersant sprayers and pumps are ideal for any catastrophic oil spill response.

Various Lengths - 10' - 50'





MARINE SKIMMERS &

TURBIDITY	CURTAINS HIGHEST QUALITY
Product Code	Description
CEP-RMOPSKIM	Electric or Diesel Driven Rope Mop Skimmer
CEP-DISCSKIM	Diesel Driven Disc Skimmer
CEP-VACSKIM	Vacuum Suction Skimmer
CEP-WEIRSKIM	Fiberglass-Weir Skimmer
CEP-BAFSYST100	Turbidity or Baffle Curtain System

*Call for Specifications, All Models and Styles Available

RAS's oil skimmers are the leaders in continuous mechanical recovery. All models vary in recovery rates. The RAS Turbidity Curtains are designed for wastewater treatment or pond sludge containment and diversion.









INDUSTRIAL - OIL SKIMMERS

Product Code	Description	
CEP-BELTSKIM8	Belt Skimmer – Electric	40 GPH
CEP-BELTSKIM4	Belt Skimmer – Electric	20 GPH
CEP-BELTSKIM2	Belt Skimmer – Electric	12 GPH

RAS's line of industrial oil skimmers offer continuous high recovery rates of hydrocarbons in industrial sumps and catch basins. The belt driven electric skimmers vary in recovery by model.





MARINE - SPILL ACCESSORIES

Product Code	Description	
CEP-TOWBR25	Boom Tow Bridle	7 lbs. SAVES
CEP-TIDESLIDE18	Boom Tide Slide	4' SAVES
CEP-CBRKIT	Boom Repair Kit	MONE
CEP-BOOMSTAKE4	Boom Stake - Steel	4′
CEP-POLYROPE1/4	1000' Spool Poly	1/4"
CEP-PERMABOOM24	PermaBoom	24" x 100'
CEP-CBRKIT CEP-BOOMSTAKE4 CEP-POLYROPE1/4	Boom Repair Kit Boom Stake – Steel 1000' Spool Poly	4' 1/4"







RAS offers the widest range of boom accessories anywhere worldwide!



MARINE - SPILL ACCESSORIES

Product Code	Description	\$
CEP-ANCHOR25	Anchor	25 lb. SAVES YOU MONEY
CEP-ANCHOR50	Anchor	50 lb.
CEP-SNARE 30	Viscous Snare	Loose 30/cs
CEP-SNAREROPE	Viscous Snare	Rope 50' Sections
CEP-BUOY	Oil Boom Buoy /	Light System
CEP-HOSE2	2" Hose – Suction	n
CEP-HOSE3	3" Hose – Suction	n





IDEAL FOR HEAVY OILS



Boom buoys, lights and anchors ensure full containment boom safety. RAS's viscous snare products are ideal for heavy crudes.

BIOSOK BILGE MAINTENANCE SYSTEM

Product Code Description

CEP-BIOSOK BIOSOK Bilge Maintenance System 3" D x 10" L, 8 oz

- · Contains 8 ounces of scientifically modified beeswax
- Easy to use Just tie the BioSok in the bilge where oil and water collects
- · Captures and degrades oil and fuel that leaks in a boat bilge
- Nontoxic and environmentally safe 100% natural
- BioSok will last a full boating season under most normal conditions



DOCKSIDE EMERGENCY BOX

 Product Code
 Description

 CEP-8-ER1
 Dockside Marina Spill Kit

Includes:

- 1 PowerSolve (12oz.)
- 1 Sheen Devil (10')
- 40 SmartPads
- 1 Terra Guard (10')
- 1 Versimat (55" x 10')
- 20 Versipads
- 2 Viscochips (1lb. bag)

IDEAL FOR ALL MARINE DOCKS OR VESSELS



For spills of oil, gasoline, diesel, transmission fluids and other petroleum products into streams, rivers, lakes or bays. Sturdy storage box designed for permanent dock placement.

KLEENSOCK

Product CodeDescriptionCEP-8-KS13.5" dia X 20" long.

KleenSock Bilge clean up sock The lowest cost, highest absorbing bilge sock available. Infused with patented MYCELX, it is easy to use, easy to retrieve. It meets the Clean Marina guidelines and helps boaters keep their bilge discharge under control.







,

WATERT Product Code	IGHT PROTECTOR Interior Dimension	CASES Exterior Dimension	Colors
CEP-1120 CEP-1200 CEP-1300 CEP-1400 CEP-1500 CEP-1600 CEP-1750 CEP-350	7 3/8" x 4 7/8" x 3 1/16" 9 3/8" x 7 1/4" x 4 1/16" 9 3/8" x 7 1.4" x 6 1/8" 12" x 9 1/16" x 5 3/16" 17" x 11 7/16" x 6 1/8" 21 3/4" x 16 13/16" x 7 7/8" 50 1/2" x 13 7/16" x 5 1/4" 20" x 20" x 20"	8 1/4" x 9 11/16" x 4 7/8" 10 5/8" x 6 9/16" x 3 9/16" 10 5/8" x 11 5/8" x 6" 13 3/8" x 6 9/16" x 3 9/16" 18 1/2" x 14 1/16" x 21 1/4" 24 1/4" x 19 7/16" x 8 11/16" 53" x 17 7/16" x 6 1/16" 22 1/2" x 22 7/16" x 3 9/16"	
			THE RESERVE OF THE PERSON NAMED IN

Many other sizes available. Optional pull straps and wheels. Optional padded dividers.





PORTABLE DECON WASTE POOLS

Product Code Description

1 CEP-DP-6 62"ID x78"OD Decon Pool 85 Gal. Capacity CEP-DPP-96 6' Pool Ground Pad CEP-DPH-20 6' Pool Retention Hose

2 CEP-DPI-5 Inflatable Collar 5'Dia x 13"High 120 Gal. Capacity Wash Pool w/Case

CEP-DPI-8 Inflatable Collar 8'Dia x 13"High 307 Gal. Capacity

Wash Pool w/Case

QUICK & EASY TO DEPLOY





DECON CONTAINMENT BERMS

Product Code	Description	
CEP-DBI-1414	Std. Duty Inflatable Sidewall Decon Berm	14′ x 14′ x 7″D
CEP-DBI-1426	Std. Duty Inflatable Sidewall Decon Berm	14′ x 26′ x 7″D
CEP-DBI-1640	Std. Duty Inflatable Sidewall Decon Berm	16′ x 40′ x 7″D

INFLATABLE

- Standard Duty 10 oz. PVC.
- · Also available in Heavy Duty 32 oz. PVC.





ENCLOSED DECON WASTE TANK

Product Code	Description	
CEP-TEWT-110	Enclosed Waste Tank	110 Gal.
CEP-TEWT-150	Enclosed Waste Tank	150 Gal.
CEP-TEWT-300	Enclosed Waste Tank	300 Gal.
CEP-TEWT-600	Enclosed Waste Tank	600 Gal.
CEP-TEWT-1200	Enclosed Waste Tank	1200 Gal.
CEP-TEWT-1800	Enclosed Waste Tank	1800 Gal.
CEP-TEWT-2500	Enclosed Waste Tank	2500 Gal.

28 oz. PVC coated rip-stop woven fabric. Ideal for potable and non-potable water storage.





DECON-U-SHOWER

Description

HQ HIGHEST QUALITY

Product Code

CEP-DU-50 Portable DeCon "U"
Shower includes bag

52" x 52" x 7'6"H Assembled Size

Containment pool sold separately.

• Output 6.33 GPM @ 30 PSI



DISPOSABLE DECON SHOWER & AIRLOCK SYSTEM

Product Code	Description	
CEP-DCON3	3-Room System: Clean, Shower and Equipment Room	37" x 37" x 77"
CEP-DCON3XL	Extra Large 3-Room System: Clean, Shower	43" x 48" x 81"
	and Equipment Room	
CEP-DCON2	4 Clean and/or Equipment Rooms	37" x 43" x 77"


Low-cost, durable and disposable.

Poles and shower nozzles sold separately.



DECON SPRAY HOOPS

Product Code	Description	
CEP-DH40	DeCon Spray Hoop	45"OD x 39"ID
	2 Pieces	Two 43"-66" Extendable Handles
CEP-DH40-4P	DeCon Spray Hoop	45"OD x 39"ID
	4 Pieces	Two 32"-53" Extendable Handles
CEP-DHSB4	Storage Bag for DH40	
CEP-DHSB44	Storage Bag for DH40-4	4P







BE PREPARED FOR DISASTER!!

QUICK ERECT DECON/EMERGENCY SHELTER

Product Code	Description	
CEP-QE1014	Decon Shelter	10′ x 14′
CEP-QE1020	Decon Shelter	10′ x 20′
CEP-QE1025	Decon Shelter	10′ x 25′

12 oz. White Rip-Stop fire retardant material. Includes frame, cover, hardware, 2 vents, 1 window and 1 door.

Options:
Additional Door / Additional Window



SHELTER HEATER

Product Code Description

CEP-HOT VENT PRO-70 Shelter Heater



- Heat output from 100°F to 250°F.
- 70,000 Btu system.
- Connect to any 8"-10" air hose duct.





PORTABLE HIGH PRESSURE SOAP INJECTOR

Product CodeDescriptionCEP-FSI-1H.P. Soap Injector2 Gal Capacity

- · Manually operated.
- · High pressure.
- · Foot pump with serrated foot treadle.
- Supply line hose: 3/8" x 10'
- Overcome line pressures to 1250 lbs.





DAT SERIES HAZMAT DECON SHOWERS

Product Code	Description		
CEP-DAT2020S	Decon Shower, One Person, Full Size	80 lbs	7' x 7' x 8'H
CEP-DAT1010S	Decon Shower, One Person, Economy Size	45 lbs	3' x 3' x 8'H
CEP-DAT3060S	Decon Shower, Multiple Personnel, Large	185 lbs	13' x 20' x 9'H

- Portable, heavy duty construction
- · Rapid deployment
- Multiple models/sizes available
- No pool to roll out no parts to assemble
- · High visibility interior incorporated into all DAT series showers

Incredible stability even in high wind conditions to 70 mph plus when properly tied down



STANDARD DECONTAMINATION SHOWER SYSTEM


 Product Code
 Description

 CEP-HMK1101A
 Standard Decontamination Shower System
 95 lbs

- · System includes: shower, pool, elevation grids and carry bags
- · Unique quick-connects for fast assembly
- · Six shower heads plus an independent hand-held sprayer
- · Heavy-duty yet transports easily in two vinyl bags




ISOLATION ROOM





Specialized care can be administered while still protecting indoor or outdoor environments with our new Isolation Room. Built with a series of heat-welded tubes, air flow is maintained throughout the room making it a strong, safe structure and protected working environment. A variety of options are available, including custom sizes, carry bag, pump carry bag, additional 4" ports with lids and a complete

negative flow system. Air support system not shown.



All rooms come complete and portholes.

with blower, non-skid floor

ISOLATION CHAMBER

Product Code	Description
CEP-ISO-1	ISO CHAMBER ONLY
CEP-ISO-4	ISO-CHAMBER w/6 C2A1 (NBC) FILTERS,
	POWER - ALKALINE D BATTERIES

RAS is pleased to add the Isolation Chamber to their product line. This chamber is perfect for hospital use when transport is needed for patients exposed to hazardous elements or life threatening events. It protects hospital staff and emergency personnel while they attend to the patient's needs. With the chemical threats of today, such as Anthrax, the Isolation Chamber greatly reduces the danger of exposure. Gurney not included.

> All chambers include blower assembly, oxygen port and storage bag.









PORTABLE DIAPHRAGM HAND PUMP

Description
15GPM diaphragm Hand Pump
Includes Female Nyglass quick Couplers
and Mounting Board
10' x 1-1/2" Inlet Hose Assy
20' x 1-1/2" Outlet Hose Assy









AEROSOL FILLER CRUSHERS, HYDRAULIC WASTE & DRUM COMPACTORS

Product Code	Description
CEP-DCRUSH55	Steel Drum Compactor – 60,000 lbs. force
CEP-AEROSOLV-5000	Aerosol Can Puncture/Recycle System
CEP-WASTECOMPACT250	Bulk Waste Compactor –

All RAS compactors are EPA certified and offer the highest level of compactor force. The aerosol puncture and recycle systems are all static resistant and ideal for proper aerosol disposal.



AEROSOL CANS DEPRESSURIZED

Product Code	Description
CEP-J-7	Can-Emitor
CEP-2001	V.O.C. Filter Kit
CEP-2002	Hose Kit with Drum Adapters

- After can is punctured, the liquid and propellant are expelled through the hose into the drum.
- Propellants escape through the vent in the lid or through the filter where hydrocarbons are absorbed.

Remains sealed at all times...and will accept all sizes of aerosol cans!





POLY TANKS & BULK TOTES





Product Code	Description	
CEP-PTANK300	Poly Tank 300 Gallon	22" Manhole
CEP-PTANK500	Poly Tank 500 Gallon	22" Manhole
CEP-PTANK1000	Poly Tank 1000 Gallon	22" Manhole
CEP-TC275	275 Bulk Tote	
CEP-IC275	IBC Bulk Container	



RAS's poly tanks and bulk totes are ideal for bulk liquid storage and transfer. All sizes are available.

330 Gallon

HAZ MAT TRAILERS

Product Code	Description
CEP-UTRAIL16	16' Dual Axle-Bumper
CEP-UTRAIL20	Pull Utility Trailer 20' Dual Axle-Bumper
CEP-ERTRAIL16	Pull Utility Trailer 16' Dual Axle-Enclosed Pesponse Trailer
	Response Trailer







CEP-ERTRAIL20 20' Dual Axle-Enclosed Response Trailer





RAS offers the finest line of bumper pull and enclosed emergency response trailers. All trailers are dual axle with anti-lock brakes, optional bumper or goose pull and rear or side doors and ramps.

CALL FOR A QUOTE ON A FULLY STOCKED EMERGENCY RESPONSE HAZ MAT TRAILER!

119



IN-LINE MULTI MANIFOLD

Product Code	Description
CEP-MM15-3	1-1/2" Inlet / 3 Valve Outlet
CEP-MM15-6	1-1/2" Inlet / 6 Valve Outlet
CEP-MM25-3	2-1/2" Inlet / 3 Valve Outlet
CEP-MM25-6	2-1/2" Inlet / 6 Valve OUtlet

NH threaded rocker lug inlet couplings are standard.



Quickly connect standard 3/4 inch hose to hydrants, fire hoses, or fire apparatus.





HIGH VOLUME PUMPS

Product Code	Description	
CEP-D75	Selwood High Volume Pump	5HP, 264GPM
CEP-D100	Selwood High Volume Pump	8.7HP, 528GPM
CEP-D150	Selwood High Volume Pump	38HP, 1672GPM
CEP-D200	Selwood High Volume Pump	56HP, 2640GPM

- · Self prime
- Environmentally friendly
- Indefinite dry running
- Oil immersed mechanical seal
- Super silent from 58db





POSITIVE DISPLACEMENT PUMPS

Pı	roduct Code	Description	
1	CEP-PD50	Selwood Simplite Diaphragm Pump,	
		general purpose	1HP, 48.5GPM
2	CEP-PD75	Selwood Spate Pump	3.3HP, 132GPM
3	CEP-PD100	Selwood Spate Pump	8HP, 339GPM

- Unique auto self priming.
- Environmentally friendly.
- Indefinite dry running.
- Handles oils and sludges.
- Simple maintenance.










SOLIDS HANDLING PUMPS

Product Code	Description	
1 CEP-S150	Selwood Seltorque Pump	32HP, 1408GPM
2 CEP-S200	Selwood Seltorque Pump	56HP, 2200GPM
CEP-S300	Selwood Seltorque Pump	106HP, 4843GPM

- Seltorque pumps for solid handling.
- · Auto self priming.
- Environmentally friendly.
- Indefinite dry running.
- Oil immersed mechanical seal.









RAS

SPILL PREVENTION, CONTROL AND COUNTERMEASURES RULE

A. BACKGROUND:

• Under authority of The Federal Water Pollution Control Act (asamended by The Clean Water Act) the SPCC rule took effect on January 10, 1974. Its purpose is to prevent oil and oil-related materials from reaching navigable waters and adjoining shorelines. Parts of the original rule were unclear (i.e., container size was not specified) and compliance was expensive for small business due to the need to obtain certification by a Professional Engineer (PE). As a result, the original rule was revised in July 2002. Various extensions have taken place since then that address special cases. (See section F below).

R SUMMARY

- Facilities subject to the rule must prepare and implement a plan to prevent any discharge of "oil" into or upon navigable waters of the U.S. (including groundwater that leads to surface water) or adjoining shorelines. This written plan is called an SPCC Plan.
- Unlike oil spill contingency plans that address spill cleanup measures after a spill has occurred, SPCC Plans ensure that facilities put in place containment and other countermeasures that would prevent oil spills that could reach navigable waters.
- The SPCC Plan must address: (a) operating procedures the facility implements to prevent oil spills; (b) control measures installed to prevent oil from entering navigable waters (i.e. secondary containment); (c) countermeasures to contain, clean up and mitigate the effects of oil spills.

C. REGULATED MATERIALS:

 Animal oils, fats and greases (including oils from fish or marine mammals), asphalt, aviation gasoline, bunker fuel, crude oil, cutting oil/machine coolants, dielectric fluid, diesel fuel, heating oil, gasoline, greases, hydraulic oil, jet fuel, lubricating oil, mineral spirits, motor oil, naptha, natural gas condensate, oil refuse, oily wastes (other than oil mixed with dredged soil), stoddard solvent, synthetic oils, tall oil, turpentine, residual fuels, used oil, vegetable oils (including oils from nuts, seeds, fruits and kernels).

D. WHAT FACILITIES ARE REGULATED?

- Facilities with combined (indoor and outdoor), above-ground oil storage capacity (not actual gallons on site) dedicated to any of the regulated materials greater than 1,320 gallons or a completely buried storage capacity greater than 42,000 gallons must comply.
- To calculate oil storage "capacity", all containers with a capacity of 55 gallons or more are included.
- Overall, the Rule applies to owners or operators of facilities that drill, produce, gather, store, use, process, refine, transfer, distribute or consume oil or oil products.

E. WHAT ACTIONS ARE NECESSARY FOR COMPLIANCE?

- All qualifying drums and tanks must have secondary containment and be included in the written Plan. Facilities with above-ground oil storage capacity of 10,000 gallons or less are permitted to selfcertify their Plan (no PE required) if they meet certain criteria related to spill history. Secondary containment is also required for loading and unloading areas for tanker trucks and railcars. Secondary containment must be equal to the largest vessel. In the case of a railcar, the containment area must provide a means to divert a significant spill to a retention pond, oil/water separator, etc.
- The Plan must include a facility diagram, and must mark the location and contents of each container. Secondary containment must be constructed so that any discharge from a primary containment system (i.e. drum, tank or pipe) will not escape before cleanup occurs.

F. EPA HAS ISSUED COMPLIANCE DATE EXTENSIONS — WHAT DOES THAT MEAN?

- EPA has caused a great deal of confusion related to its various extensions. Soon after the 2002 rule changes were published, concerns expressed by industry focused on four (4) problem areas:
- 1. Qualified, oil-filled operational equipment

- 2. Motive power containers (e.g. vehicle fuel tanks)
- 3. Mobile refuelers
- 4. Animal fats & vegetable oils at onshore & offshore oil production, drilling facilities

The most recent extension date (currently July 1, 2009) applies only to the four (4) special cases listed above.

The July 1, 2009 date is not an extension date for general compliance with SPCC.

G. WHO MUST COMPLY AND WHEN?

• Compliance dates for facilities (other than farms) are as follows: A facility starting operation on or before August 16, 2002 MUST Maintain its existing Plan; must amend and implement the Plan no later than July 1, 2009. Facilities in this group that do not currently have an SPCC Plan are out of compliance and are subject to regulatory action. A facility starting operation after August 16, 2002 through July 1, 2009 MUST: Prepare and implement a Plan no later than July 1, 2009. A facility starting operation after July 1, 2009 MUST: Prepare and implement a Plan before beginning operations.

H. OTHER SPCC-RELATED ITEMS

- An SPCC inspector is not required to provide advance notice of a facility inspection.
- Facility owners or operators regulated by SPCC must designate a person who is accountable for discharge prevention and who reports directly to management.
- In general, "transfers" of oils are regulated by SPCC; "transportation" of oil is not regulated.

Visit http://www.epa.gov/oilspill/spcc.htm to review the SPCC Regulation in its entirety.

STORMWATER MANAGEMENT REGULATIONS

A. SUMMARY:

- The National Pollutant Discharge Elimination System (NPDES) permit program controls water pollution by regulating point sources and non-point sources that discharge pollutants into waters of the United States.
- These regulations are a key component of EPA's Clean Water Act.
- The overriding goal is to protect the quality of U.S. waterways by reducing the discharge of sediment, oil and chemicals into storm drains, surface water and groundwater.

B. WHO MUST COMPLY?

Three (3) main categories must comply with the NPDES Regulations:

- 1. **Industrial Sites** a diverse range of 450 Standard Industrial Classification Codes (SIC) are regulated. Visit www.Stormwater-Products.com/regs for a detailed listing.
- 2. **Construction Activities** Phase II of the regulations went into effect in March 2003 and requires that construction sites on one (1) acre or more (commercial or residential) must comply.
- 3. **Municipalities** Phase II requires that all municipalities with a population of 10,000 or more must comply. Regulated properties include city-owned facilities (i.e. maintenance yards, water treatment plants, refuse dumps, city parks, parking garages, marinas, etc.) and city-supervised construction activities (i.e. road work, water main repairs, landscape development and maintenance, etc.)

C. WHAT ACTIONS ARE NECESSARY FOR COMPLIANCE?

- A Stormwater Pollution Prevention Plan (SWPPP) must be filed with the state or regional EPA to receive a stormwater permit.
- The Stormwater Plan requires the use of "Best Management Practices" (BMPs) to control stormwater runoff during construction activity or as part of a long-term maintenance plan.
- BMPs that are specified in the Plan must reduce the discharge of pollutants to the maximum extent practicable (MEP), protect water quality and satisfy the appropriate water quality requirements of the Clean Water Act.

HOW TO ORDER



WARRANTY INFORMATION

Information provided with respect to RAS products is based on testing and data believed to be accurate; however, the reliability of that information is not guaranteed. All sizes in this catalog are nominal. Pad thickness is measured at time of manufacture and used for comparative reasons.

Disposal.

Fluids absorbed by RAS products will not be rendered less hazardous, less toxic, or less flammable and, when absorbed, will remain in their original state. Therefore, handle, store, and dispose of RAS products after use with the same caution as you would the original fluid. Products must be disposed of in compliance with local, State and Federal regulations. Because various fluids absorbed may be of a toxic or hazardous nature, RAS does not recommend disposal procedure.

Exclusion of Warranties.

RAS products are sold without implied warranty of merchantability or fitness for particular purpose, and excluding all other warranties, expressed or implied.

Damages.

RAS is not liable for damages of any type (whether direct, consequential, incidental or special) arising out of or in connection with, the manufacture, sale, delivery, handling or any other use of RAS products. RAS's only obligation is to replace any RAS product proved to be defective.















www.raschemtech.com

Phone: 281.414.2830 Fax: 281.422.9595

Corporate Headquarters
1010 Market
Baytown, TX 77520

